

REHABILITATION EQUIPMENT

RECEIVED 12-1969 RETURN TO

ocsion Div

Group 290 Rec. 1977



FAIRWAY KING, INC.

4408 NORTH SEWELL OKLAHOMA CITY, OKLA. 73118



ORDERING INFORMATION

RETURN TO DESIGN DIV.

PRICES

Due to fluctuating market costs, prices are subject to change Group 290 without notice. You will always be given the advantage of the lowest price prevailing at the time your order is received. F.O.B. Oklahoma City, Okla. or F.O.B. respective factory.

TAXES

The amount of any sales, use or occupation taxes in effect at the time of the sale and shipment and the amount of all Federal Retailers' Excise taxes, where applicable, will be added to all prices as required.

TERMS


Any organization with a reliable credit rating may open an account with Fairway King, Inc. Bills are payable net on or before the tenth day of the month following date of purchase.

Please place our name with your purchasing office to receive your inquiries and bid requests.

> Please send all bid requests to: Fairway King, Inc. 4408 N. Sewell Oklahoma City, Oklahoma 73118 Phone 405-524-2281







No. 30 (*) Men's % inch round nose hospital cane. Natural finish only with suction rubber tip.

\$2.70

No. 32 (*) Men's 1 inch slash nose hospital cane. (Extra Sturdy) Available in Walnut, Mahogany, Natural, Tan and Black finish with suction rubber tip.

\$3.30

No. 41 (*) Men's % inch round nose hospital cane. 42 inches long. Natural finish only with suction rubber tip.

\$3.30

No. 42 (*) Men's 1 inch round nose hospital cane. 42 inches long. Available in Walnut, Mahogany, Natural and Ebony finish with suction rubber tip.

No. 53 (*) Men's Imported cane with Derby shape handle, metal band and tapered shank. Available in Walnut, Scorched and Black finish with suction rubber tip.

\$3.60

No. 54 (*) Men's Imported cane with 'T' shape handle, metal band and tapered shank. Available in Walnut, Scorched and Black finish with suction rubber tip. \$4.25

No. 59 (*) Men's Imported Maple cane with shovel type handle. Available in Dark Walnut finish only with suction rubber tip. \$7.50

No. 162 (*) Ladies' Imported cane with Derby shape handle, metal band and tapered shank. Available in Walnut, Scorched and Black finish with suction rubber tip. \$3.60

rubber tip. Group 290


The NEW LUMEX ORTHO-CANE

OFFERS BETTER BALANCE, ADDED COMFORT AND SAFETY

- "Ortho-Grip" Handle Increases Comfort, Reduces Tension and Strain
- Exclusive Curved Design Places Patient's Weight at Point of Maximum Support, Affords Greatest Balance and Control
 Sturdy Black ANODIZED Aluminum Tubing, Light in Weight,
- Remarkably Strong
- Push-Button Adjusts Height from 27" to 36" (69cm to 91cm), or 33" to 42" (83cm to 106cm)
- Special, Large Rubber Cane Tip with Molded-in-Metal Insert

NEW CAT. #	OLD #	LUMEX ORT	HO-CANES	SHIPPING WEIGHT
6320		Regular Size	\$5.50	2 lbs. ea. 1 & 6 per ctn.
6330	633	Extra-Long Size		2 lbs. ea.





No. 220

The LUMEX CANES

AN AID FOR THE HANDICAPPED AND INFIRM

- Heavy Gauge, ⁷/₈" (2.2cm) ANODIZED Aluminum Alloy Tubing
- . Black Plastic-Covered Crook for Secure Grip
- Rubber Crutch Tips
- Metal Reinforcing Washers
- Adjustable Model Features Simple, Positive LUMEX Push-Button Adjustment

NEW CAT. #	OLD #	LUMEX CANES		SHIPPING WEIGHT	
6210	621	Non-Adjustable— 36" (91cm)	\$2.95	2 lbs. ea. 6 per ctn.	
6220	622	Adjustable—	\$4.50	2 lbs. ea.	-

19.50





No. 1305A


No. 220 Popular priced Seat Cane made of Aluminum tubing and plastic seat. \$9.95

No.200(*)Universal Ball Joint with 6 inch dia. Tri-Pod base on Anodized Aluminum cane.


\$9.20



No. 1305A—Contains the features of No. 1305 except forearm cuff is l" wide and constructed of spring steel vinyl plastic caded. Front opening only.



The NEW LUMEX CONVERTIBLE



New Features:

- Double Push-Button Height Adjustment...Leg Section and Axillary Section Each Separately Adjustable. No Tools Required at All. Adjusts for Partial Flexion or Full Extension of Elbow
- · Convertible in Seconds to Ortho-Forearm Crutch by Interchanging Axillary Section with Cuff Section ... Ideal for Teaching Institutions
- New Extra-Large Crutch Tip with Molded-in-Metal Insert

Exclusive Lumex Ortho Features:


- Ortho-Grip Handle Assures Correct Posture of Hand ... Increases Comfort While Reducing Fatigue and Strain
- Specially Contoured and Lengthened Axillary Arm Rest Gives Greater Support, Will Not Slip... Feeling of Security and Increased Control Reduces Training Time

 Sturdy ANODIZED Tubing... Lightweight

 Flexing of Tubing Acts as Natural Shock Absorber... Sponge
- Rubber Padding Enhances Comfort


LUMEX CONVERTIBLE ORTHO-CRUTCHES

NEW CAT. #	OLD #		WEIGHT & PACKING
6231	623A	Large Size—For Patients 5'5" to 6'5"	5 lbs.
		(165cm to 195cm)	1 pr. per ctn.
6232	623B	Regular Size - For Patients 4'10" to	5 lbs.
		5'10" (147cm to 178cm)	1 pr. per ctn
6233	623C	Small Size — For Patients 4'3" to 4'11"	4 lbs.
		(129cm to 150cm)	1 pr. per ctn.
6237		Top Section Only, with Foam Pad, For	2 lbs.
		All Sizes of Ortho-Crutch	



\$12.00

\$6.00



Adults No. 414 Size 48 inch to Size 60 inch.

Youth No. 412 Size 36 inch to Size 47 inch.


Childs No. 410 Size 26 inch to Size 35 inch.


All sizes

\$17.45 Pr.

Crutches are made of Seamless Aircraft Aluminum tubing, making them extremely strong and yet light weight.









CRUTCH CUSHION

Made of extra heavy, salmon-red specially compounded sponge rubber which retains its resiliency. Diamond shaped cells prevent slipping under arm pressure. Extra deep moulded corners with reinforced edges give a better fit and grip.

Will not split when attaching to arm of crutch. Longer lasting because of finer workmanship.

> 460540-Per Pair\$1.70 Per Doz. Pair____\$17.00

DAVOL "VACUUM" BASE CRUTCH TIPS

Packed 1 pair in box; 2 doz. tips in carton. Hospital Special Packing 24 in box (bulk).

P	er Doz.	Hospital Pkg. Per Doz.
460620—Size 17		
%" Inside Diam., red 460630—Size 18	\$1.95	\$1.80
%" Inside Diam., red460640—Size 19	2.25	2.05
%" Inside Diam., red460650—Size 20	2.25	2.05
1" Inside Diam., red	2.60	2.30
11/8" Inside Diam., red	2.60	2.30

CRUTCH-EZE HAND GRIPS

For fixed hand crutches. Separated along the length to slip over fixed handles of a crutch.


> 559230-Per Pair \$1.60


SAFE-T-GRIPS

For crutch surefootedness

Large Safe-T-Grips are positively non-skid, with extra thick base and suction rings for greater safety. Equipped with metal disc which prevents crutch penetrating through tip. Fibre-cord molded into base. Height 21/2", diameter at base 1%". Fits crutch sizes 18 and 19 (%" — %").

> 559310—Per Pair _____ \$1.20





Chrome plated steel bedside commode.

Modern design . . . lightweight but much sturdier than conventional aluminum tubing. Made of 1" steel tube, triple chrome plated, legs have white rubber tips. Comes complete with plastic pail and lid . . . Enameled wood toilet seat with brass bolts and white bumpers. Packed 1 in ctn. . . . Weight 24 lbs. each. Overall height 27" . . . Seat height 18". Width between arms 19".

Adjustable commode


\$28.95

Same as above but with four telescoping legs. Adjusts at one inch height intervals.



SHOWER SEAT

Allows the infirm independence when showering. No. 23 Portable Shower Seat has 3" rubber suction cups which grip firmly. No. 24 Folding Unit attaches to any wall and folds compactly when not in use.



PORTABLE RAISED SEAT

Raises toilet seat 4 inches. Consists of seat ring, four aluminum brackets with rubber bumpers, No. 21S has shield (stainless steel).



NO. 215

\$15.00

\$18.00

SAFETY RAILS



DIMENSIONS:

28½" H x 24" W x 22" D (72cm x 60cm x 55cm)

Inside Width—17" (43cm)

Seat Height—Standard Model—18" (45cm)
Adjustable Model—18" to 22" (45cm to 55cm)

Folded-45" H x 5" W (114cm x 13cm)



NO. 40 \$12.60 NO. 41R

\$10.60

LUMEX PUSH-BUTTON FOLDING VERSAMODE

SHIPPING WEIGHT \$28.10 CAT. # OLD # 661 With Poly/Pro Pail and Cover 12 lbs. 1 per ctn. \$33.00 6640 664 With Poly/Pro Pail and Cover, and 13 lbs. Adjustable Legs 1 per ctn. \$28.10 6660 666 With Bedpan Attachment 13 lbs. (Bedpan Not Supplied) 1 per ctn. \$33.00 6670 667 With Adjustable Legs and 14 lbs. Bedpan Attachment 1 per ctn.

(Bedpan Not Supplied)



DIMENSIONS:

38" H x 20" W x 23" D (95cm x 50cm x 58cm) Seat Height—19" (48cm) Width Between Arms—18" (45cm)

LUMEX SHOWER CHAIR

NEW CAT. # OLD # 6910 691

\$34.00

SHIPPING WEIGHT: 16 lbs. Packed 1 per ctn. (KD)



The sparkling chrome finish accents the modern lines of this economical tubular steel bedside commode chair. The functional design eliminates hard-to-clean areas. White plastic (boilable) pan receptacle slides out rear.

No. 399 Commode \$25.00



DIMENSIONS:

22" W x 24" D x 30" H (55cm x 60cm x 75cm)
Seat—20" x 20" (50cm x 50cm)
Height from Floor—18" (45cm)
Height of Back from Upholstered Seat—16" (40cm)


LUMEX STYL-MODE

NEW CAT. # OLD #

6750 675 With Poly/Pro Pail

\$55.00

SHIPPING WEIGHT: 30 lbs. Packed 1 per ctn. (KD)



SAFETY ARM REST

A safety and self help device which fills an obvious need. Used in homes as well as hospitals. Strong, durable aluminum. Rubber-tipped legs will not mar floor. Will not rust. Easy to install — fits all toilets. Patent No. 2774975.



NO. 70


\$10.50 SAFETY ARM REST

Same use and utility as No. 90, except does not extend to the floor. Raises seat height 1". Double reinforced aluminum. Patent No. 2774975.



The Reg-U-Temp Model 675 disposable sitz bath provides an effective, yet inexpensive means of perineal hydrotherapy. Each patient can have his own reusable unit.

Model 665 — Institutional Package (individually poly bagged, 6-pack package)



REG-U-TEMP® SITZ BATH

The safe and effective perineal hydrotherapy method. Scientifically designed contour seat takes weight off perineal area makes prolonged use more comfortable. Provides constant temperature control and greater comfort. Completely autoclavable steril sitz bath in complete safety. Completely portable weighs less than 2 lbs.

B 543270—Each ______\$24.95

MOBILE SITZ BATH



MODEL SB 100

This Mobile Sitz Bath Chair is especially designed for bedside use. It affords a safe, comfortable and convenient method of applying aqueous conducted heat to the perineal, genital and rectal areas. It is effective in post-operative care and non-surgical therapy.

The NEW LUMEX PIVOT-ARM VERSAMODE

NOW AVAILABLE WITH OPTIONAL SCOPETROL* FOOTREST

Combines Standard VERSAMODE Versatility with Added Comfort and Convenience of Push-Button Swing-Out Arms . . . Retractable Footrest with Exclusive SCOPE-TROL* Action. Pat. #3,239,255

*Scopetrol insures automatic stop when fully extended . . . with no buttons to push . . . effortless retraction.



Welded Chrome-Plated Steel Construction

Upholstered Seat and Back-Heavy-Duty Beige Washable Vinyl with Foam Padding—Underside is Plastic Laminate for Cleanliness and Durability

3" (7.5cm) Ball-Bearing Thread-Guard Swivel Casters with 2
Brakes (5"—12.5cm—Casters Available at Additional Cost)
 Arms Swing Out and Lock Automatically in Rear with Push-

Buttons. Arms Are Completely Removable, Convert Chair to Transportation Chair Without Arms

Furnished with Autoclavable Poly/Pro Pail and Cover

 Plastic Arm Rests Available at Slight Additional Cost
 Spring-Mounted Bedpan Rack Available at Slight Additional Cost (Bedpan Not Supplied)

DIMENSIONS:


36" H x 201/2" W x 211/2" D (90cm x 52cm x 55cm) Seat Height from Floor—with 3" Casters—18" (45cm)
—with 5" Casters—20" (50cm)

NEW CAT. #	OLD #	
6800	680	With 3" (7.5cm) Ball-Bearing Thread-
6810	681	Guard Swivel Casters & Brakes With 5" (12.5cm) Ball-Bearing Thread- Guard Swivel Casters & Brakes
6840	684	Optional Retractable Footrest



\$64.00 1 per ctn. 8 lbs. \$10.00 1 per ctn.







Removable spring carriage holds bed pan snugly under seat

\$33.95



MODEL 106

\$46.95

\$23.95

Toilet seat is 21 inches in height - five inches higher than the standard toilet.

Both models fold compactly for carrying or storage. Light in weight — easily handled by patients. Weight of De Luxe, 51/2 lbs.; Standard, 41/2 lbs.

Easy to keep clean and sanitary - no container to clean when used over toilet.


Protective alumilite finish will not chip or crack.

Stout and sturdy, constructed of heavy gauge durable aluminum.

Toilet seat of standard size.

Removable spring carriage with stainless steel springs holds any standard bed-pan snugly under seat for conventional bedside use.

Economically priced and guaranteed.



NET WT. 85 LBS / SHIP. WT. 110 LBS.

Model 1600 Vari-pulse shortwave diathermy

An F.C.C. approved short-wave diathermy furnishing pulsed output to 500 watts peak power or the conventional continuous modality with a full 250 watts output.

The adjustable pulse duration of 300 milliseconds (3/10 second) to 6 seconds permits varying the pulsed output from 1.25 to 25 percent (averaging period of 60 seconds) of the peak pulse power.

Standard electrodes furnished are two 7" by 9" applicators. The Hinged Arm applicator with the Model No. 1600 above, Cuffs and Sinus applicators must be ordered individually. Unique circuitry permits instant operation with no warm-up period required. Single knob power control and synchronous electric timers simplify the unit's operation.

The upper unit is the complete diathermy and rests on a matching mobile base with drawer. A height of 39" overall and a compact base area of only 12" by 16½" makes this a real convenience for the treatment room.



No. 502 — Code BACBA Size 7" x 9" with connecting cord and ½" banana tip. This is the standard applicator. Two are furnished with the diathermy. MODEL NO.: 1202 (Hinged Type Arm Applicator) CODE: HINGE NET WT.: 131 LBS. SHIP. WT.: 215 LBS.

DIMENSIONS: UPPER SECTION 23" W x 17" D x 171/2" H OVERALL 233/4" W x 18" D x 381/2" H SHIPPING

2 Crates 26" x 22" x 231/2" Each WITH

> 1202 ARM

\$1100.00

The power of the Model 1200 MASTER FISCHERTHERM is generated by two heavy duty power tubes having an approximate rated output of 440 watts, powered by a constant duty full wave rectifier and filtering system.

The frequency is controlled at 27.120 mc. and requires no crystal oscillator amplifier, no buffer amplifiers and no neutralization on the output tubes. Engineered and designed to operate continuously on heavy duty requirements.

SINGLE OUTLETS AND CONTROL – Power control is by single knob. A single pair of fool-proof outlet terminals accommodates all types of applicators, such as cuff electrodes, cable, drum and surgery electrodes.

1800 FISCHERTHERM

Model 1800 Short Wave Diathermy
NEW MODERN DESIGN Short Wave Dia-

thermy, F.C.C. approved, furnishing the conventional continuous modality with a full 300 watt output. Frequency controlled at 27.120 mc.

CONTROLS are conveniently placed on front of machine for easy operation. Pad connection is made at the back for convenient application to patient. Bell timer automatically signals completion of treatment.

INSTANT OPERATION No warm-up required. Unique circuitry permits instant start. Single knob power control simplifies operation of the machine. Two 7 x 9 patient electrodes are furnished. Other electrodes such as the hinged arm applicator must be ordered individually.

sound RF-60



Calibrated Dosage Meter—With square centimeter and total wattage scales.

True Quartz Crystal—5 square centimeter optimum size.

Advanced transducer design—no expensive repairs or replacements.

Beautiful — Professional Appearance — choice of Fischer Off-White or Silver Gray.

Full wave rectified circuit—beautifully engineered for stability, dependability.

(Continuous Ultra Sound Only)

Treatment Timer - Turns unit ON and OFF; governs length of treatment.

Intensity Control - Governs amount of power generated by unit


Pilot Light - Indicates when unit is turned on.

Dosage Meter – Calibrated in watts per square centimeter on top scale and total wattage on bottom scale. Watts per C² used in determining dosage level.

Model No. RF- 60 Ultra Sound Net Weight: 25 lbs. Shipping weight: 29 lbs. Cabinet: 15" wide

12½" high 11" deep


Caster Mounted Console measures 131/2"x161/2" x 36" high and weighs 39 lbs.



*Patent Number Re. 25,657

F. C. C. type approved U-160 input 115 volts 50-60 cycle A.C., .7 Amp max.—output 1 megacycle from a 5 CM² crystal


Guaranteed one year - see instruction folder





AQUASONIC® 100

8 oz. Trial Size	\$	1.85
Quart With Dispenser	\$	5.50
Gallon With Dispenser	\$1	16.50




DESCRIPTION

Propper Compact Spirometer, complete with 50 disposable mouthpieces Disposable mouthpieces, per 1000

LIST PRICE

\$58.00 7.50



charts for men and women ...

PRICE -


\$65.00



Leatherette, fitted zippered compact pocket case. Battery handle with rheostat for 2 C size batteries. Bifocal ophthalmoscope. Precision otoscope. Set of 5 black non-reflecting polypropylene specula. Spare bulbs for otoscope and ophthalmoscope.

	AUTOMATIC LOCK SETS	
Cat. No.		List Price
315D	Complete Set with	72.00
	Diagnostic Otoscope	
335D	Complete Set with	72.00
	Operating Otoscope	

DIAGNOSTIC INSTRUMENTS



COLLENS SPHYGMO-OSCILLOMETER

The Collens Sphygmo-Oscillometer is a precise aneroid instrument for obtaining oscillometric as well as standard blood pressure readings. It is extremely useful for diagnosis and prognosis in peripheral vascular diseases. The Collens Sphygmo-Oscillometer is supplied in a case with a permanent finish. A light, high strength cast duraluminum case provides a storage space for the complete inflation system. The inflation system (bulb, valve, rubber tubing, bladder and sleeve) are of the highest quality designed for long service. The dial features an easy to read scale, protected by a clear glass window.

A 292920—Each \$63.00

JUST THIS EASY ...



End Your Stainless Steel Cleaning Problems
With

NEW HYDROCOLLATOR® STAINLESS STEEL CLEANER

This amazing new cleaner is the simplest, most economical way to maintain stainless steel equipment.

Polishes out quickly and easily into a hard, likenew gloss. Leaves a protective coat which resists fingerprints, marks, and stains.

Easy to use, clean, fast-acting, and thrifty.

Comes in convenient 14 oz. Aerosol can for easy use and minimum waste.



14 oz. can \$2.95

"TIMED" VITALOMETER

Valuable in the detection of patients with loss of pulmonary elasticity or airway obstruction, as their total vital capacity may be normal or nearly so, yet the amount exhaled during the first second or fraction of a second is greatly reduced. Also for the detection of those with restrictive ventilatory insufficiency, whose exhalation during the first second or fraction of a second is normal, but whose total is under par.

Consisting of a six liter spirometer with dial calibrated in liters and tenths of liters. Equipped with an electronic timer and micro-switch attachment for measuring the volume exhaled in the first $\frac{1}{2} - \frac{3}{4} - 1 - 2 - 3$ and 10 seconds of the effort, as well as the total. Complete with rubber tubing, metal mouthpiece, normals chart and directions.

P-800 \$125.00

P-700 \$225.00


SUPER-2-SPEED MODEL 707

For every need — high speed for fast cooling, low speed for gentle circulation. Also 'Off' position. About 5½ inches high, carrying weight 24 ozs. Strong and silent, smartly styled, entirely safe. Adjustable vertically.




GREEN . IVORY . SAND BROWN


Collins-Respirometer 9 liter capacity, complete with roll of Kymograph paper, one gallon can Baralyme, 3 mouthpieces, nose clip, recording ink.



P-900 \$550.00

DIAGNOSTIC INSTRUMENTS





TAYLOR PERCUSSION HAMMER

Large size, 8 inches, solid handle, Chrome Plated.

285560-		\$2.80
	as 295560 but 71/4" inches Fach	09 09

B 285570—Same as 285560 but 7½" inches, Each... \$2.80

GRAFCO NEUROLOGICAL HAMMER

Specially designed by Grafco to avoid the possible loss of needle and brush which are conveniently stored in the handle of the hammer. Needle is made of stainless steel. Handle is octagonal shaped for a better grip. Hammer is chrome plated in a highly polished and satin finish. Perfectly balanced. Individually boxed.

C 285650—Each\$4.00 Per Doz. Each\$3.70

FORD STETHOSCOPE


Regular model, lathe-turned chest piece with hard rubber bell, pure latex tubing, chrome plated parts.

A 282060—Each _____

BOWLES STETHOSCOPE

Medium chrome-plated, latex tubing, highly regarded throughout the profession.

B 282140—Each \$3.50




CAT. NO.	DESCRIPTION					LIST PRICE EA.		
SA-19W	"SA-19"	Sphygmomanometer,	complete	with	wrap	cuff	\$27.50	
SA-19H	"SA-19"	Sphygmomanometer,	complete	with	snap	cuff	\$30.50	
SA-19V	"SA-19" with Vel	Sphygmomanometer, cro QUIKUFF	complete				\$30.50	

MANUFACTURED TO MEET AND EXCEED ALL THE REQUIREMENTS OF FEDERAL SPECIFICATION GG-S-618

Supplied with a quarantee registry card and guarantee certificate. Guaranteed for 10 years.

Sphygmomanometer

CAT. NO.				DESCRIPTION	LIST	PRICE EA.
SM-10	Mercurius with wrap	300 cuff	mm.	sphygmomanometer,	complete	\$44.90
SM-12	Mercurius with snap		mm.	sphygmomanometer,	complete	48.00
SM-12V	Mercurius with Velcr	300 o Ql	mm.	sphygmomanometer, F	complete	48.00



This attractive chrome-plated, dual-dial, dual-scale instrument comes complete with inflation bulb, two-bag pressure armlet in impressive genuine leather case. Guaranteed accurate for 10 years.

*Arteriosclerosis obliterans, thrombo-angiitis obliterans (Buerger's Disease), coarctation of the aorta, traumatic arteriosenous fistula, scalenus anticus syndrome, Raynaud's Disease, arterial occlusion due to embolism or thrombosis.

CAT. NO.	DESCRIPTION	PRICE
SO-25	Propper Oscillostat (Oscillometer—Pachon)	\$59.95

THE Propper Oscillograph is the finest development in the diagnostic field for accurately *recording* simultaneous double-sided pulsometric circulatory data. Peripheral circulation is immediately and precisely traced by the twin styli of the machine—giving the physician error free diagnostic data for any type of circulatory disturbance.

CAT. NO.	DESCRIPTION	LIST PRICE
SO-28	Propper Oscillograph, Double Pulse, Self-Recording. Complete in top-grain leather carrying case with all accessories, including 2 thigh cuffs, 2 wrist cuffs, 2 spare writing levers, and 5 spare paper rolls.	




The Propper Oscillotonometer is guaranteed accurate for ten years. Packaged in a handsome leather carrying case complete with well-made, extremely durable inflation cuff.

CAT. NO.	DESCRIPTION	LIST PRICE
SO-27	Propper Oscillotonometer (von Recklinghausen)	\$72.00



CLINICALLY PROVED JOBST INTERMITTENT COMPRESSION UNITS

\$249.00



Home Model Jobst Intermittent Compression Unit, No. 160



Clinical Model Jobst Intermittent Compression Unit, No. 65



Hospital Model Jobst Intermittent Compression Unit, No. 05.
Four separate pneumatic appliances may be used simultaneously. Illustrated from left to right: Full Arm; Stump Shrinker, above Knee; Half Leg; Full Leg.

FOUR SIZES OF COMPRESSION UNITS ARE AVAILABLE

The Home Model No. 160 effectively handles compression on one extremity. The timer is pre-set so compression lasts 90 seconds and rests for 30 seconds. The degree of compression may be set as prescribed by the doctor. As it weighs only 15 pounds, it is ideal for use by inpatients or outpatients at home, under a doctor's supervision.


The Clinical Model No. 65 effectively provides intermittent compression for two extremities. With this unit the doctor may alter the time interval—the duration of compression and rest at his discretion—as well as the amount of compression. In an attractive carrying case, the Clinical Unit weighs about 20 pounds.

The Hospital Model No. 05 will treat up to four extremities simultaneously. The doctor may set the desired time interval and degree of compression. Pressure is the same at all four channels.

With the Hospital Model No. 08 four separate pneumatic appliances may be used simultaneously with four independent pressure channels, each capable of delivering from 20mm Hg to 300mm Hg completely independent of the other channels. Improved Dual Timers may be adjusted to supply the desired pressure from 0 to 60 seconds and release from 0 to 60 seconds.

All units are sturdily built to give years of trouble-free service, and they are fully automatic. All units are approved by the Canadian Standards Association and Underwriters Laboratories, Inc. All units are unconditionally guaranteed for one year—all parts and service.

Jobst Intermittent Compression Units are attached to pneumatic appliances for treating arms, legs and stumps. The appliances are made of Neoprene-Nylon and are washable and autoclavable. Unlike plastic, they will not split or crack.



Hospital Model Jobst Intermittent Compression Unit, No. 08. Four separate pneumatic appliances may be used simultaneously with four independent pressure channels. Illustrated from left to right: Full Arm; Stump Shrinker, above Knee; Half Leg; Full Leg.

HEALTH BIKE by Battle Creek

Excellent exercise for legs, heart, lungs

Many clinics use Battle Creek Health Bikes as valuable therapy devices. They're ideal for re-training and strengthening leg muscles damaged by disease or accident and to provide controlled exercise for heart and lungs. As most adults are familiar with bike-riding, the bike is well accepted when prescribed for rehabilitation.

The Battle Creek Health Bike offers outstanding features. It is ruggedly built for daily institutional use. A quality speedometer-odometer is mounted in direct view of the rider. This permits control of the "speed and distance" of ride. The Ajus-Trol Knob, which regulates degree of leg resistance, is conveniently located on top of frame. A finger-tip turn of knob changes pressure of ball-bearing roller on the tire for a fast, racing action or uphill riding effect. Altogether, the Health Bike is an excellent basic tool for building fitness and endurance in the physical therapy department.

Two Models: The Deluxe includes a larger seat and chain guard, a front fender and heavier hand grips. The Standard is otherwise identical.



Speedometer-odometer shows speed and distance. Ajus-Trol Knob (see arrow) is handy. Rider can adjust resistance instantly for easy or vigorous exercise.

SPECIFICATIONS

When Ordering: Be sure to specify Deluxe or Standard Model.
Frame: Welded steel tubing, durable enamel finish. Has wide, stable stand; rubber tips on legs.

Seat: Standard Model, leather seat. Deluxe Model has larger, softer spring seat. Optional, extra cost: For rehabilitation or obesity cases requiring extra support, a chrome-plated tractor-type steel seat is available on order.

Handle Bars: Adjustable to suit individual. Chrome plated.
Resistance: Adjustable with knob. Ball-bearing roller.
Pedals: Quality bicycle type. Chrome plated crank, sprocket.
Dimensions: Length 46", width 19", height 39".
Net Weight: 33 lbs.
Shipping Weight: 40 lbs.



\$79.50

Deluxe Model has larger, softlysprung seat, protective front fender, larger chain guard and deluxe hand grips plus all standard features.



Standard Health Bike includes speedometer, ball-bearing friction roller, spring seat and metal chair guard. A dependable basic exerciser.

HEALTH WALKER

Offers the benefits of moderate hill climbing


Often called "man's best form of exercise", walking offers many benefits in rebuilding muscular tissue and coordination. With its inclined platform, the Battle Creek Health Walker actually duplicates moderate hill climbing. This reduces the time required to produce the desired demand on a patient's heart, lungs, muscles and circulatory system.

A built-in Pedometer records the number of yards' distance walked. Thus the physician can prescribe a program of measured, progressively increased activity. Tables which convert "yards walked" to "calories expended" for various speeds, grades and body weights are included in the Instruction Booklet. Prepared in the Metabolism Laboratory of the Battle Creek Health Center, the tables assist the physician in planning specified exercise in terms of calories expended.

Two models: Model SR includes brackets and adjustable side rails for extra support and security when unit is used by children or convalescents. The Standard Model is identical, but without side rails and brackets.

\$249.50

\$212.50



Model SR, shown with handle bar post removed. Widely used in clinics. Side rails adjust from 18" to 30" height. Standard Model includes support strap and belt, but not side rails. User can walk, trot or run.

For moderate general exercise, the Health Walker serves a wide variety of clinical needs.

SPECIFICATIONS

Frame: Heavy steel, finished in opalescent gray lacquer. Rubber feet protect floors. Includes blocks for changing incline.

Platform: 27 hardwood roflers with steel shafts, lubricated by oiled felt for quiet operation. Endless tread is heavy black webbing, held taut by concealed springs.

Flywheel: Chrome plated cast iron. Assures smooth operation. Handle Bar: Has tubular steel post. Easily removable.

Supporting Belt: Strong cotton webbing; adjusts to user.

Side Ralis: (Model SR only) Chrome plated; adjustable height.

Dimensions: Takes 19" x 50" floor space; 20" x 14" on end.

Net Weight: Std. 65 lbs.; Model SR 76 lbs.

Shipping Weight: Std. 77 lbs.; Model SR 90 lbs.

"How to Use" Booklet Included.



Model SR. New adjustable chrome-plated side rails give extra support and add to patient's confidence. Note the stride-smoothing flywheel on side, which helps assure an even tread speed. Pedometer shows the distance walked.

EXEROW*

Combines the action of rowing and horseback riding

Here is an outstanding quality exerciser. Often, the Exerow is "first choice" because its effective rowing-and-riding action brings all the major muscle groups into active use.

As the user pulls handle bars back, he pushes pedals forward. The seat simultaneously moves forward and upward. As the body folds and unfolds at the waist, the muscles of arms, chest, shoulders, back, abdomen, hips and legs are all exercised. This action is smooth, silent and rhythmical.



User's trunk folds and unfolds as in rowing a boat.

A long-lived hydraulic unit provides adjustable resistance on both back and forward strokes. This encourages progressive exercise! As the user gains strength, he can turn the Easy-set Knob to get increased resistance from day to day. The Exerow is ruggedly built to last for years. It has no springs to weaken, no rubber cords to rot. No vibration, electricity or noise.

For convalescents recovering from injuries or illness and for fitness testing, the Exerow offers the professional excellent advantages.

\$242.50



Optional, as Extras: Base Extensions and Security Seat offered for patients needing extra support.

SPECIFICATIONS

Frame: Cast aluminum, finished in opalescent gray lacquer.

Seat: Smooth pressed steel, chrome plated.

Mechanism: Oilite self-lubricating bearings, sturdy steel parts.

Resistance: Adjustable hydraulic unit. Silent, trouble-free.

Handle Bars: Bicycle type, chrome plated. Heavy rubber grips.


Foot Pedals: Steel tubing with quality rubber grips.

Dimensions: Base 15" x 37", width including handle bars, 25".

Net Weight: 73 lbs.

Shipping Weight: About 89 lbs.

"How to Use" Instruction Booklet included.



User can turn handle bars under center post (as above) to increase the body folding effect or keep them in normal position above center post. Handle bars also adjust to suit rider's size.

A turn of the Easy-set Knob instantly adjusts resistance. A calibrated dial on the Exerow's side permits later resetting of Knob to any specific degree of resistance desired. The Exerow is suitable for users weighing up to 300 pounds.

*Reg. Trade Mark

ROWEX*


Smooth, quiet, hydraulic rowing-sculling action

For rehabilitation and fitness testing, the Rowex is a favorite. In use, it reproduces the rowing-and-feathering action of a college racing shell. While rowing, the user can also rotate handles—a specific Rowex feature. This provides excellent wrist and forearm exercise. Special Battle Creek units on each oarlock furnish silent resistance, adjustable independently on each side. For some patients, this is very helpful. User merely turns Ajus-Trol Knobs to obtain any degree of mild or vigorous "pull".

On the forward stroke, the trunk is folded, stretching the muscles of arms, shoulders, back and buttocks. The back stroke exercises almost all major muscle groups, especially abdomen, chest and back. The comfortable, padded seat rolls quietly in grooved tracks in the base.

3

Ajus-Trol Knob regulates resistance of hydraulic units mounted on each outrigger.



For compact storage, outriggers are easily detached, placed on base.

For clinical uses, the Rowex provides unique advantages. Excellent finish and trouble-free simplicity make it ideal for daily institutional use.

*Reg. Trade Mark

\$189.50



The long, smooth pull of Rowex folds and unfolds the body. Oars can be rotated as in feathering to exercise wrists and forearms.



SPECIFICATIONS

Base: Sturdy ¾" hard-ply Lebenex with lacquer finish and smart, polished aluminum trim. Has metal wear strips in tracks.

Seat: Padded, with washable vinyl cover. Aluminum trim.

Resistance: Two durable, independently adjustable units.

Oars: Stout natural-finished hardwood. Rotate in sockets. Foot Rests: Rugged cast metal with leather foot straps.

Outriggers: Steel rods. Detachable for storage.

Dimensions: Length 51", width 64" assembled. Height 18".

Net Weight: 55 lbs. Shipping Weight: 65 lbs.

"How to Use" Instruction Leaflet included.

BELT VIBRATOR

Now you can enjoy the vibrant feeling of daily exercise with your Walton Belt Vibrator...in the privacy of your home. Aids muscle toning, body firming. Easy-to-follow Instruction Booklet. Beautifully finished in decorator colors of Citation Beige and Golden Brown. Mark II Single Speed

Belt \$7950 Vibrator

Mark I Variable Speed
Belt \$9950
Vibrator

MASSAGE ROLLER

Here's everything you desire in a Massage Roller with the beauty and durability of a hand-finished natural wood cabinet. 16 knobby rollers of highly-polished ash hardwood. Gives gentle or deep stimulation by applying body pressure to the turning rollers. Provides exercise similar to the belt vibrator without the vibrating action. Instruction \$14950 Booklet.



ELECTRIC CYCLE

For America's popular indoor sport... Walton Electric Cycles. Swimming, rowing, cycling and riding exercises through threeway coordinated action of seat, handlebars and pedals. Glowing wood tones and streamlined design to fit any decor. Seat, handlebars adjust to various heights. Large padded seat. Instruction Booklet. Mark II Single Speed

Electric \$79950 Cycle.....

Mark I Variable

Speed \$26950 Cycle.....

ACTION CYCLE

Need active exercise? Walton's Action Cycle (non-electric) offers cycling — plus — muscle building rowing and swimming exercises, too! Mild to vigorous exercise possible with Action Cycle extra . . . the "Tension Control" adjustment which increases or decreases pedal resistance. Modern styling . . . large padded seat.

Instruction \$77950



A truly fine piece of apparatus widely used by all branches of the military services, health clubs, institutions, recreational groups, as well as many hospitals for rehabilitation and physio-therapy. * Made of one piece extra heavy casting construction. ★ Precision machined for trouble-free smooth performance. * Heavyduty resistance mechanism — easily adjustable. Mounted on thick 11/4" unitized hardwood base — natural finish. ★ Non-skid corrugated rubber under base prevents "creeping" and protects gym floor. * Includes speed and mileage indicator. * Deep contour seat oversized for extra comfort — adjustable. * Adjustable handle bars. ★ Solid rubber tire. ★ Leather foot straps on pedals. * All parts are heavily plated or finished in baked enamel. Made to give years of satisfactory performance for any large group program.

6530 — BICYCLE TRAINER — (120 lbs. —


\$249.50

6531 — BICYCLE TRAINER W/LARGE DIAL CLOCK — (180 lbs. — \$424.50

6532 — DOUBLE BICYCLE TRAINER W/LARGE DIAL CLOCK — (320 lbs. — \$834.50








MODEL NO. 3886 ONE SIDE EXERCISE STAIRS

Sturdily built stairs, four 6" steps and platform 30" x 30". ONE SIDE ONLY. Two sets of handrails, Steps and platform covered with non-slip tread. Natural wood finish.

Price-\$190.00



\$260.00

- Corrugated rubber matting on steps and
- Upper handrails 1" steel, chrome plated
- · Lower handrails 34" steel, chrome plated
- Model #800—30" wide


Shpg. Wgt. 385#

Model #801–36" wide

Shpg. Wgt. 450#

Specifications:


- Storage compartment underneath platform
- Regulation 8" x 10" steps on one side
- Three 4" x 9" steps on other side
- Removable 10" bus step
- Upper landing 32" long



MODEL NO. 3885 STRAIGHT TYPE EXERCISE STAIRS


Sturdily built stairs, 30" wide, two 6" steps one side, platform, three 4" steps other side. Steps and platform covered with non-slip tread. One set hardwood handrails. Natural wood finish.

Price—\$190.00



MODEL NO. 3887 CURBS AND RAMP

One ramp and curb set 84° x 44° , and three (3) curbs which slide in and out with handles. Three curb dimensions: 40° x 40° x 6° , 36° x 4° and 32° x 32° x 2° . Ramp 42° up to 8° . Natural wood finish. Ramp and platform covered with non-slip tread.



CORNER TYPE OR STRAIGHT LINE EXERCISE STAIRS

Sturdily built at right angles to fit in corner or straight line, eight 3" steps on one side, four 6" steps and platform other side. Steps and platform covered with non-slip tread.

Two sets hardwood handrails to accommodate adult or child. Natural wood finish.

Model No. 3880-30" x 30" platform


Model No. 3880A-24" x 24" platform

Model No. 38808-36" x 36" platform

When ordering, specify CORNER TYPE or STRAIGHT LINE.


\$260.00 \$250.00

\$310.00



MODEL 202-D ROTARY WRIST MACHINE ("Pronator-Supinator")


Two precision units machined to close tolerance. Resistance obtained by turning single knob—Oil clutch for smooth operation. Mounted on hardwood board 6" x 24" with hardwood handles.



MODEL 22 HEEL STRETCHER

Designed for stretching the heel and torsus muscle group. The foot may be rotated transverse and longitudinal for stretching extensor-flexor muscles and locked in eversion or inversion position.


Price-\$59.50



MODEL 66 HIP CIRCUMDUCTOR

Designed for complete rotation of the Hip Joint. This unit especially adaptable to Exercising Cupped and Pinned Hips. Rotation Plate built at 8° angle to eliminate bending of knee during rotation. Mounted on roller bearings with adjustable Arc from 4 to 12 inch circle.

Price-\$49.50




MODEL 204 LOWER EXTREMITY ROTATOR

This unit has been found beneficial in applying mild pressures to straighten and align the lower extremities of children by strengthening gluteus medius-minimus and obturator muscles.

Resistance may be applied by using plain rubber bands, increasing the band strength as patient progresses.

Price-\$39.50




MODEL NO. 6013 LEG ALIGNER

The Leg Aligner is an appliance used in the treatment of orthopedic and neurological disabilities. Its primary objective is to maintain correct leg and foot alignment and help in the prevention of deformities and to prevent external rotation at the hip joint, a knee flexion contracture and to help prevent a tight heel cord.

This appliance is used for a single leg disability such as cerebral vascular accident (strokes), hip fracture or any neurological condition which involves a lower extremity.


The appliance is placed at the foot of the bed between the mattress and the end of the table.

Price-\$39.50



Capeskin Sped Bag Economically priced with all top-quality features. ★ Select top-grain wine Capeskin leather. ★ Leather welted — fully bound - fully lined. * Shur-lok laced closure. * Perfect shape and balance for accurate rebounds. A bit larger than fast speed bags.

4210 CAPESKIN SPEED BAG — (Size: 11" x 8")



PROFESSIONAL & MILLAF STRIKING BAG PLATFORMS

EVERLAST MILITARY STRIKING BAG PLATFORM. A standard for years with the military, institutions and gymnasiums everywhere. \(\times \) Drum is extra heavy-duty laminated hardwood 2" thick; 30" diameter. \(\times \) Surface is polished and finished to rugged perfection. \(\times \) Heavy iron casting brackets. \(\times \) Thick steel supports. \(\times \) Heavy steel slides. \(\times \) Selected hardwood wall mounting brackets. \(\times \) Locking levers to latch into positive position. \(\times \) Free pivoting 5-piece ball swivel. Recommended for professional — military and other large-group programs other large-group programs.

4266 - MILITARY 30" PLATFORM \$150.00 Wt. 115 lbs. - f.o.b. N.Y.C. 4267 - MILITARY 36" PLATFORM \$185.00 Wt. 125 lbs. - f.o.b. N.Y.C.

STRIKING BAG PLATFORMS

- ★ ADJUSTABLE Well suited for tall adult or youngster.
- ★ EASY INSTALLATION With pre-fabricated steel frame.
- ★ REVERSIBLE Support brackets for low or high ceiling.

CHAMPION STRIKING BAG PLATFORM

- ★ Extra-heavy duty 1-1/4" smooth natural finish unitized solid hardwood 28" x 36".

 ★ Full 18" adjustment self-adjustable.

 ★ Heavy-duty one-piece steel mounting bracket with holes pre-drilled 16" on center to meet wall studs. Insures perfect installation in just a few minutes. Includes heavy 5/8" steel supports.
- ★ Professional ball-bearing action detachable swivel.
 ★ Recommended for individual and large-group activity use.

CHAMPION PLATFORM 4265 Wt. 50 lbs.

\$47.50 each

REGULATION STRIKING BAG PLATFORM

Incorporates all CHAMPION Platform features - modestly priced.

★ Heavy 7/8" smooth — natural finish — unitized solid hardwood — 28" x 30". ★ Full 14" adjustment. ★ One-piece heavy steel mounting bracket and 1/2" steel supports — pre-drilled 16" on center to meet wall studs. ★ Simple installation in minutes with perfect fit. ★ Ball-action detachable swivel.

REGULATION PLATFORM. Wt. 31 lbs.

\$35.00 each



ONLY EVERLAST CHESTWEIGHTS ARE FULLY ASSEMBLED - READY FOR IMMEDIATE

* INCREASE OR DECREASE AMOUNT OF WEIGHT AT A TOUCH.

EXTRA RUGGED - WELL SUITED FOR LARGE GROUP ACTIVITY.

* PRECISION MACHINED - EXPERTLY CONSTRUCTED.

* NOISELESS RUBBER BUMPERS AT BA OF WEIGHTS.

* PLATED GUIDE RODS. * DETACHABLE HANDLES

6410

6413



Chest weights have always been the most popular of all gymnasium exercise. Well suited to large group activity and home use.

★ All parts are of heavy solid castings — precision machined for smooth operation - and double coated baked enamel.

★ Thick unitized hardwood floor and wall boards natural finish.

- * Pullies mounted on hardened steel bearings.
- * Guide rods plated satin smooth.
- ★ Weights adjustable from 8 lbs. to 24 lbs.
- * Handles, attached with swivel snaps, easily removed to prevent unauthorized use.

6410 CHEST PULLEY WEIGHT - Handles at chest level - (56 lbs.) \$98.50

6411 DUPLEX CHEST PULLEY WEIGHT - Handles at chest and floor level - (66 lbs.) \$119.50


6412 INTERCOSTAL CHEST PULLEY WEIGHT -Handles at chest and overhead -(73 lbs.)

6413 TRIPLEX CHEST PULLEY WEIGHT -(102 lbs.)

\$5.00

\$3.50 6416 HANDLE ONLY

F.O.B. New York City





health salon and gymnasium. Designed to develop strength, endurance, and coordination. This is real bodybuilding equipment offering a limitless variety of muscle building exercises to develop the arms, chest, shoulders, back and waist. Well suited to any large-group program. Built to last a lifetime.

* Extra-heavy duty ball-bearing pulleys. * Finest quality high-stress flexible steel aircraft cable. * Heavy-duty 10-Ib. weight castings. ★ Pin-type weight selector provides simple weight adjustment. ★ Weights bottom on springs for silent operation. * All metal surfaces are triple lacquered glossy black.

6405-LATISSIMUS DORSI MACHINE- \$264.50 (200 lbs.-f.o.b. Arizona)

★ Extra-heavy duty swivel ball-bearing pulleys. ★ Finest quality high-stress flexible steel aircraft cable. * Heavy-duty 5-lb. or 10-lb. weight castings are finished to perfection. ★ Finger-tip control weight selector provides quick and easy weight adjustment. * All metal surfaces are triple lacquered glossy black. ★ Handles are smooth with comfortable grips. ★ Available in 100# model (50 lbs. each side)-or, 200# model (100 lbs. each side).

MILITARY DUPLEX **PULLEY WEIGHTS**

6406-MILITARY DUPLEX WEIGHTS 100# (160 lbs.-f.o.b. Arizona)

6407-MILITARY DUPLEX WEIGHTS 200#

(260 lbs.-f.o.b. Arizona) \$307.00



MILITARY

ROWING MACHINE - heavy-duty. A fine piece of apparatus at an economy price. Incorporates most all the top-quality features of the extra-heavy duty model. * Fully adjustable recision machined hydraulic unit for each oar. Heavy steel arms and supporting yoke. Oars are select hardwood.—polished. Comfortable wide seat.—foam padded.—upholstered with washable vinyl coated fabric. Seat rides smoothly on roller bearing casters in steel tracks.

Thick 1-1/4" unitized hardwood base.— natural finish. Non-skid corrugated rubber under base protects gym floor and prevents "creeping".

EXTRA HEAVY DUTY ROWING MACHINE

Built to withstand the rigors of large group activity use for a great many years. Precision machined hydraulic mechanism provides smooth feel of rowing in water. Resistance is easily adjustable. Individual hydraulic unit for each oar. Heavy cast-iron arms and supporting yoke. Oars are polished select hardwood set on pivot swivel. Cast-iron foot-rest with leather straps. Wide comfortable seat — foam padded — upholstered with washable vinyl coated fabric. Seat rides smoothly on roller bearing casters in steel tracks. Select hardwood base — extra heavy-duty — polished. Non-skid corrugated rubber protects gym floors and prevents "creeping".

6540 - ROWING MACHINE - extra heavy duty \$320.00 (Wt. 120 lbs.=


STANDARD ROWING MACHINE - Styled and constructed with many of the features of the Military Rowing Machine.

Fully adjustable precision machined hydraulic unit for each polished hardwood oar.

Rowing resistance easily adjustable.

Comfortable upholstered foam padded seat.

Well suited for Slim-Trim Miss or heavyweight Mr. Tarzan. 6543 ROWING MACHINE-(84 lbs.-



STALL BARS

Made in strict accordance with latest official specifications. EVERLAST Stall Bars are designed to enhance the appearance of any gymnasium large or small. A most popular adjunct to the complete physical education program. Offers superb muscle-building, limbering up and corrective exercises. ★ Everlast takes special care in selection of top grade hardwood lumber. * All wood parts are immersion sealed and finished in clear lacquer. ★ Split clamp type uprights hold oval rungs rigidly in position. ★ Stalls are 3' wide and 8' high — designed for installation in continuous rows. * Metal parts finished in baked black enamel.


6420 SINGLE STALL BAR — (60 lbs.) \$ 84.50 DOUBLE STALL BAR — (100 lbs.) ...\$149.50 TRIPLE STALL BAR — (140 lbs.) ...\$207.50 6421 6422 EACH ADDITIONAL SECTION —

(40 lbs.) \$69.50


STALL BAR BENCHES

Extremely sturdy, heavy-duty benches designed to fit onto top rungs of Stall Bar when not in use. 6427 STALL BAR BENCH — Unpadded (12 lbs.)

6428 STALL BAR BENCH — Foam Padded (15 lbs.) \$36.00




SHOULDER WHEEL Model 600



- Glass-smooth resistance, calibrated for your records.
- Choice of grips, exactly right for each exercise.
- Height adjustment for standing or seated patients.
- •Instantly interchangeable attachments.
- Instantly adjustable controls.

- Heavily chrome plated for permanent beauty and serviceability.
- Controls designed so as to be adjustable by most patients.
- Shipping weight: 22 lbs.

\$99.50





\$129.50


Wrist circumduction unit



Pronation and supination unit

\$1.50

EXERCISER No. 2000




Versatile finger, hand or wrist exerciser.

Available in two strengths.

Medium—39 lbs. compression

Strong—85 lbs. compression



DUMB-BELL EXERCISER No. 2001

5½ pounds per pair. A health and muscle builder. 70 pounds compression each with five springs. Can be reduced 15 pounds per spring. In pairs only.



Model H — RESTORATOR — Clinical Model — with Universal attachment to permit use with any type chair, wheelchair or tubular bed \$147.50

Model HB — RESTORATOR — For tubular bed 136.50

Model HSB — RESTORATOR — For solid-end bed 147.50

OPTIONAL ACCESSORIES FOR RESTORATOR

Hand supports (for paralyzed hands)	Pair	\$11.30
Extension arms — permit increase of arc of motion up to 23" diameter	Pair	7.50
Leg brace $-8\frac{1}{2}$ " long $-$ to be used where control of the leg is difficult	Each	11.30
Adjustable leg brace — extends to 17"	Each	15.50
Additional attachment for any type chair		11.80

RESTORATOR

A versatile Exercise Therapy and Rehabilitation aid that attaches to any chair, wheelchair or hospital bed. The Restorator provides a means of exercising the muscles of the lower and upper extremities safely and efficiently in the clinic, ward or home program.

The Restorator utilizes a circular reciprocal movement similar to bicycle type exercise or a parallel motion similar to rowing. Useful whenever controlled active or resistive exercise is needed for re-establishing muscle power, joint range of motion and co-ordination.

IMPORTANT FEATURES:

Safe and Comfortable. Unique in design, the Restorator allows patients to sit on any chair, including a wheelchair, assuring comfort and safety during exercise. Especially valuable for Geriatric patients or those with impaired body balance, who are unable to exercise safely on a stationary bicycle. Even patients with very limited strength and endurance may begin a prescribed program of exercise while lying in bed, preliminary to a more active program.

Adjustable for the specific needs of patients. The pedal arms are individually adjustable in length and can be provided with extension arms to vary arc of motion from 3" diameter to 23" diameter. Can be adjusted in seconds to limb size and degree of flexion and extension desired. Complete with cast aluminum foot platforms equipped with heel and toe straps to provide secure support for the feet.

Controlled Resistance. A unique brake and dial indicator allows fine adjustment of resistance from minimum to maximum levels. Permits repetition of exercise at exactly the same resistance from day to day and is calibrated for progressive resistance as desired.


Portable. The Restorator weighs only 16 pounds and is easily transported from patient to patient if necessary. May be stored in a minimum of space when not in use. Comes complete with *Universal Attachment* that fits any chair, wheelchair or bed at the turn of a knob.

Shoulder Exercise is provided by simply placing the Restorator in an upright position and adjusting the pedal arms to the desired arc. Hand supports (optional at additional cost) facilitate upper extremity exercise.

Sturdily Constructed of tubular steel and beautifully finished in chrome, the Restorator provides a ruggedly built unit that will withstand hard, constant use for many years.




#1351




Flutter Exercise Attachments

Flutter Exercise—It has been noted that fluttering the legs synchronously involves musculature from the nipple line to the toes, Pelvis stabilizing Muscles, Quadratus, Lumborum, Abdominals and Erector Spinali, Hip Musculature, Intercostals and Diaphragm, and Quadriceps Femoris.



Shoulder Rotator Attachment No. 5 1055

Excrise Units All Attachments \$575.00



BK Adjustments—The Leg Rest may be adjusted for BK Amputee and BK fractures by sliding Leg Rest along arm.




Showing Overhead Pulleys

Pulley Attachments—In addition to offering exercises available with the Triple Chest Pulley, the unit offers shoulder circumduction, shoulder depressions, with resistance calibrated.




H1250: Foot Placement Ladder, whose adjustable crossbars may be set for any step length desired. Cross members colored red and yellow (standard color key) for teaching reciprocal walking concurrently with development of proper foot placement. Invaluable in teaching coordinated hip and knee flexion while walking. 8 feet long.

\$60.00




\$26.50

H1215: Shoulder Ladder which helps the patient raise his arm, eventually to a position above his head. Its 36 evenly graduated steps strengthen muscles by encouraging activation in the arm at the shoulder joint. 1½"x 2½"x 89".




H1216: Exercise Skate, which provides ideal arm and leg exercises. Equipped with an elastic strap and plastic covered urethane foam, it may be used on the floor, table or exercise board. It moves freely on four ballbearing casters. Base is 5½"x 5½".

H1217: Similar to H1216, but has two leather carrying straps, and a base 6"x 12". \$25.00




\$95.00

H1218: Shoulder Wheel — Wall Model. 48" wheel is counterbalanced, precision engineered with roller bearings. Height of wheel may be set within a 20" limit. Adjustable handle permits setting in any arc from 12" to 48". Wheel tension may be adjusted.



H1211: Powder Board with a smooth, scratch proof surface and four strong folding legs, specially designed for hand and arm exercises for patients confined to their beds. 30"x 42", 7" high. \$35.00




The N-K Weight Cart has been completely revised and reengineered to better handle the weight carrying and storage requirements of the Physical Therapy Department. The frame is now of all polished chrome steel with all welded joints. There is a full sized shelf at the base and storage for five pairs of dumbbells and up to two hundred pounds of disc weights. This is the most versatile weight carrying device available today. All weights are stored in a vertical position so any single weight may be reached without sorting or stacking. This is the only unit that combines disc weight and dumbbell storage. The unit is equipped with 3" ball bearing casters.



FEATURES

- New low height, widespread base for easier mounting, steadier riding.
- New posture-perfect riding position permits improved exercising and breathing.
- Odometer records distance "travelled". Speedometer shows speed.
- · Automatic clock timer.
- Adjustable resistance control allows "easy" to "hard" pedalling.
- Beautifully finished in neutral colors to blend with any room decor.



PLASTIC-COATED DUMBBELLS

A luxurious and functional specialty addition for your department. The heavy plastic coating on the iron weights affords you beauty plus several functional features. Since they are completely waterproof they may be used in hydro-therapy and any possibility of flaking paint or rust particles is avoided. The resilient soft plastic coating will help avoid marring or damage to floors and other surfaces if the weights are dropped.

NK601 Plastic-Coated Dumbbells

Available in these sizes only: \$4.00 \$4.75 \$6.00 \$7.60 \$8.60 2 lb. - 3 lb. - 5 lb. - 8 lb. - 10 lb.

PLASTIC DISC WEIGHTS

Same features as above.

NK602 Plastic-Coated Disc Weights

Available in these sizes only:

2½ 1b. - 5 1b. - 7½ 1b. - 10 1b. - 20 1b.

\$4.35

\$6.50

\$7.75

\$9.25

\$15.20

FEATURES

 Unique, hydraulic action . . . no springs or cables to give trouble or wear out.

\$89.50

- · Easily adjusted tension control.
- Rowing handle and seat are adjustable to suit individual requirements.
- Natural beige colour bakedenamel finish blends in with home furnishings.
- Sturdily constructed to last a lifetime.
- Little maintenance required.

POSEY SAFETY WALKING BELT



The Posey Safety Walking Belt is constructed of leather approximately 5" wide, with handles on both sides and back. It may be placed around a patient's waist to help teach him to walk again. Handles are of leather. Availble in standard and deluxe models.

POSEY CANVAS SAFETY WALKING BELT, CAT. NO. P-21C

\$15.60 each

POSEY NYLON SAFETY WALKING BELT
CAT. NO. P-21N \$17.10 each

POSEY SAFETY WALKIN BELT, DELUXE MODEL, SPONGE RUBBER LINED, CAT. NO. P-21D..\$24.00 each

ORTHOPEDIC EQUIPMENT



Position to correct excessive internal rotation



Anterior View



Position to correct excessive external rotation



liew I and the second of the s

MODEL "A"

THE ELASTIC ROTATION LEG CONTROL

STOCK SIZES	SM.	MED.	LGE.
Of Pelvis	17"-20"	20"-25"	25"-30"
Strap With	1"	1"	1½" EA.
ELASTIC ROTAT			\$15.00



DORSIFLEXION FOOT BRACE (C-2)

MODEL "A" (may be wrapped around foot or attached to shoe lace)

\$ 6.95 each 79.20 per dozen 450.00 per half gross (72)

MODEL "B"

MODEL "B" (for attachment to shoe lace only)

\$ 6.25 each 70.80 per dozen 399.60 per half gross (72)

For calf circumferences up to 17"

SCHEDE TRICYCLE No. 2027


SEAT ADJUSTMENT
13" to 17"
Abduction 90° to 140° each Leg



POSTURE TRAINING MIRROR

1/4 inch copper back, plate glass mirror-27" wide and '76" high in natural finish wood frame. Mounted on ball bearing casters.


Model 3557 Single \$94.00 Model 3558 Triple Mirror \$215.00 Model 3559 Single Wall Mirror -\$85.00




No. 140A—Peabody Splint, large

No. 140B — Peabody Splint, medium

In after care or early exercise program for the Smith-Petersen mold arthroplasty of the hip, some surgeons use a board and some type of roller device supporting the leg or foot. The type illustrated has met with much favor, having been developed and popularized by Dr. Gharles Peabody, Barrington, R. I.



Model 3557



SPECIFICATIONS:

Model 3559

- Top size 20" x 103/4"
- Highest stool 20" Other stools: 4" - 8" - 12" -
- Shipping weight 65#




PORTABLE SHOULDER WHEEL-MODEL NO. 3300-P

This unit is built on a heavy 24" metal base with locking casters. It is mounted on a telescopic tube with height adjustment. The wheel itself is mounted with swivel joint adjustable to seven positions from vertical to horizontal. This makes it possible to reach many shoulder muscles which cannot be reached with other type wheels. The counter-balanced wheel is 24" with an adjustable handle making available arc up to 40". It is mounted on roller bearings with sensitive resistance adjustment and is calibrated for progression.

This Shoulder Wheel may be useful with wheel chair natients and over the bed. One of the ad-


This Shoulder Wheel may be used with wheel chair patients and over the bed. One of the a ntages of this wheel is that a wheel chair patient can use the wheel without the help of the prapist and since the wheel is cabibrated in numerals, it can be adjusted to the setting recorded by the physician or therapist and resistance increased as the patient progresses.



Complete Grant APP unit, including a bed and seat pad, Dual Purpose Pump, plus an honest guarantee, the best in the industry, costs only \$135.00.



Size: 15' x 20'
Finish: AAA (alcohol, alkali, and acid resisting) enamel.
Stock Colors: ivory and green.
Packing: 1 to a chipboard carton, 12 of a color to a shipping container.



NEW	LUI	MEX TELESCOPING VERSARAILS	SHIPPING WEIGHT
CAT. #	OLD #		& PACKING
5081	508H	For Pivot Gatch (Trendelenberg) Springs	27 lbs. 1 per ctn.
5082	508L	For Standard Gatch Springs	27 lbs. 1 per ctn.



NO. 647-TL CHAIR

Upholstered seat, wood back. Brass ferruled, tapered leg. H-30½" W-16¾" D-15"

No.		(Per Ctn.)	Price
90	Stacking Side Chair	2	16.25
140	Stationary Host Chair	2	20.00
150	Swivel Host Chair	2	20.75

Specifications	Chairs	Chairs	Chairs
Overall Width	2434"	181/2"	181/2"
Width of Seat	201/2"	181/2"	181/2"
Depth of Seat	171/2"	16"	16"
Overall Height	331/4"	311/2"	311/2"
Floor to Seat	18"	18"	18"
Seat to Top of Chair	17"	151/2"	151/2"


MODEL 320


Mobile unit holding 20 charts features rugged construction, silent operation with locking castered wheel and side-boards.

Depth		
	40″	
Weight	-without charts 15 lbs	
	with charts43 lbs	
Shp. W	t.—without charts16 lbs	
	with charts 44 lbs	

List Price


1-3 units .	\$85.00	each
4-11 units	\$78.00	each
12-23 units	\$74.00	each
Finish	Anodized aluminum	only





Convenient desk model for out-station use. Base secures to desk top permitting unit to be swiveled for use from either side of desk. Sturdy and smooth operating.

Depth Height Width Weight Shp. Wt											11½" 10 lbs.	(without charts)
1-3 units 4-11 units 12-23 units	 		 	 	 		 	 			\$50.00 \$46.00	each each



List Price:


36 1 1 100										
1-3 units .										\$165.44 each
4-11 units										\$163.44 each
12-23 units	3	-	-	*						\$161.44 each


40 UNIT

MODEL #340

The compact 40 unit Chart Caddy also features silent mobility and locking sideboards and wheels. It is designed to provide maximum record keeping in a limited space and provide station to station mobility. Five inch casters.

Depth						7100								*		 					.,,						 253/8"
Height	1		5																						*		 42"
Weight	E	• •	*		* 10	12	70	100	170										•								241/4 lbs.
Chn W			*	• 13		0		•	•		*	*		27	6 3			100									36 lbs.





BOOK-FORM CHART HOLDER

Constructed of 16 ga. aluminum .051" thick with rounded corners, back cover thumb notched. Complete with stainless steel label holder ½" x 5". Has 3 torsion springs. Extension hangers rubber covered, rod ends formed to hold rubber bumpers. Finished in Millbrite finish. Anodized finish on special order. Standard size 9" x 12"


	on special order. Standard Size 9 X 12.	
C	008280 Each	\$4.20
	Per Doz., Each	\$3.60
	3 Doz Fach	00 10

VINYL COVERED CHART HOLDER


		Quantities	List Price
	High Quantity Discounts	1 - 23	\$5.90 ea.
(Quick Delivery Dates	24 - 35	5.70 ea.
(D)	ORDER TODAY!	36 - 71	5.50 ea.
_		72 - 143	5.20 ea.
		144 and over	5.00 ea.
	Write for Contract Price fo	r 1,000 pieces	or over.



Overbed Table - #1390 Height is adjustable for 29" to 44". Formica top tilts to 45° angle from either side.



1393C Trapeeze Bar \$49.50 (over any bed) Chrome




Folding Costumer Chrome - #1400 \$31.14

No. 610 STANDARD SAFETY SIDE RAILS Satin Chrome Finish

HEIGHT, overall	211/2"
HEIGHT, rail only	16"
HEIGHT, support bracket	51/2"
LENGTH, without hooks	69"
WEIGHT, pair	29 lbs.
WEIGHT, pair packed	36 lbs.
PACKED 2 PAIRS PER CARTON	65 lbs.
PACKED 3 PAIRS PER CARTON	94 lbs.


\$35.00 pr.

The only safety side that fits ALL hospital beds. Folds down out of the way for easy bed making and patient handling. Full length patient protection. You can standardize on this universal rail because it fits any bed, round, square or panel ends. Three positive adjustable clamps with protective covering, hold the side rigidly in place for patient safety.



Ideal for nursing homes. A sturdy reminder restrainer at one-fourth the price of regular sides. For corner beds, one may suffice or two can be used. For ward beds, four can be used at less than the price of other rails. The perfect answer for home use on Hollywood beds. Protection for the ambulatory patient, yet freedom to get in and out of bed. Easily removable and replaceable for patient handling.

SPECIFICATIONS: #1395
1" anodized aluminum tubing, 36" x 18" x 6" high. Packed four per carton. Wt. two pounds per piece.



4

No. 111A-Body size, 26" x 36"

No. 111B -Large leg size, 14" x 21" \$8.50

No. 111C-Small leg size, 12" x 18"

Folding Bed Cradle


This apparatus relieves the pressure of sheets and blankets on the patient. This is important when patients are hospitalized for a long period. It is ideal in fracture cases when the patient can not move an extremity due to traction; the bed cradle is also used on burned or severely wounded patients. One or more electric bulbs can be attached to the cradle if heat is indicated. The unit is easily folded for storage; copper-nickel-chrome plated.

FURNITURE ACCESSORIES

PATIENT PROOF MATTRESSES WITH WATERPROOF TICKING

Finest open coil mattress construction for those who prefer this type of mattress. Machine locked coils always stay in correct position and alignment. Smaller than average coils are used to provide support. Upholstery is 100% cotton felt.

[A] 110080 Sizes to fit every hospital bed, Each \$40.00



PRESCO FEATHER-LITE SCREENS

So light and sturdy weighs only 4½ lbs. Nurses love them because they can easily lift them with one hand. Easily folds to 3" thickness for compact storage. One-piece tubular aluminum frame construction with anodized, lifetime finish. Snapout rods provide easy removal for cleaning. Self-locking hinges, tip-proof balance.

Handsome vinyl panels in pastel green, blue, rose or white. Panels with circus motif for nurseries also available.


A	110240	3-section	Featl	her-Li	te se	creen,	Each.	\$39.50
(1)	110250	3-section 4-section	Featl	ner-Li	te so	creen,	Each.	\$49.50
	110260	3-section	Delu	x scre	en,	Each.		\$49.50
	110270	4-section	Delu	x scre	en,	Each.		\$59.50
	NOTE:	Deduct panels.	\$2.00	each	for	all s	creens	without
	NOTE:	Vinyl pa	nels	(pleas	e sp	ecify	color),	




\$1.50

LU	MEX PLASTIC-TOP FOLDING TABI	
OLD #		SHIPPING WEIGHT
470	Folding Plastic-Top Utility Table 16" x 23½" x 27" High (40cm x 60cm x 67cm)	13 lbs. 1 per ctn.
471	Folding Plastic-Top Utility Table 16" x 23½" x 30" High (40cm x 60cm x 75cm)	13 lbs. 1 per ctn.
472	Folding Plastic-Top End Table 16" x 19" x 25" High (40cm x 48cm x 63cm)	12 lbs. 1 per ctn.
471A	Folding Plastic-Top Utility Table 18" x 30" x 32" High (45cm x 75cm x 80cm) Specially for Use with Wheelchairs	19 lbs. 1 per ctn.

\$19.95 4730





SAVE STAFF TIME

Patient can raise or lower bed automatically to convenient heights, freeing nurses to perform other duties. The Royal-Matic has no gears, shafts, or complicated mechanisms to operate. There are no parts to stock. Manual operation as well as messy oilings and greasings is completely eliminated. Maintenance is reduced to the vanishing point.

\$422.25

DIMENSIONS:

Size: 361/4" x 81" (AL) or 36" x 78" (ML) inside, 361/4" x 861/2" (AL) or 36" x 831/4" (ML) outside


Height: Head end: 40" Foot end: 32"

Spring fabric height: 18" or 21"
Mattress size: 35" x 80" or 35" x 75"

Standard equipment: 3" Ball bearing rubber tired casters

Patient control of bed movements

\$97.50




ULTIMATE IN CONTROL FLEXIBILITY


The patient may be given only as much control of bed movements and positions as physician or nurse wishes. Easy-to-use Dual-control units operate every motion of the bed ends and spring sections.

"Touch-A-Button" dual-controls

Orthopedic Universal Balkan Frames



No. 200—Deluxe Balkan Frame, complete. Constructed of nickel plated, electric welded, 11/8" tubing. Stainless steel pulleys; new style bed clamps (see inset cut of clamp).



SLATTED BED BOARD

\$22.50 No. 1110—complete w/storage cover \$19.50 No. 1110A—Slatted Bed Board \$4.00 No. 1110B—Storage Cover

The Slatted Bed Board can be used on any type bed (36" wide x 79" long). Hooks at head end holds board in position when bed is elevated.

Wood strips are securely sewn in heavy, wear resistant, easy to clean plastic coated mattress ticking.

Folds compactly for easy storage.

Portable Patient Helper

No. 602P—complete

\$59.50

No. 602PB—Base only

The **Portable Patient Helper** eliminates disassembling and the attendant problem of lost parts. The unit is disengaged from the bed and rolled into storage when not in use or rolled to another bed.

Ideally suited for Hospitals and Nursing Homes in geriatric care.

Solves the problem of state laws where maximum weights lifted by women are limited.

The following precision made parts are included in each Trapeze Bar Set:


Octagonal Tubular Steel Frame

Hinge Clamp

Upper Bed Bracket

Lower Bed Bracket

Exercise Bar and Clamp



No. 710 TRAPEZE BAR SET

Satin Chrome Plated

HEIGHT, overall 5'

REACH 34"


WEIGHT 16 lbs.


WEIGHT, packed 18 lbs.

No. 602

\$48.00

This Improved Patient Helper is exceptionally strong, yet it can be easily attached to the bed. The clamps fasten to the horizontal bars of the bed rather than the vertical. Thus the apparatus can be affixed to any point desired at either the head or foot end of the bed.





\$149.50

Seat filts to a full jackknite position. Chair can be adjusted to a supine position. Tray is included and can be set level even when chair is tilted. Foot platform adjusts for height. Headrest of soft foam over a metal core can be shaped as needed. Lock casters keep chair in place. All adjustments are instantaneous and secure. Norwegian Hitch Straps are included. Tray surface is grey linen high density plastic.

SPECIFICATIONS:

MODEL 101 • Seat 10½" x 10½" - Height 39".

- 24" x 30" tray with cutout 6½" x 9".
- Shipping weight 75#.

MODEL 103 • Seat 131/2" x 131/2" - Height 45".

- 24" x 30" tray with cutout 8" x 12".
- Shipping weight 75#.
- Adult Sizes Available.

SPECIFICATIONS:


Model 160

- Seat 10½" x 10½", Height 39"
- Tray 24" x 30" with 6½" x 9" cutout
- Base 16" wide, 39" long
- Shipping weight 80#

Model 161

- Seat 13½" x 13½", Height 45"
- Tray 24" x 30" with 8" x 12" cutout
- Base 16" wide, 39" long
- Shipping weight 80#






- Model 21 TRAY AND ATTACHING MECHANISM 24" x 24" with choice of cutouts—6" x 9", 7" x 10", or 8" x 12".
- Surface high density plastic.
- Shipping weight 8#
- Custom Sizes Available

\$27.50

SPECIFICATIONS:

- . Model 130 CHAIR ONLY
- Seat 131/2" x 131/2"—Height 45"
- Padded and upholstered seat.
- Shipping weight 45#

\$77.50




BEDSIDE CABINET #1391





MATTRESS CHANGER #1285 CHROME

SPECIFICATIONS: #1391 30" high, 19" wide, 15" deep. Wt. 40 lbs.



#1391BR Basin Ring

#1391TB Towel Bar

Attractive and durable formica covers the Nova Ply top. Selection of hard finish enamel colors on 22 gauge metal body. Square tubular legs and leveling glides. Box type metal door hung on full length piano hinge, may be changed to right or left hand opening in minutes. Contains drawer and two space storage compartment.



Chrome Rollaway Bed 30" Width - #1130 \$39.00


Baby Crib (Folding Metal), Chrome (6 year size)




SPECIFICATIONS: #1392 Six year size. All welded steel tube construction. Pillars 1" tube . . . Fillers 1/2" tube. Rigid angle iron mattress frame with link fabric mat and helical spring. Drop side with positive spring pin locks. Other side removable to allow both ends to fold in. 15/8" swivel casters. Overall size, 30" wide x 54" long x 42" high.


Packed one in carton. Wt. 55 lbs.

Chrome Portable Baby Crib - #1389




\$71.00






\$19.75




H6030: Is an All Purpose Bath Seat which adjusts to the width of the bathtub. Angled, rubber-cupped telescoping legs provide stability. The back rest may be adjusted to either side of the seat. Seat and back rest are water-proof, and the whole unit folds for easy storage.

\$47.25




H5050: Is a sturdy Bath Tub Stool with a strong waterproof plywood top with rounded edges and anodized aluminum legs with 3½" non-marking suction cups. Will not slip or tilt. 18"x8", 8" high.

\$16.00



\$7.95




\$43.80 H1124: Kindergarten Table of hardwood construction with plastic top and wood edge. Natural finish available in heights ranging from 16" to 26". Please specify height desired. 24"x 24".

\$54.00 H1136: Similar to H1124, but has a top 24"x 36".

\$54.20 H1130: Similar to H1124, but has a top 30"x 30".





#7010

#7140



DIMENSIONS:

Folded—40" H x 19½" W x 8" D (100cm x 50cm x 20cm)
Open—With 18" (45cm) Bag—37" H x 19½" W x 16" D
(95cm x 50cm x 40cm)
Open—With 25" (63cm) Bag—43" H x 19½" W x 23" D
(110cm x 50cm x 58cm)
Platform is 6" (15cm) Above Floor

LUMEX FOLDING ADJUSTABLE HAMPER

NEW CAT. # ош # \$27.50 555 5550


SHIPPING WEIGHT: 19 lbs. Packed 1 per ctn.

SPECIAL ADJUSTMENT PERMITS LOWERING ONE SIDE OF BAG . . . ITEMS CAN BE TOSSED INTO HAMPER WITHOUT SPILLING OVER BACK.

VERSACART AND ACCESSORIES

NEW CAT. #	OLD #		SHIPPING WEIGHT & PACKING
\$31.00 7010	701	Folding Cart Only	20 lbs. 1 per ctn.
\$6.00 7020	702	Wire Basket Only—6" Deep (15cm)	6 lbs. ea. 1, 2 per ctn.
\$7.75 7021	702A	Wire Basket Only—12" Deep (30cm)	7 lbs.ea. 1, 2 per ctn.
\$12.50 7030	703	Chart Rack Attachment Only (20 Charts)	4 lbs. 1 per ctn.
\$21.00 7031	703A	Chart Rack Attachment Only (30 Charts)	4 lbs. 1 per ctn.
\$24.00 7140	714	Modular DispensaTray with 10 Inserts	8 lbs. 1 per ctn.

The NEW IMPROVED LUMEX PATIENT'S CHAIR TA



· Pat. #3,293,255

IT'S A CHAIR...A TABLE... A PATIENT SAFETY CONTROL ...

*Scopetrol insures automatic stop when fully extended . . . with no buttons to push . . . effortless retraction.



- New, Tilting, Low Center-of-Gravity Footrest (pat. pend.) Helps Prevent Dropped Foot... Is Individually Adjustable for Each Patient
- Unique Construction under Footrest Guards Against Tipping
- New Fixed 5" Front Casters Make It Easy to Guide Unit Heavy-Duty 5" Rear Swivel Casters with Brakes Now Securely Pinned with Special Nuts and Bolts
- Cut-Out Table for Added Safety and Comfort in Non-Slip, Non-Glare Plate-Textured Woodgrain Finish—Will Not Show Dirt or Spills
- Heavier-Duty 38-Ounce Expanded Vinyl Fabric in Five Colors: Vermilion, Pebble Beige, Nugget Gold, Olive Green, Bright Turquoise (Other Colors Add 10%)
 Swing-Away Scopetrol* Table Locks in 5 Positions, Provides Mild Patient Control
- Chrome-Plated Heavy 1" (2.5cm) Steel Tubular Frame—Welded and Reinforced
- Well-Padded Seat Over No-Sag Springs and Permalator Cross Supports
- High-Tapered Backrest Permits Use of Standard Pillowcases and Small Pillow as Backrest
- Unbreakable Plastic Arm Rests
- Push-Handle Doubles as Towel or Blanket Bar

\$95.00

5281

CHAIR—43" H x 29" D x 23½" W (109cm x 74cm x 60cm) TABLE—20" D x 23½" W (51cm x 60cm)

LUMEX IMPROVED PATIENT'S CHAIR TABLE

NEW CAT. #	ош #	SHIPPING WEIGHT & PACKING
5281	S528G New Improved Chair Table wi	th 64 lbs.
	Tilting Footrest and 5" Caste	rs 1 per 2 ctns. (KD)



LUMEX STANDARD PATIENT'S CHAIR TABLE


	Pat. #3,1	23,397
\$62.00 5211	S521G Chair Table with Plastic Leg Tips	41 lbs.
\$79.50 5221	(Without Push Handle) S522G Chair-Table with 3" (7.5cm) Swivel	1 per 2 ctns.(KD)
	Thread-Guard Casters, 2 Brakes	54 lbs.

\$68.00 5231 S523G Chair-Table with 3" (7.5cm) Swivel Thread-Guard Casters, 2 Brakes 46 lbs. 1 per 2 ctns.(KD) 7 lbs. \$16.00 5296 S524 Standard Retractable Footrest Only \$19.50 5297 **S525** Removable Swing-Away 12 lbs. Table Only

1 per ctn. 1 per ctn. 4.00 pr. 5298 **S530** Non-Swivel Footrest 2 lbs. Support Casters-3" (7.5cm) 2 per ctn. \$25.00 5299 S532 Cut-Out Table Add 1 lb. to Chair Weight

SPECIFY COLOR WHEN ORDERING


Refer to Price List for Catalog Number of Color Required



"SAFE-TYPE" STEEL STORAGE CABINET

This full size cabinet is a fine addition to any office. Dust-proof, heavy gauge steel protected by strong doors equipped with a two-way locking device controlled by a paracentric lock. Easily assembled. 76" high, 36" wide, 181/2" deep. Four adjustable shelves.


161 lbs. No. 76 \$95.00 Additional shelves. No. 6-SH \$7.00 ea.



Combination

WARDROBE and STORAGE

Has adjustable storage shelves, a hat shelf plus a coat rod protected by strong doors equipped with a paracentric lock. Dustproof. Heavy gauge steel. Easily assembled. 36" wide, 76" high, 181/2" deep ... No. 76C \$95.00 Shpg. W1. 163 lbs.



The "EXECUTIVE" Desk

Smartly styled to last a lifetime. Letter drawers glide smoothly and easily on full ses pension arms. Heavy gauge steel. Linoleum top trimmed with aluminum.

Lock on center drawer automatically locks all drawers.

No. 1771N-1 letter, 4 box drawers (55" x 30") \$198.0

SAFETY CABINET

Improves the appearance of your office. Two adjustable shelves. Two doors equipped with a two-way locking device controlled by a paracentric lock. Heavy steel. 301/2" wide, 371/2" high, 17" deep.

No. 349L \$52.50 Shpg. W1. 80 lbs.

Additional shelves...No. 4-SH \$6.40 ea.



No. 756 49.75 W1. 80 Iba.

"SALESMAN'S" DESK

For use where space is at a premium. Equipped with four drawers for supplies, an arm rest and a private compartment under lock and key. Perfect for receptionists, salesmen and students. Desk high, 40" w, 18" d. Heavy steel. Cole Gray or Desert Sand No. 756 \$69.15





- 18 1/4" x 16 1/4" GREY LINEN FORMICA TOP.
- RAISED POLISHED ALUMINUM TRIM PREVENTS DROPPAGE.
- CHROME FINISHED TUBULAR LEGS MOUNTED ON EASY ROLLING 2" RUBBER CASTERS.
- 32 1/2" HIGH.
- IDEAL FOR JUNIOR AUTOCLAVES, STERILIZERS, BABY SCALES, EKG APPARATUS, SUCTION APPARATUS, LOW VOLT GENERATOR & MOST PORTABLE SHORT WAVES.

MODEL PD WITH DRAWER

MODEL P WITHOUT DRAWER



(Model 61-15-I) Swinging doors and magnetic latches. Chrome plated frame. 3" caster wheels, double row swivel ball bearing casters and panel back stop.
Baked enamel finish is highly resistant to alcohol. 19" long,
12½" deep, 14¾" high, 27½" from floor to top.



SNIDER TRIPL-AID CART

Rugged, maneuverable and usable all over the hospital ... but a must in the Housekeeping Department. Hamper ring folds down easily or locks in "up" position. Three steel, rust resistant shelves with 1/2" rim to prevent material from rolling off. Push bar has center opening to accommodate mop or broom handle.

SPECIFICATIONS: 1" tube welded construction; three full size shelves; 6" rubber tired front wheels; 3" swivel casters in rear; 15" wide x 43" high x 37" long with ring folded . . . 51" long with ring extended; Hammertone Silver finish.

B 258160—Each\$49.95

F.O.B. Oklahoma City.



\$99.50

(Model 62-15-60) New Hi-Top model with large cabinet. Cabinet measures 24" long, 16" deep, 18" high. Floor to cabinet top is 60". This model includes two accessory shelves and a 3" drawer below the cabinet body. Gray, Ivory, Metallic Green, Others.

\$598.00

REGALSAUNA* STEAM BATH by Battle Creek

All-new professional cabinet for eliminative sweat baths

For therapeutic, eliminative sweat baths that relax and refresh patients, this is the finest unit on the market. Specifically designed by Battle Creek for professional use, it combines smart new styling with valuable features for precise control and time-saving in maintenance. In addition, the Regalsauna is superbly built of smooth, durable fibre-glass to withstand rigorous daily service.

Convenient control panel on top includes a switch, pilot light, adjustable thermostat, audible timer and thermometer for interior temperature. The UL-Approved steam generator, recessed under seat, pre-heats cabinet in about 20 minutes. Reservoir holds enough water for about thirty 20-minute steam baths. Condensate drains into a drawer which slides from base for easy emptying. The contoured seat, door and roomy

cabinet are all molded fibre-glass with integral color. They can't rust or rot and are wiped clean in a jiffy. Seat is adjustable. Neoprene door moldings seal the steam inside. No special plumbing or wiring is needed!



Extra roomy cabinet wipes clean in a jiffy—can't rust, rot or mold. Comfortable contoured seat adjusts for height. Water containers are easy to fill, empty.

SPECIFICATIONS

Controls: Switch, pilot light, thermostat, timer, thermometer. Cabinet: Molded fibre-glass. Color, pastel yellow.


Door: White fibre-glass. Opening 18" wide.
Seat: Contoured fibre-glass. Adjustable, 5 heights.
Water: Big 4½ gal. reservoir supplies up to 30 baths.

Electrical: UL approved. Steam generator, 1500 watts. 8½ cord plugs into 115 volt, 60 cycle a.c. outlet.

plugs into 115 volt, 60 cycle a.c. outlet.

Dimensions: Depth 37", width 27½", height 51¼".

Net Weight: 120 lbs. Shipping Weight: 150 lbs.



Regalsauna combines superb professional quality with sparkling, modern design. Handy controls and convenience features save time for busy hospital personnel. Cast aluminum reservoir holds 4½ gallons.

NUSAUNA* BATH CABINET

Provides relaxing, refreshing steam vapor baths

In the Nusauna, Battle Creek offers all the benefits of healthful, relaxing steam vapor baths in a convenient, compact cabinet. Within a few minutes, plenty of steam is ready to help relieve nervous tension and fatigue. This thorough, general body heat relaxes the capillaries, opens the pores and increases elimination through the skin. While the patient breathes only clear, fresh air outside the cabinet, increased respiration assists elimination. After, a 20-minute steam bath, the user steps out refreshed, with a buoyant new sense of well being.

No plumbing or special wiring is needed. Both Nusauna cabinet and door are single, smooth, molded fibre-glass units—easy to wipe clean and

\$298.50

Extra features on Deluxe Nusauna include: Thermostat and Timer mounted in door, foam seat back, 2 recessed towel bars, rollers in base. Fully UL-approved.

requiring no maintenance. A simple, dependable steam generator under the seat contains water for 4 to 6 baths on one filling. It includes an adjustable thermostat with neon pilot light. Hardware is rust-proof stainless-steel and aluminum; seals are Neoprene—all indications of long-lasting quality for patient or hospital staff use.

SPECIFICATIONS

When Ordering: Be sure to specify Deluxe or Standard Model. See caption at left for extra features on Deluxe Model only. Cabinet: Molded fibre-glass. Standard: Green or pink-state color. Deluxe: White only.


Door: White fibre-glass. Opening 22" wide.

Seat: Molded fibre-glass. Deluxe model has foam seat back.

Water: Capacity, 64 oz. for 4 to 6 baths.

Electrical: Fully UL Approved. Steam generator 1000 watts. Has thermostat, pilot light, 10' cord. Plugs into 115 volt, 60 cycle a.c. outlet.


Dimensions: Depth 38", width 27", height 44".




MODEL C-202

This table model is designed for users requiring easy portability. Can be carried in a small bag for house calls. Standard two-tone gray finish, 1/10 H.P. motor.

Complete with rheostat in base, standard finish . . . \$85.00






A B Tension Pillow

With broadcloth cover \$3.50
With Vinyl cover 4.00



MODEL 325 (M-1 Massager)



Arm, Leg and Knee Rest

\$10.00 Doz.

Hand Massager

110 Volts

AC

DC

Heavy Duty

\$48.95


033 Arm, Leg and Knee Rest.

For use with prolonged bed patients for protection of pressure points.

MODEL 301

A lighter-duty model, economically priced for use where treatments do not exceed ten minutes. Standard two-tone grey finish, 1/15 H.P. motor.

Complete with rheostat in base, standard finish \$55.00 Shipping weight approximately 9 lbs.



HYDROCOLLATOR" MASTER UNITS

These are specially designed heating units that AUTOMATICALLY maintain Steam Packs in water at the proper temperature. No plumbing necessary—just plug into 115 volt AC outlet. All stainless steel—all thermostatically controlled.

		TABLE MODELS			CONSOLE MODELS	
SPECIFICATIONS	D-3	E-1	SS	55-2	M-2	
Width, Inches (including handles)	111/ ₄ (Tank—8"	121/2	171/2	21	27	
Front to Back, Inches	<u> </u>	83/4	151/2	151/2	151/2	
Height, Lid Closed, Inches	151/2	151/2	171/2	33	33	
Height, Lid Open, Inches	Lift-Off Lid	231/2	291/2	43	441/4	
Fiberglas Insulation		No	Yes	Yes	Yes	
Standard Pack Capacity	2	4	8	8	12	
Watts	500	1000	1000	1000	1000	
Volts	115AC	115AC	115AC	115AC	115AC	
Drain Valve and Hose	No	No	No	Yes	Yes	
3" Rubber Casters	No	No	No	Yes	Yes	
Neon Pilot Light	No	Yes	Yes	Yes	Yes	
Shipping Weight, Pounds	10	19	70	80	110	
Price (Complete with Steam Packs)	\$45.00	\$87.50	\$267.00	\$297.00	\$357.00	





ACCESSORIES:

AUTOMATIC SWITCH for switching on and off at pre-set times including skip-a-day feature—complete, ready for use with any of the models \$18.95 MOBILE STAND accommodates SS, E-1 or D-3. All stainless steel welded construction \$36.50 All prices F. O. B., Chattanooga, Tennessee.




- Sturdy Jeans construction.
 Guaranteed for at least six months under normal constant 24 hour a day use.
- Special gel filler adsorbs many times its own volume of water and holds it with amazing heat retention.
- Well designed to fit nearly any body contour. Ideal for supplementary treatment in the patient's home. Merely heat in water, wrap in towel, and apply.



U. S. Patent No. 2,710,008

(
		Ш.

	DIL ISTUSIONIS		
SIZE	DIMENSIONS (DRY)	SHAPE	PRICE FOR CHATTAMOOG
STANDARD SIZE	10" x 12"	鬥	\$4.95 Ea.
HALF SIZE	5" x 12"		\$2.75 Ea.
OVERSIZE	24" x 15"		\$10.50 Ea.
NECK CONTOUR	24" Long	prifffling.	\$6.00 Ea.
EYE SIZE	3" x 31/2"	9 _G	\$1.85 OF



SPECIFICATIONS

Dimensions 15½" x 17½" (21" including handles), Height 31" (43" with lid open),

Tank (inside) 12" x 14" x 12" deep.

Construction All 18-8 stainless steel,

heli-arc welded.

Casters 3" rubber, swivel.

Insulation Polyurethane foam (closed cell).

Electrical 1/5 H.P., 3.7 amps. Thermostatic Control. Neon Pilot Light. 115 volt, 60

cycle, AC (arranged for other currents at slight extra charge). U.L. approved.

Guaranty One year against defective parts and

faulty workmanship.

Price \$390.00 complete with 6 Standard Size ColPaC's. F.O.B. Chattanooga, Tenn. Shipping weight 140 lbs.

COLPAC MASTER CHILLING UNIT

This effective unit automatically maintains at least six Hydrocollator ColPaC's in its chilling chamber, holding them at proper temperature — constantly ready for immediate use.

The C-2's powerful refrigeration unit and specially constructed evaporator coils assure maximum speed in rechilling each ColPaC when it is returned (after use) to the chilling chamber.

All stainless steel welded construction for beauty and years of reliable service. Equipped with drain valve for easy periodic cleaning of chamber. No plumbing connections necessary. Just plug into 115 volt, 60 cycle outlet. Rolls on 3 inch rubber casters—easy to move.

Efficiently insulated with special closed cell plastic refrigeration insulation for economy of operation.



SIZE	DIMEN- SIONS	SHAPE	PRICE EACH
Standard	11"x13"		\$ 5.95
Neck Contour	23"		6.95
Half	61/2"x11"		3.30
Quarter	51/2"x61/2"		2.10
Throat	3"x11"		2.50
Oversize	11"x21"		11.85

MODEL 213 - Home Model 400W tubular unit. 8" aluminum reflector, polished chrome gooseneck.



MODEL 213

\$15.70



MODEL 205 - 3 Heat Variable Control Model (1250W-626W and 300W). 18-1/2" aluminum reflector, 3-way switch controls output. Adjustable height, non-socket construction.

MODEL 210 - Professional Model - 14-1/2" polished aluminum reflector, 750W Chromalux unit and inner shield. Adjustable height, caster base. Porcelain screw shell socket.

INFRA-RED REPLACEMENT UNITS.

CHROMALOX with outer shield

550 watt; 750 watt; 1250 watt, non-socket;

\$34.25 3 heat, non-socket - 1250 watt.

CHROMALOX without outer shield. 400 watt; 550 watt; 750 watt. \$30.00

CHROMALOX - FLAT RING ONLY.

400 watt; 550 watt; 750 watt;


\$20.75 1250 watt; 1250 watt - 3 heat,

LAVA TYPE - TUBULAR UNITS.

160 watt; 250 watt; 400 watt;

550 watt; 600 watt (Mogul Base) \$15.00


750 watt; 1000 watt, (Mogul Base).





MARKTEX TECH-PEN Ink colors: Red, Yellow, Blue, Green, Orange, Brown, Pink, Purple, Aluminum, Black and White. (Only one color ink can be used in each pen). Pen comes complete with ink supply sufficient for 25,000 characters.

> 634340—Tech-Pen Complete with ink, Each.....\$4.50 634420—Ink, refill tubes, per tube.....\$.75 634430—Set of 2 extra writing points.....\$1.00




NO. 153


PLASTIC GOGGLES

No. 153 PLASTIC GOGGLES

- . COMPLETE EYE PROTECTION.
- . MINIMUM 6 TO CARTON.

\$1.00





Model 2508 LUMINOUS TYPE

Hinged to provide adjustment in width. Height can be varied by means of four adjustable legs equipped with suitable locking devices. Even distribution of thermogenic radiation is provided by eight 60-watt tungsten incandescent lamps horizontally mounted, and controlled by a three-point switch to permit the operator to employ either the four central lamps, or the four outer lamps, or all eight lamps. Dimensions: length 18 inches, width adjustable from 8 to 24 inches, height adjustable from 17 to 21 inches. Lamps not included. Shipping weight 35 lbs.



The heat in this Baker is supplied by means of incandescent lamps. Adjustable in height. The Bakers are very efficient and light in weight. The type P-400 Baker has 8 lamp capacity and 3 heat arrangement. Lamps not included. Dimensions: 16 inches high, 15 inches long, 16 inches wide. Shipping weight 40 lbs.


THERMOSTATIC FOLDING BED TENT

For controlled heat therapy



MODEL BT 100 THERMOSTATIC FOLDING BED TENT:

The complete unit consists of a polished tubular aluminum Frame with a long and short extension and including cast aluminum hinges, a removable Heater Control Panel with stainless steel suspension clips and including 2 heat lamps, thermostat, stainless steel shield and 10 foot electrical cord. The unit includes a Thermometer with hook for tubular frame.



Portable 1-150 LUMINOUS TYPE

4 Lamp Capacity \$32.00


Double-wall construction permits use under sheet or blanket with safety. Ideal for home use on physician's prescription. Equipped with line cord and off-and-on switch. Dimensions: 14 inches high by 15 inches wide by 18 inches long. Shipping weight 15 lbs. Use 60 W Tungsten Incandescent Lamps. Lamps not included.

Portable 1-200

Same as 1-150 — 6 Lamp Capacity

Dimensions 15 inches high — 20 inches wide — 18 inches long. Shipping Weight 20 lbs.






HOYER ADJUSTABLE-BASE LIFTER

Enables a little nurse to lift a BIG patient with the ease of a gentle giant! Adjustable base fits under beds and around chairs up to 34" wide. 5" ball-bearing casters provide easy rolling and steering.

B 110900 Each \$210.00





CLAMP-ON BATHLIFT

MODEL HBL-C

Bathing in privacy is possible now for patients who can operate the lift by themselves.

NEW Chrome hydraulic bathlift designed specifically to lower or raise a patient in and out of a tub. Seat swings over tub and patient is lowered into bath water until seat rests at bottom of tub. Back support may be rotated out of way if desired. Seat and back support may be reversed.



\$245.00

CLAMP-ON BATHROOM UNIT

MODEL HBU-4-L with 112-N sling


Clamp on unit attaches to side of most tubs. Requires no holes in floor. Used with Hoyer Lifter minus base. Fits tubs up to 18" high. Special unit required for tubs over 18". Can be converted for right or left-hand operation.




SWIMMING POOL LIFTER

MODEL HBU-3-LS \$185.00 with 112-N sling

Special Lifter designed specifically for swimming pool. Lifting range of Lifter 65". This unit is not interchangeable with the other Hoyer Lifter models.





KARTOP LIFTER MODEL KT

Kartop-Lift eliminates hardship and hazards of moving from wheel chair to car seat. Suction cups and drip-eave hooks hold lift securely. No holes to drill. Stacks compactly. Hydraulically operated. Fits tops 53" to 62". \$310.00 eq.


MODEL S-KT Also available is Short Kartop-Lift which fits smaller compact cars, with tops 45" to 53".

MODEL KT-C Grey canvas cover available for Kartop-Lifts.




ELECTRIC MOTOR-DRIVEN LIFTER \$450.00 MODEL HLEA-10-C

For those desiring a completely effortless lifting and lowering unit, this model is offered. Rated at 450lb capacity.



FRAME STRETCHER \$55.00 MODEL STR


Frame stretcher is 74" long, 26" wide. Includes set of 10 web stretcher straps and four web lifting slings. Grey enamel.



OVERHEAD STRETCHER


MODEL O-STR \$95.00

Overhead stretcher adjusts for uneven weight distribution. 46" long. 26" wide. Grey enamel.



SCALE MODEL HLS-1


Beam scale. Capacity 320 lb. Sensitivity ¼ lb. Chrome finish. Available also in metric system calibrated in 1 hectogram increments, total capacity 160 kilograms.



GYM MATS

Plastic or Canvas Cover

4' x 7' x 2" thick	\$61.00
4' x 10' x 2'' thick	86.00
Per Square Foot	
2" thick	.\$2.50
2½" thick	. 3.00



Massage and Hand Lotion

VERTICAL MAT TRUCK

This mat truck is designed to carry mats up to 5' x 10'. Hangers are adjustable for different sizes. Truck is made of steel throughout and has rubber tire swivel casters. Holds eight mats.

No. VMT-School Price-\$119.00 Weight-120 lt

		4 doz. per doz. 4 oz.	12 doz. per doz.	120 doz. per doz.
plastic b	ottles			
		3.60	3.55	3.00
plastic be	ottles			
		4.00	3.75	3.30
No. 524100	Lanofres	sh, 1		

gallon plastic containers

20 gallon lots, per gallon per gallon \$3.90 \$3.55





CERVATRAC

A New Cervical Traction Device For Comfortable, Continuous Traction


A unique cervical traction head harness designed to prevent tempromandibular pain caused by conventional devices strapped under the chin. Well constructed of combed cotton duck and thermally bonded polyurethane. Velcro fastener of generous size assures ease of application and minimizes discomfort. Available in medium and large sizes.

467990 "Robbie Line" Cervatrac (specify size) \$4.60 ea.

ADJUSTABLE PLASTIC COLLAR - Model C-56 - Completely adjustable. For intermediate cervical support. Features: (1) Two height adjustments, narrow 23/4" to 31/2"; wide 31/2" to 41/2", (2) Four lengths, Ex-small (14"), Small (15"), Medium (16"), (Large (17"), Ex-Large (18"), (3) Velcro closure, (4) Comfortable foam rubber edges, (5) Non-toxic washable plastic, (6) Sized by actual neck measurement and prescribed width.











\$7.50

HHYPEREXTENSION BRACE - Model C-35 -FFeatures new latch for easy, final adjustnment and sure lock. New clips make height aend width adjustments easier, quicker.









CAMP CERVICAL SLING - Model C-46 A revolutionary new approach to cervical bracing! - A completely adjustable cervical support for comfortable positioning and reduction of cervical rotation where prolonged, nonrigid hyperextension is indicated. eatures: (1) Adjustable cradle of comfort, (2) One size can be adjusted to fit all, (3) Velcro closure and height adjustments, (4) Comfortable foam rubber edges, (5) Non-toxic washable plastic.




Canvas Sand Bags and Carrier




No. 483A 5-lb.






2-lb.




No. 483C 1-lb.



No. 484 SAND BAG CARRIER

Immobilization Bags


(Empty)



Immobilization Bags are manufactured from heavy Vinyl-coated mattress ticking 12" to 36" lengths in 2" increments x 4" diameter (approximately). SPECIALLY DESIGNED POURING TRAP SIMPLIFIES SAND FILLING. No. 486F Pouring Funnel is furnished no charge with 6 or more Immobilization Bags.

Truly functional on fresh fractures where Immobilaztion of the extremity is indicated. Please specify lengths when ordering.

FOR EMERGENCY USE



THE KEYSTONE SPLINT

THE ALL-PURPOSE KEYSTONE SPLINT has been designed to provide complete immobilization of fractures.

application The simplicity of the Keystone Splint permits rapid application, cutting usual splinting time in half, lessening shock, reducing pain and increasing patient comfort.


adjustment The versetility of the Keystone Splint in its various applications is enhanced by the ease of adjustment. Compression may be changed and individual straps may be relocated and reapplied without interference with immobilization.

z-ray The design of the Keystone Splint allows unobstructed X-ray penetration. Splint is worn into the operating or casting room, thus damage commonly caused by premature removal is eliminated.

portable The Keystone Splint in its compact case may be thrown or passed to aid persons found in unusual places or positions.

serviceable The Keystone Splint, constructed of pre-shrunk materials, with removable hardwood impregnated stays, is completely washable. The life of the splint is unlimited, a pertinent budget consideration.

THE KEYSTONE SPLINT is lightweight (2^3) lbs.) and compact (36×4^8) . Included among its widespread users are Physicians, Hospitals, Ambulances, Industrial Dispensaries, Emergency Rescue Units, Ski Safety Patrols, Civilian Defense Corps, aboard all types of ships; in fact, anyplace where complete immobilization of fractures is indicated.



HIP or


SPINAL OF CERVICAL FRACTURES

FULL LEG SPLINT

FOREARM FRACTURE with SLING ADAPTATION

FULL ARM SPLINT

RIB FRACTURE



Foam Rubber Splints

No. 23A-3/4" x 18"


\$9.00

No. 23B -1" x 18" (1 doz. per box)

No. 23C-1/2" x 18"

These foam rubber padded splints combined with aluminum are ideal for setting fractures, dislocations and treating sprains and injuries of the fingers, as well as protectors for nail bed injuries of the toe.

Easily cut with a pair of scissors and being malleable readily formed to the shape and size desired. X-ray penetrable.



Adult—\$39.50 each Child—\$35.50 each

Infant Abduction Hip Splint

Plastic-Ventilated



Recommended for the treatment of congenital dysplasia and hip dislocation in children under two years of age. The treatment of congenital subluxation and pre-subluxation of the dysplasia hip during infancy usually prevents dislocation and other complicated changes to hip joint structure in later life. Early use of the Plastic Infant Abduction Splint simplifies correction before weight bearing begins.

The tubular shaped splint holds the hips comfortably in the corrected position. Retains diapers without safety pins and snap-on button fasteners simplifies diaper change. Sanitary.

No. 1227A-Large, 12"


No. 1227B — Medium, 9"

No. 1227C-Small, 6"

The selected size is determined by measuring the distance between the knees in corrective position.

Orthopedic Night Splint

Aluminum



The Orthopedic Night Splint offers latest advancements for treatment of club feet, flat feet, congenital hip dislocations, tibial torsions, or for deformities which could be corrected by the kicking activity inherent in the pre-walker.

The Tri-Flange foot piece securely attaches to shoes. The matching dials permit multiple degrees of inversion or eversion.

No. 527A6-6"

No. 527A7-7"

No. 527A9 9"


No. 527B10-10"

No. 527B12-12"

No. 527B14—14"

No. 527B16-16"

PLEASE SPECIFY BAR LENGTH WHEN ORDERING.



WEIGHTS - WEIGHT CARRIER

These cast iron weights are finished in durable black enamel with gold lettering. The weights are designed so that they can not fall off the carrier; they are easily put on or removed from the carrier by raising to the top of the carrier.

B 462090—Weight, 5 Lbs., Each	\$3.00
(C) 462170—Weight, 2 Lbs., Each	\$1.20
(D) 462250—Weight, 1 Lb., Each	\$.60
E 462330—Weight Carrier, 13¾" Long, Each	\$1.65
462410-Weight Carrier, 8¾" Long, Each	\$1.65
462490—Weight Carrier, 5¾" Long, Each	\$1.65
462570 Weight Carrier 23/" Long Each	\$1.65

CAST CUTTER

No. 840 Cast Cutter, Model 8208-210, 115 volt (Includes one each 2" and 2½" blade and wrench)
No. 841 Cast Cutter, Model 8208-218, 230 volt


(Includes same as above) No. 847 Cast Cutter, Short Cord, 115 volt

\$95.00

No. 851 Cast Cutter, Short Cord, 230 volt No. 840-28 Carrying Bag (not shown) No. 840-20 2" Blade No. 840-

No. 840-25 21/2" Blade

No. 840-26 Wrench No. 840-27 Wall Bracket



\$10.95

BARNETT CERVICAL COLLAR AND HEAD HALTER COMBINATION


No. 797 Cervical Collar/Head Halter, 5" White

No. 798 Cervical Collar/Head Halter, 5" Black



No. 799 Cervical Collar / Head Halter, 4" Black

No. 800 Cervical Collar/Head Halter, 4" White



Wire Finger and Toe Grips

\$2.30

No. 325A-Finger & Toe Grips, large

No. 325B - Finger & Toe Grips, medium

No. 325C-Finger & Toe Grips, small

Indicated for use with reduction apparatus. Not recommended for extended periods.

> Braces and other appliances can easily be altered or fitted with this convenient tool. These bending irons come in pairs. One iron has slots of 1/8" on one end and 1/4" on the other; the companion iron has openings of $\frac{3}{16}$ on one end and $\frac{5}{16}$ on the other. Construction is of forged alloy steel, cadmium plated.


No. 141

\$18.00


Orthopedic Goniometer

The Orthopedic Goniometer offers a full range of graduations. The protractor scale has two 360° scales projected in opposite ditions around the dial, and two 180° scales projected in opposite directions in such a fashion as to allow three separate readings at any one place on the dial. Constructed of brass with an enamel finish.

No. 138—Orthopedic Goniometer \$11.00




International Standard Goniometer





International Standard SFTR measuring and recording, in inches or centimeters, is a combination of the New Standard Method based on the principles of the neutral zero method of Cave and Roberts

\$10.00



STAINLESS PROTRACTORS






No. 137

\$10.50

Conzett Goniometer, Chrome Plated, Length 14"

Pocket Protractor




This small size protractor is useful for measuring the degree of disability of joints. It is furnished in a leather pocket case for easy carrying. Chrome Plated, 6½" long.

Jameson Caliper


\$11.00 3¾", Modified, w/Fine Points. Stainless Steel

Hennig Plaster Spreader




The thin, grooved jaws of this instrument makes it easy to insert between the cut edges of the cast. The handles spread open and apply maximum amount of pressure with a minimum of effort. Construction is of stainless steel; length is 101/2", and the jaw spread is approximately two inches.

Wolfe-Boehler Plaster Cast Breaker



Lister Bandage Scissors


Stainless Steel



B-D HOSPITAL ACE® RUBBER ELASTIC BANDAGE


Stands up under hard usage without "bunching" of filler material . . . can be laundered repeatedly. Balanced weave of rubber and cotton provides optimal stretch and body for even support throughout the affected area.

056550 2" Hospital Ace Bandage, Per Doz. \$7.68 21/2" Hospital Ace Bandage, Per Doz. \$9.12 056560 3" Hospital Ace Bandage, Per Doz. \$10.56 056570 4" Hospital Ace Bandage, Per Doz. \$13.32 056780 6" Hospital Ace Bandage, Per 1/2 Doz. \$18.72 056790





This brace effectively immobilizes the head, and it permits extension in cervical fracture cases for ambulatory patients. Quality materials throughout, this brace is constructed of substantial leather with a layer of felt covered with soft horsehide. The chin and occiput pieces are made of aluminum. These aluminum plates can be formed to fit perfectly, and they have soft horsehide covered pads. The extension rods are stainless steel.



\$39.00

No. 143A-King Cervical Brace, Adult \$28.00

No. 143B - King Cervical Brace, Youth or Child

No. 142A—Orthopedic Cervical Brace, Adult

No. 142B - Orthopedic Cervical Brace, Youth

No. 142C—Orthopedic Cervical Brace, Child



Outfit includes: padded shoulder rest, rubber pressure bulb with valve, gauge, spreader bar, hook and 77XA head halter.

No. 342

The Kuhlmann traction apparatus is indicated for cervical fractures where ambulatory treatment is required or in other cases where it is necessary to immobilize the head.

The patient is able to apply the apparatus unaided and by means of the small rubber pressure bulb can apply traction by building up pressure in the two cylinders. The degree of extension can be controlled by the valve screw — by opening the valve the pressure decreases.

The apparatus, which is extremely light, has already been proven successful throughout the world. It consists of two pneumatic cylinders joined together by a single bar onto which fits a well tailored head sling which can be supplied in cloth or soft leather. The shoulder rests are protected with foam rubber so that even with extensive traction no discomfort is experienced.


The action of the apparatus is gentle resulting in a gradual build up of pressure and traction without any sudden jerking or pulling.

\$61.00





The **No. 508** incorporates the versatile features of the Improved Buck's Extension Hook and answers the bed traction problem for Hollywood and other hard-to-fit-beds.



Orthopedic Special Colles Splint

Aluminum Construction



This splint is indicated for Colles fractures where the dorso-flexed position is not needed, and it is used for shaft fractures of the radius and ulna where extension is not required. The arm and hand are maintained in a mid-pronated and supinated position; the hand is slightly abduced and palmar flexed.

abduced and palmar flexed.
No. 20A—Special Colles Splint, adult, right\$2.70
No. 20B—Special Colles Splint, Adult, left 2.70
No. 20C—Special Colles Splint, Youth, right 2.70
No. 20D—Special Colles Splint, Youth, left 2.70
No. 20E—Special Colles Splint, Child, right 2.45
No. 20F—Special Colles Splint, Child, left 2.45
No. 20G—Special Colles Splint, Infant, right 2.40
No. 20H—Special Colles Splint, Infant, left 2.40

Colles Splint

Aluminum Construction




The Colles Splint is indicated for fractures through the lower end of the radius and ulna. The splint conforms to the shape of the forearm, and the hand is maintained in an abducted position. The splint can be formed to give dorsal or palmar flexion and by twisting the degree of abduction can be varied. It is amply ventilated.

No.	13A—Colles S	Splint,	Adult,	right	\$2.80
No.	13B —Colles	Splint,	Adult,	left	\$2.80
No.	13C—Colles	Splint,	Youth,	right	\$2.80
No.	13D—Colles	Splint,	Youth,	left	\$2.80
No.	13E —Colles	Splint,	Child,	right	\$3.70
No.	13F —Colles	Splint,	Child,	left	\$3.70
No.	13G—Colles	Splint,	Infant	, righ	\$3.70
No.	13H—Colles	Splint	Infant	, left	\$3.70

Orthopedic Cockup Splint

Aluminum Construction



Its use is indicated when the dorso-flexed position is required. The splint is constructed of extra heavy gauge aluminum for rigidity, but it can be bent so the degree of flexion can be varied.

\$2.75 No. 15A—Cockup Splint, Adult \$2.75 No. 15B—Cockup Splint, Youth

\$2.50 No. 15C—Cockup Splint, Child

Posterior Elbow Splint

Aluminum Construction

\$5.75 No. 9A—Posterior Elbow Splint, Adult \$5.00 No. 9B—Posterior Elbow Splint, Youth \$4.75 No. 9C—Posterior Elbow Splint, Child \$4.50 No. 9D—Posterior Elbow Splint, Infant

A Posterior elbow dressing of sufficient length to support the forearm and hand, eliminating all olecranon pressure. It may be bent to any angle desired. It is indicated for simple immobilization of the elbow

and transverse fractures in the middle third of the humerus.

Posterior Tibia and Fibula Splint

Aluminum Construction

This splint, available in either knee or hip lengths, is indicated for transverse fractures of the tibia and fibula, for the fibula alone if extension is not required, or in Potts fracture when it is unnecessary to invert the foot.

The splint can be molded to fit the limb, yet it has ample rigidity. The heel portion is offset to eleviate pressure at that point, and the foot portion is at a right angle to the leg section. It is amply ventilated and can be used for right or left leg.

Technique of Use: Mold the splint to fit the general contour of the limb, padding well with soft felt or sheet wadding, especially above the os calcis, in order to raise the heel away from the splint. Avoid pressure on the malleoli by spreading the splint at the indicated point. Being thoroughly perforated, it permits the use of hot or cold irrigations, and maintains the foot at a right angle to the long axis of the leg.

KNEE LENGTHS


No.	40A-Adult, 16" long	\$9.50
No.	40B -Youth, 14" long	\$9.50
No.	40C—Child, 12" long	\$8.75
No.	40D-Infant, 10" long	\$8.75

HIP LENGTHS

No.	40AFL—Adult, 31" long	\$14.50
No.	40BFL -Youth, 25" long	\$12.50
No.	40CFL—Child, 20" long	\$11.50
No.	40DFL-Infant, 14" long	\$11.50

Finger Cot

Aluminum Construction



This splint, like the natural aluminum finish splint shown below, protects the tip of the finger. The dressings are light, and they are amply ventilated.

No. 17SA—Finger Cot, $3\frac{1}{2}$ " \$.35 ea.


No. 17SB—Finger Cot, 3" \$3.96 doz.

No. 17SC—Finger Cot, 2" \$43.20 grass

No. 17SX—Finger Cot, 1"\$.50


No. 17SD—Finger Cot with palmar extension


Finger Protector



Aluminum Construction

No.	25A—Finger	Protector,	31/2" \$.40
No.	25B —Finger	Protector,	3" \$4.20 doz.
No.	25C—Finger	Protector,	2"\$39.00 gross
No.	25D-Finger	Protector	11/2"








MYO MODEL \$7.50 No. 145A—Large No. 145B—Medium No. 145C—Small


Plastic/Adjustable.



VELCRO MODEL \$10.00 No. 147A—Large No. 147B—Medium No. 147C—Small




Plastic Finger Cot \$2.70 doz.



No. 1135 — Turning Frame Complete W/Wheeled Cart

No. 1135A—Turning Frame Complete W/out Wheeled Cart.

Shipping Weight 155 lbs. Complete






HANDY DISPENSER BOX

WIDTHS, WEIGHTS AND STANDARD PACKING

Width	Approximate Weight per 25 Yd. Roll	Boxed Rolls per Case	
2	1 lb., 6 oz.	6	\$2.50
3	2 lbs.	6	\$3.70
4	2 lbs., 8 oz.	5	\$4.75
5	3 lbs.	3	\$6.50
6	3 lbs., 8 oz.	3	\$7.65
8	5 lbs.	2	\$9.25

No. 721 \$3.75 ea.




Flexible spring return tape 6 feet in length. Graduated in sixteenths of an inch on one side and millimeters on the other side.



Model 301 W—10° requiring 12" floor space. Each section adjustable in height from 22" to 46". Width adjustment 12" between high and low positions. Operated by hand crank.

How to care for your back pain.

A complete guide for your home care program.



"The Rehabilitation Center of Southern Fairfield County at Stamford, Conn. is particularly pleased with this 16 foot POLECAT Parallel Bar unit because it required no fastenings in their heated floor."

No. 151 Parallel Bar Assembly complete (See illustration above)

Maximum length 16'; maximum width 28"......\$239.85

MAXIMUM CEILING HEIGHT: 14 FEET.




FIG. 1



- (1) "Many hospitals, nursing homes and private homes place a POLECAT with this No. 134 Helping Hand (Fig. 1) attachment strategically at bedside and chairside and in the bathroom to help patients 'get up and go' on their own. Saves nurses' and therapists' backs too! Helping Hand can be locked securely at any level."
- This No. 120 Pick-Me-Up Bar (Fig. 2) and its supporting POLECAT weigh only 6 pounds. Yet they will do most things a trapeze will do and more ... because they are not fastened to the bed! Just spring your POLECAT in and out of place anywhere at bedside or chair-side. The Pick-Me-Up Bar can be locked at any height. It is 21/2' long and revolves through a 5' circle, if you wish. Thus, wherever it stands, it offers a 5' wide zone of safety for the disabled. (See illustration). It also gives substantial support to a patient walking in circles. But tighten the fittings and the bar will resist revolving action. By the way, the Pick-Me-Up will support neck and most other traction arrangements, thus eliminating the bother of a Balkan frame."





FIG. 3

(3) "Put together any combination of cross-bars and supporting POLECATS you need for your special purposes and to fit your available space. (Crossbars are 4', 6' and 8' long). They're strong but so light! The whole assembly (Fig. 3) weighs only about 18 pounds and has no fastenings to floor, wall or ceiling. It can be stored in no space at all and costs a fraction of the usual price for exercise rails!"

"The No. 128 Clamp (inset) supports crossbars. Set it at any height, tighten it by hand only...and it stays put!"

No. 116 POLECAT (without attachments) for ceilings from 6½' to 9½'
\$17.95
No. 111 POLECAT (without attachments) for ceilings from $6\frac{1}{2}$ to 11'
\$21.95
No. 115 POLECAT (without attachments) for ceilings from 8½ to 15'
\$24.45
No. 134 Helping Hand Attachment
No. 120 Pick-Me-Up Bar with one
sliding hook\$17.85
No. 121 Extra Sliding Hook for Pick- Me-Up Bar\$ 1.25
No. 123 POLE-LITE Attachment (See
details on Page 7)
No. 125 6-Foot Crossbar\$ 4.85
No. 126 8-Foot Crossbar\$ 5.75
No. 127 12-Foot Crossbar (Should be supported by 3 POLECATS) \$ 8.00
No. 128 Crossbar Clamp\$ 2.45



Bars are mounted on platform fitted with two (2) sets handrails adjustable in height from 16" to 40" by hand crank. Distance between rails is 24" for upper rails, 19" for lower rails. Platform fitted with detachable abduction board has slight incline at each end. Platform finished in natural wood, handrails finished in bronze.

Bars require only one person to adjust—and can be adjusted by a patient from a wheel chair. NO PINS TO INSERT—worm gears automatically lock bars and prevent them from moving up or down at any stopped position.


Available in two (2) lengths:

Model No. 175-10-ft. long

Model No. 280-15-ft. long

Price—\$350.00

Price—\$495.00





The "U" Bars consist of three sections—one (1) 15-ft. section and two (2) 11-ft. sections. Bars are adjustable in height from 21" to 38" through telescopic tubular steel uprights. Base is ½" heavy steel plate drilled for fastening to floor or may be bolted to ¾" plywood making bars portable. (Plywood is not furnished with bars.) Upper handrails are polished stainless steel. One set of children's rails 11-ft. long on one side, 1¼" OD Steel Rails finished in bronze.


Model No. 143-U

Price-\$675.00

FOLDING PARALLEL BARS







FOLDS TO 10' - MAY BE TAKEN APART IN MINUTES

EASILY ENTERED FROM WHEELCHAIR OR WALKER

LIFT LOCK BAR WITH TOE AND BARS FOLD EASILY

MODEL NO. 510 FOLDING PARALLEL BARS - ADULT

- Handrails 1½" diameter, 13 gauge steel
- Adjustable in height from 22" to 37"

SPECIFICATIONS:

- Handrails 7' long overall when open
- Folds to 10' length, 24" width against a wall
- Bases are hardwood, 42" long, 8" wide, painted neutral grey
- Adjustable in width from 11" to 26"
- · All metal parts are chrome plated
- Shipping weight 79#

MODEL NO. 511 FOLDING PARALLEL BARS - CHILDREN

- Handrails 11/8" diameter
- Adjustable in height from 18" to 33"

\$99.50

\$99.50

NOTE: #50 DIVIDER BOARD MAY BE USED WITH EITHER MODEL \$15.00





Model 577 — 7' long Model 580 — 10' long Model 582 — 12' long

\$219.50

Floor mounted.

Uninterrupted handrails.

same basic sturdy construction as the

model #500 bars, these HEMIPLEGIC bars

allow the therapist to walk with the patient for the first steps after a stroke.

Instantly adjustable for height.


MODEL NO. 4400-P FOLDING PARALLEL BARS

PORTABLE FOLDING PARALLEL BARS, telescopic height adjustment from 21" to 38". Requires only 8" floor space when not in use. Handrails constructed of 1½" tubular steel painted silver gray. Base furnished in hardwood.

These bars are designed for use in homes, nursing homes and physical therapy departments with limited space.

Available in 8-ft. and 10-ft. lengths. SPECIFY LENGTH. (When length is not specified, length in stock will be supplied.)

Price—\$98.50




TRIPLE BAR

Model 525

A unique application of the number 500 bars in limited space. This center triple bar is adjustable for height. The outside bars are adjustable for width. The case load can be doubled with very small additional space. Custom lengths available.

Model 525-12' long.

\$276.50



SPECIFICATIONS:


- Handrails 11/2"
- · Height 26" to 44".
- Width 14" to 26".

Model 500-12' long. Model 518-18' long. Model 514-14' long. Model 522-22' long. Model 516-16' long. Model 524-24' long.

PARALLEL BARS

OUTSTANDING FEATURES:

- 1. Uninterrupted handrails.
- 2. Easiest adjusting parallel bars made.
 One person can change height and width from one extreme to the other in less than 4 minutes.
- 3. Independent height and width adjustment.
- Quick-locking height and width adjusting clamps.
- 5. Smooth, rigid tubular metal construction, chrome plated for durability.
- 6. One unit accommodates all patients from school age through adults.
- 7. Safety tread approach ramp, 12 in. x 20 in.
- 8. Walkaway, 24 in. x 10 ft. with 4 in. curbs.
- Instantly removable leg divider 9 in. x 8 ft. long.
- 10. Abduction and adduction boards, lightweight and instantly removable, 11 in. x 8 ft. long.



SPECIFICATIONS:

- · Handrails 11/2".
- Height 26" to 44".
- Width 14" to 26".

Complete with approach ramp, walk, leg divider, curbs, abduction and adduction boards.

#505-HANDRAILS ARE 12' LONG

#554-14' LONG. #560-20' LONG.

#556-16' LONG. #562-22' LONG.

#558-18' LONG. #564-24' LONG.

Walkaway is 2' shorter than length of bars.


OTHER CUSTOM SIZES UPON REQUEST

REHABILITATION LOOM

GRADED RESISTANCE Model 650 \$350.00

No. 651 \$375.44

- Model #650 Loom with regular warp beam
- Model 651 with sectional beam instead of regular beam
- Model #1651 sectional beam as an extra beam
- · Shipped set up ready to use
- Shipping weight Model #650 275 lbs.
- Shipping weight Model #651 280 lbs.




THE EQUIPMENT INCLUDED WITH THE LOOM IS:

- 1 40-inch 12-dent reed
- 960 steel heddles
- 4 leatherette bags (which hold five pounds of sand)
- 4 5# weights for heddle frames
- 2 21/2 # weights for heddle frames
- 1 5# weight attached to cable
- 8 spring steel tie wires (4 attached to treadle and lamms, and 4 separate)

- 1 hand crank for warp beam
- 2 steel uprights which attach to the beater bar
- 2 extension handles with 2 wooden grips
- 5/16" Allen key wrench for breast and back beam removal
- 1 1/8" Allen key wrench for extension handle wooden grip
- 1 maintenance and use manual

SECTIONAL BEAM

Heavy, doubly reinforced, hardwood beam one yard in circumference with two inch sections — cloth tapes — and two gears.



\$35.00





Shuffle Board




indian clubs

Ideal for Home, Gym or School Use Packaged in Display Box

No.	Sire	Weight	Price per pair
04469	12 inch	1/2 lb.	4.00
04470	14 inch	¾ lb.	5.00
04471	16 inch	1 lb.	6.00
04472	18 inch	11/2 lbs.	7.00

For complete description of Rockets see Pages 10, 11 For Sport Nets see Pages 12, 13



Bath Towels Terry all White

Size	
16 x 27	9.00 Doz.
20 x 40	13.50 Doz.
22 × 44	17.00 Doz.
Wash Cloths T	erry all Write
Size	2000
12 x 12	3.00 Doz.

03024 · ROCKET DART SET


19", Iaminated 5-color Playing Board, featuring 2 games, Rocket Darts and Baseball Darts; 4 / 9" French Rocket Suction Darts with twin-colored feathers. Attractive dis-play box, complete with rules. Pocked 12 sets to master carton. Shipping weight 36 lbs...Each 5.40

03022 · EXTRA ROCKET DARTS

9" French Rocket Suction Darts, safe suction head, rubber barrel, twin-colored feathers, 4 colors to display box........Set of 4 Darts 4.00







Shipping Model Size Weight 5' x 9' (Closed width at table, 4'; width at base, 17"; Closed height, 5'63'4") 410 (R10) 130 lbs.

FEATURING:

- ½" Plyblend Top
 Playing surface folds in for full protection

- Plasticized long life green playing surface
 Heavy gauge tubular steel understructure
 Brackets for standard 66" net included, the net is not included
- Net can remain affixed in open or closed position
 Heavy rolling 3" casters






Table opens, closes and rolls away in seconds.

\$67.00

DREMEL MOTO-TOOL KIT

Powerful Electric Hand Tool & Accessory Kit





DREMEL CRAFT MOTO-SHOP

Saws, Sands, Drills, Grinds, Carves, Routs, Polishes, Engraves, Etc. Accessocies Incl.


DOUBLE-ACTION SANDER

Orbital or Straight Line Action, Instantly



STEEL-TOP WORK BENCHES

60 & 72" Widths, 30" Deep. Industrial-Type 13 Ga. Steel Top Rated 250 Lbs., Sq. Ft.





3/4 HP \$ 39.95



HOME & SMALL SHOP MODEL has 3/4 HP motor, 5 gal. drum. Handles rough cleaning around power tools, furnace, basement, attic, car or garden.

HEAVY DUTY MODEL

motor, 28 gal. drum. For cleaning factories, schools, service stations, etc. and for job-site clean-up by painters, contractors.



MOBILE SERVICE BENCH

42 x 24" Bench Top. 5" Dia. Rubber Casters Closed Section, 18 W x 20 D x 28" H. Lockable

No. 8 Male


For day and night use. "Drip" Urinal, with regular outlet connector and plug. Soft, cotton cloth suspensory. Top includes tapered penile sheath which may be cut to individual size.

No.

8 Urinal, Complete

3821 Suspensory

4108 Top



\$12.75

No. 20 Male


For day and night use. Amber rupber flexible top with penile sheath. Adjustable waistbelt and thigh straps. Urinal bottom capacity of 20 oz. Overall length 24".

No.

20 Urinal, Complete

4120 Top

4153 Bag



\$12.25

No. 15 Male, Child

For day and night use. Amber latex top and tapered sheath which may be cut to fit. Adjustable waistbelt and thigh straps. Oval short bag of 5 ozs. capacity. Assembled with connecting tube (15") for night use. Overall length without connecting tube 12".


No.

15 Urinal, Complete

4115 Top

4145 Tube

4165 Bag



\$11.90

No. 26 Female


Adult size — for day use only. Inflatable, pneumatic cushion gives snug fit to prevent leakage; four loops on top designed to be attached to waistbelt; two adjustable thigh straps. Oval short bag of 14 oz. capacity with one adjustable leg strap. Supplied with waistbelt and bulb inflator. Overall length 14".

No

26 Urinal, Complete

4126 Top

4155 Bag




\$16.20

\$14.40

No. 19 Male

For day and night use. Designed especially for mobile paraplegic patients. Latex top includes penile sheath which may be cut to size. Adjustable waistbelt and thigh straps. Supplied with No. 1800 Closure Cap which permits this urinal top to be used as a "drip" urinal. Urinal bottom bag capacity of 32 oz. fitted with amber rubber outlet tube and metal shutoff. Overall length 24".



\$13.00 No. 28 Male


For day and night use. Amber rubber, semi-rigid formed top with penile sheath to prevent overflow. Adjustable waistbelt. Urinal bottom bag capacity of 20 oz. Overall length 23".


No.

28 Urinal, Complete

4128 Top

4153 Bag





5. VELCRO CLOSURE DOUBLE WRAP WRISTLET

Easy to apply and adjust. 3" width.

460192 "Robbie Line" Wristlet \$ 1.10 ea.
In doz. lots 11.64 doz.


ANKLET


VELCRO CLOSURE

Individually boxed. Specify sizes — 24"-28"; 28"-33"; 33"-38"; 38"-43"; 43"-48".

 460210
 Male "Robbie Line" Rib Belts
 \$3.40 ea.

 460260
 Female "Robbie Line" Rib Belts
 3.40 ea.








The new Trimfit Clavicle Brace is a splint of proven design – offers universal application, economy and comfort. One size fits all – easily trimmed to desired length. Reinforced tubular polyurethane pads provide maximum patient comfort.

460400

"Robbie Line" Trimfit Clavicle Brace...... \$3.50 ea.

Orthopedic Traction Kit

No. 1354



Contains all necessary components for complete traction application. Applied in moments at the hospital, clinic, office, or home.

Consists of: 3" Orth-O-Vent Roll, 3" Rubber Elastic Bandage, 3" Spreader Block, and Traction Cord.

No. 354A-3" Spreader Block, only \$1.10 No. 354B -4" Spreader Block, only \$1.10 Doz. \$11.90

Orth-O-Cel

Used as pressure bandage or

Osed as pressure bandage of orthopedic padding.


No. 68-2 — 2" X 72" — \$3.20 Doz.

No. 68-3 — 3" X 72" — \$4.10 Doz.


No. 68-4 — 4" X 72" — \$5.25 Doz.

No. 68-6 — 6" X 72" — \$7.00 Doz.

No. 68-12 — 12" X 72" — \$9.40 Doz.



\$3.50



Orth-O-Vent

A drill fabric backing perforated foam rubber bandage used

for Traction.


No. 54A — 3" X 20 yds. — \$14.00 ea.

No. 54B — 4" X 20 yds. — \$15.75 ea.

No. 54C — 3"X64" roll — \$15.00 ea.

No. 54D — 4"X64" roll — \$16.75 ea.

Orth-O-Trac Adhesive **Traction Bandage**




Quickly and easily applied, soft, non-allergenic Orth O Trac is designed for application directly on the skin. Shaving is not necessary because the adhesive is specially designed to prevent slippage; hence, it will release easily with a light pull. Orth O Trac is X-ray permeable, requires only one anchor strip, cannot be torn by spreader bar.



Orth-O-Trac Adhesive Traction Bandage

No.	53A—2"x26"	\$1.30 ea
No.	53B—3"x32"	\$2.30 ea.
No.	53C—3"x42"	\$3.00 ea.
No.	53D—4"x42"	\$3.50 ea.
No.	53E-2"x10 yd. roll	\$15.50 ea.
	53F-3"x10 yd. roll	\$22.50 ea.
No.	53G-4"x10 yd. roll	\$31.00 eg.



		21	ze ZI	X30
	1/4"	No.	1720	2.90
F	1/2"	No.	1727	2.90
				7.90

FOAM RUBBER CAST PADDING

1/4"	1700	Grey4.50
1/4"	1701	White6.30
1/2"	1007	Grey8.40

1710 White11.50


ORTHOPEDIC FELT





No. 161 POLECAT "2-Way" Screen without curtains.
(For suspended ceilings, order No. 161-S).....\$49.50

No. 172 Set of 2 Jean Cloth Curtains for No. 161 Screen. (One 7'w x 5'h and one 6'w x 5'h)......\$12.45



DISPOSABLE SLIPPERS

Heavyweight, treated fiber, triple-stitched at the seam. Strong and tear-proof. Fit snugly on the foot. Will withstand immersion in water.

B 245520	East of Miss.	Miss.
100 Pairs	\$ 3.30	\$ 3.75
500 Pairs	15.50	16.50
1000 Pairs	29.50	31.50



SANI-PAC

Incontinent Pants

With additional adjustments for security and comfort Slightweight Sani-Pac Incontinent Pants are expertly tailored of plasticized rayon knit . . . elastic waist and leg bands . . . brass snap fasteners . . . double adjustment at waist. Light in weight. For men, women and children. Germproof, odorproof, detection proof, 100% waterproof to assure 24-hour protection. Can be washed, boiled without shrinkage. Recommended for complete protection without detection. Sizes: Ex. Small, 16-26 adjustable; Small: 20-30 adjustable; Medium 24-34 adjustable; Large 28-42 adjustable; Ex. Large, 35-52 adjustable.

A 549530—Slightweight Sani-Pac Incontinent Pants (specify sizes wanted) ______\$3.35 ea.



pHisoHex®

An antiseptic, detergent, free-flowing, sudsing emulsion containing entsufon (sodium octylphenoxyethoxyethyl ether sulfonate), lanolin cholesterols, petrolatum and 3% hexachlorophene. pHisoHex has the same pH value (5.5) as normal skin.

A bland but thorough antiseptic detergent for cleansing skin, scalp and certain mucous membranes prior to examination, treatment or operation. It is particularly valuable as a preoperative scrub and for preparation of the patient. It detaches soil and emulsifies all types of oil more readily and more rapidly than soap. After use, an emollient protective film that resists rinsing remains on the skin. pHisoHex is an active cleanser in water of any degree of hardness, hot or cold, and under acid, neutral or alkaline conditions, and is nonirritating and hypoallergenic.

A 013410 5 Oz. Bottle, Each \$1.60

(B) 16 Oz. Bottle, Each _______\$2.56



(E)

DEODORANT

SEPTISOL SOAP

An antiseptic Liquid soap with Hexachlorophene 0.75% in cans for easier use without breakage. Has a low pH, only 1/50th the alkaline of normal soap. Protect both patient and doctor against cross infection because bacteria cannot live in Septisol.

010990 Per Gal., (packed 4 1-qt. containers) \$6.75 5-Gal. Pail, Per Gal. \$5.50

SEPTISOL JR. DISPENSER


Constructed with polished stainless steel spout and high strength Tenite® molded head with unbreakable linear polyethylene jar. The pure gum rubber foot pump will absorb over 1,000,000 pumping strokes without failure—this is equal to over 25 years of normal use. It is weighted to prevent slipping on floor. Dispenser is mounted with 2 screws, no mounting plate necessary. The pump is completely pneumatic in operation with no moving mechanical parts. Dispenser Unconditionally guaranteed for 2 years.

D 011120 Each \$13.95

ABQUICK AEROSOL DEODORANT

Does not cover odors, it destroys them. The agent is Metazene®, the only material patented on the basis of its true chemical deodorant action. Inert-non-toxic and non-irritating.

E	011250 12 Per Doz.	oz. can,	Each	 \$	1.2	25
0	Per Doz.			\$1	2.0	00



The Posey Underarm Pad was designed to provide comfort for the patient whose arm sticks to the body. It is made of artificial lamb's wool and can be laundered or autoclaved.


POSEY UNDERARM PAD, CAT. NO. 4176......\$4.50 each



A soft, fluffy, machine-washable pad which is placed next to skin to help distribute patient pressure evenly, thereby helping prevent and treat decubitus ulcers. May be autoclaved. Posey Artificial Lamb's Wool Decubitus Pads available:

Tuos aramabici	U.S.A.	Canada
24" x 30", CAT. NO. 4167A	5 6.60	\$ 7.25
30" x 40", CAT. NO. 4167B	\$10.95	\$12.25
30" x 60", CAT. NO. 4167C	\$16.50	\$18.25
ALSO AVAILABLE REAL LAMB'S W	OOL,	
AVERAGE 9 SQ. FT. PER PELT,		
CAT NO 4167R		\$14.25

Other Sizes Available On Request



The Posey Foot Elevator is a soft, light collar of polyether foam covered by a slick plastic shield so the patient can move foot and leg with minimum irritation from contact with sheet. It is lined with a soft launderable cotton liner. A pillow under knee adds comfort.


POSEY FOOT ELEVATOR, 4" WIDTH, CAT, NO. 4156A	\$ 7.80 ea.
POSEY FOOT ELEVATOR, 6" WIDTH, CAT. NO. 4158B	\$ 9.60 ea.
POSEY FOOT ELEVATOR, 8" WIDTH,	\$11.70 ea.



The Posey Ankle Protector may be placed on a patient's foot and ankle to protect the patient's ankles from irritation caused by rubbing against the sheet. It is made of artificial lamb's wool and may be laundered or autoclaved.


POSEY ANKLE PROTECTOR, CAT. NO. 4175\$4.05 ea. \$8.10 pr.

(PATENT PENDING)




The Posey Elbow Protector serves to protect the patient's elbows and prevents irritation from rubbing. Permits arm movement in bed with comfort and freedom. Constructed of slick, pliable plastic, lined with Polyether foam to prevent pressure points. The heavy cotton liner may be removed for laundering.

POSEY ELBOW PROTECTOR, CAT. NO. EP-163	\$3.75 ea.	\$7.50 pr.
COTTON LINER FOR ABOVE, CAT, NO. EI-63		
THE POSEY ELBOW PROTECTOR OBTAINED WITH ARTIFICIAL	MAY ALSO	BE
LINER, CAT. NO. EP-163ALW . EXTRA LINERS, CAT. NO. EI-63A	\$3.75 ea.	\$7.50 pr. \$1.80 ea.
POSEY ELBOW PROTECTOR (W/OL		



Tubipads — an elastic bandage with partial foam padding to help prevent pressure sores on heels or elbows, available 3 sizes packed 4 yds. to box. Can be cut to suitable length for particular need.

Size	Price
P-4-FOR CHILDRENS HEELS AND ELBOWS	\$9.90 box
P-4-X-FOR FEET, KNEES AND ELBOWS	\$9.90 box
P-5-FOR BROAD OR SWOLLEN FEET	\$9.90 box



TUBEGAUZ PROFESSIONAL KIT

Metal Cabinet containing: Tubegauz, 1 50 yd. roll ea. sizes 01, 12, 34; Applicators No. 00, 0, 1, 2, 4; Adhesive Tape, roll of ½" x 10 yds. and 1" x 10 yds., waterproof; Instruction Book.

057340 Each

TUBEGAUZ SEAMLESS TUBULAR GAUZE (not sterilized) TUBEGAUZ

056950	Size 01-50 yd. roll, Per Roll	\$3.00
056960	Size 12-50 yd. roll, Per Roll	\$3.00
056970	Size 34-50 yd. roll, Per Roll.	\$3.65
056980	Size 56-50 yd. roll, Per Roll	\$5.00
056990	Size 78-50 yd. roll, Per Roll	\$5.50
		Market against a contract

CABINETS

MEIS	
057070	Industrial Metal Tubegauz Cabinet—
Empty	\$11.50
057080	Professional Metal Tubegauz Cabinet—
	\$6.00

APPLICATORS

057160 Each	Applicator (Finger-Type) No. 00,	
057170	Applicator (Finger-Type) No. 0, Each _\$.25	
057180	Applicator (Cage-Type) No. 1, Each_\$4.25	
057190	Applicator (Cage-Type) No. 2, Each\$4.50	
057200	Applicator (Cage-Type) No. 3, Each\$4.75	
057210	Applicator (Cage-Type) No. 4, Each\$4.90	
057220	Applicator (Cage-Type) No. 5, Each\$5.25	
057230	Applicator (Cage-Type) No. 6, Each\$5.50	ř
057240	Applicator (Cage-Type) No. 7, Each\$5.75	
057250	Applicator (Cage-Type) No. 8, Each\$6.00	
057260	Instruction Book, Each\$.25	

Applicator	Lubegauz	Uses
		Infants' fingers, Adults' small toes, Adults' fingers and toes.
057190— 2		Adults' fingers and toes over bulky dressings. Babies' hands and feet.
		Infants' arms and legs. Children's arms and feet. Adults' small hands, arms and feet.
057220— 5 057230— 6		Adults' arms, lower legs, small thighs. Small heads.
057240— 7 057250— 8		Adults' legs, thighs, head, shoulders.

Elastic adhesive plaster bandage Each spool in carton. 3 yard slack length stretches to approximately 5½ yards. For the ambulant treatment of varicose veins. Allows snug, comfortable dressings, controllable compression and firm support. Can be worn weeks without changing . . . does not ravel.

056850 Per Do						-	long	stretched, \$7.05
	3"	wide	x	app.	51/2	yds.	long	stretched, \$9.15
	4"	wide	x		51/2	yds.	long	stretched,





The Posey Safety Vest is designed to hold a patient comfortably and securely in a regular chair, wheel chair or bed. A simple friction buckle (out of patient's reach) prevents patient from getting or falling out of chair or bed. Available in small, medium and large sizes in cotton or nylon.


POSEY SAFETY VEST (NYLON) ..\$5.40 ea. CAT. NO. 4153N

POSEY SAFETY VEST (COTTON) \$5.40 ea. CAT. NO. 4153C .



The Posey Belt No. 66S is of extra heavy construction and is provided with snaps on each end of the bed strap. The strap encircles the side rail of the bed once or twice and then is snapped to a bed spring underneath the bed, out of the patient's reach. This Posey Belt provides maximum freedom for the patient, yet does not allow him to get out of bed.

POSEY BELT, CAT. NO. 665



The Posey Traction Boot is flannel lined for leg traction. Easily applied and removed. Very comfortable, as traction pull is disbursed. Small, medium and large sizes. POSEY TRACTION BOOT, CAT. NO. P-14

.....\$6.00 ea., \$12.00 pr.





The Posey Counterbalance Arm Strap distributes arm weight over the chest and back and is particularly useful in cases of long duration. Sturdily constructed of heavy cotton webbing, with adjustable buckles. Small, medium and large sizes.

POSEY COUNTERBALANCE ARM STRAP, CAT. NO. AS-3






The Posey Adjustable Arm Strap (left above) is a reliable service strap made of cotton webbing, with steel buckles, nickel-plated. Posey Adjustable Arm Sling (right) is sturdily made of sailcloth, with adjustable, nickel-plated slide-bar buckles. Both Arm Strap and Sling are available in small, medium and large sizes.

POSEY ADJUSTABLE ARM STRAP, CAT. NO. AS-1....\$1.80 POSEY ADJUSTABLE ARM SLING, CAT. NO. AS-2....\$2.40



The Posey Velcro Wheel Chair Safety Strap keeps patient from falling out of his wheel chair. Fits virtually any size patient. Self-adhering surface provides easy, quick adjustment. Easily attached; strap remains attached to chair when not being used, for added safety, if desired, chair may be equipped with one strap across waist and one across lap. Made of 2-inch wide Velcro covered webbiles. webbing.

POSEY VELCRO WHEEL CHAIR SAFETY STRAP, CAT. NO. 4188 (2-piece)\$6.00 each



The Posey Leather Wrist or Ankle Restraint consists of a strap extending completely across the bed and attached to each side rail of the bed spring. Two cufflets or anklets are permanently attached in a fixed position. No locks or keys are necessary. Device provides relative comfort for the patient.


POSEY LEATHER WRIST RESTRAINT, CAT. NO. 4148



The Posey Laced Wrist or Ankle Restraint uses a heavy flannel inner-liner as padding, permitting it to be laced as tightly as necessary to hold the patient's wrist or ankle. However, the padding is wide enough to assure perfect comfort. To limit movement, the member is attached to the bed by means of a slotted strap, which allows various length adjustments. The end of the strap is equipped with a snap which can be attached to spring underneath bed and out of the patient's reach.


POSEY LACED WRIST OR ANKLE

POSEY LACED WRIST OR ANKLE RESTRAINT, CAT. NO. L-93\$3.45 ea., \$6.90 pr.



The Posey Canton Wrist or Ankle Restraint is made of soft canton flannel with canvas reinforced backing. Serving as a gentle restraint around the patient's extremity, it may be tied to the side rail of the bed or arm of the chair. Available in adult or infant sizes.

POSEY CANTON WRIST OR ANKLE RESTRAINT, CAT. NO. CWR-2.....\$3.90 pair




The Posey Key-Lock Wrist or Ankle Restraint provides a strap and key-lock buckle to attach to the side rail of the spring and is joined to a strap lined with sponge rubber and covered with canton flannel which goes around the patient's wrist or ankle. The strap is reasonably comfortable. patient's wrist or ankle. comfortable.

POSEY KEY-LOCK WRIST RESTRAINT,
CAT. NO. WK-27 \$7.20 ea., \$14.40 pr.
POSEY KEY-LOCK ANKLE RESTRAINT,
CAT. NO. AK-27 \$7.20 ea., \$14.40 pr
POSEY LEATHER CUFF FOR WRIST OR
ANKLE, WEB STRAP AND KEY-LOCK
BUCKLE, CAT. NO. 4152 \$11.80 ea., \$23.6¶pr.



This Posey Restrainer offers a mild means of restraining bed patients. Permits comfort and some freedom of movement. Constructed of pre-shrunk canton flannel. Easily laundered. Small, medium, large and extra-large

POSEY RESTRAINER, CAT. NO. P-44
POSEY RESTRAINER, LIGHTWEIGHT
SHEETING, CAT. NO. M-440




This new Posey Belt provides safety to a bed patient yet permits him to turn from side to side. Also allows sitting up, if belt is slackened. Made of strong, reinforced white cotton webbing; with flannel-lined canvas reinforced insert. Strap passes under bed after a turn around spring rail to anchor. Friction-type buckles. Buckle is under side of bed out of patient's sight and reach. Also available in Key-Lock model which attaches to each side of bed. Small, medium and large sizes.

POSEY BELT, CAT. NO. 66 POSEY KEY-LOCK BELT, CAT. NO. K-66




POSEY SLEEP VEST, PRINTED COTTON, CAT. NO. SV-1262C \$5.25




The Posey Laced Mitt is designed with a stiffening member which causes the palm side of the mitt to be rigid. If desired, mitt can also be attached to side rail of the bed spring to limit hand movement of patient. Small, medium and large sizes.

POSEY LACED MITT, CAT. NO. L-212 \$7.20 ea., \$14.40 pr.




Posey Decubitus Cushions take the pressure off the decubitus ulcer, making the patient more comfortable. They provide a 2" thick Polyether cushion with a hole in the center, covered with a plastic bag and a cotton pillow case for easy laundering.

POSEY DECUBITUS CAT. NO. 4180A	CUSHION, \$2.40	each
POSEY DECUBITUS CAT. NO. 4180B	CUSHION, \$2.40	each
POSEY DECUBITUS CAT. NO. 4180C		each



Pelvic Sling Hammock is sturdily constructed of strong clannel-lined canvas, and offers multiple adjustment for different sizes and conditions. The frame is constructed of nickel-plated steel with multiple size adjustments. Sling accommodates patients of varied weights and sizes. Spring absorbs shocks. Less injury exposure with sand weights.

POSEY PELVIC SLING, CAT. NO. ZR-10 (COMPLETE)	S38.00
EXTRA HAMMOCK FOR ABOVE,	\$ 7.50
SPRING ONLY, CAT. NO. ZR-10B SLING WEIGHT CARRIER, CAT. NO. ZR-9	\$ 2.50 \$ 1.25
WEIGHTS, (1 lb. 2 lb., 3 lb., 4 lb., 5 lb.) CANVAS BAGS	\$.50 lb.
(Also available, Canvas Bags, 10 lb 20 lb \$8.00)	\$4.50;
WEIGHTS, (1 lb., 2 lb., 3 lb., 4 lb., 5 lb.) PLASTIC BAGS	\$.60 lb.
(Also available, plastic bags, 10 lb	\$6.00;




The Posey Wire Spreader Block is easy to use with adhesive or bandage traction. Constructed of cadmium-

plated steel.	
POSEY WIRE SPREADER BLOCK,	
CAT. NO. RC-2L, LARGE, 4" x 31/2"	\$2.75
POSEY WIRE SPREADER BLOCK,	
CAT. NO. RC-2M, MEDIUM 3" x 31/2"	\$2.75
POSEY WIRE SPREADER BLOCK,	
CAT. NO. RC-2S, SMALL, 2" x 31/2"	\$2.75




The Posey Knee Sling is of heavy canvas. A pliable aluminum reinforcing bar on the under side bends easily to conform to knee flexion. The Posey Knee Sling Spreader, shown in place at the top of the Sling, eases pressure on the knee and adds greatly to the patient's comfort.

POSEY	KNEE	SLING.	CAT. NO.	ZR-6			\$3.40
POSEY	KNEE	SLING	SPREADER	, CAT	. NO.	ZR-7	\$1.40



The Posey All-Purpose Traction Spreader is constructed of Duralumin slides enclosed in an aluminum case. Slide width may be adjusted or locked by means of non-removable wing nuts. Spreader has multi-purpose use in treating fractures.

POSEY ALL-PURPOSE TRACTION SPREADER, CAT. NO. ZR-2




This new Posey product encourages patient rehabilitation through self-exercise. Three rubber-covered aluminum bars allow patient to pull himself up in easy stages with a feeling of security. Made of strong, light-weight, durable cotton webbing. Easily attached or removed. Available for either open or closed-end beds.

POSEY PATIENT AID, OPEN-END BED, CAT. NO. B-654


POSEY PATIENT AID, CLOSED-END BED, CAT. NO. B-654A

\$6.30 each




The Posey Footboard fits all hospital beds. No bolts required. May be used with side rails. Perpendicular adjustments. Can be used on any part of bed for short patients — not limited to foot end. Designed to help prevent footdrop and keep covers off patient's feet. Posey Anti-Rotation Supports (adjustable, removable, cushioned) hold feet in proper position. May be used with traction.


POSEY FOOTBOARD, CAT. NO. F-58	ch
(FOOTBOARD), CAT. NO. F-58A \$ 6.30 each	ch
POSEY FOOTBOARD COMPLETE (as shown)\$48.60 e	a.



PAPER ROLL ATTACHMENT WITH PLASTIC PAPER CUTTER—Satin chrome finish. Holds 18" width paper roll, 3" in diameter. Plastic paper cutter also furnished. A combination that provides complete sanitation of the table top at all times.

tation of the table top at an times.	
18" Cutter\$	2.00
20" Cutter	
21" Cutter	6.00
ROLL OF PAPER—A special white, sr	nooth
finish paper.	
18" wide, 3" in diameter\$	4.80
20" wide, 3" in diameter	
21" wide, 3" in diameter	
Smooth or Crepe.	





\$1.60 ea.

The DIGITATOR benefits patients convalescing from Arthritis, Stroke, Hand Surgery, Plastic Surgery, Burns, Neuro Surgery, Fractures, Spastic Paraplegia, Poliomyelitis.

DIGITATOR, Junior, a smaller size for children is now available.



CLEAR PLASTIC LINERS


	Size	C	se/Price
No. 460	12" x 8" x 20" Waste Basket Liners	7 gal100	/\$ 3.50
No. 461	15" x 9" x 24" Waste Basket Liners	10 gal100	/ 4.00
No. 462	16" x 14" x 37" Hamper Liners	30 gal100	0/ 10.00

Prevent dangerous bathtub falls.
Convenient for bathing children or invalids. Use for shampooing, shaving legs or just to sit on under the shower. Triple chrome plated heavy guage steel.

3" x 5½" rubber mat covered end pads pivot to fit securely and protect tub sides. Adjustable 21-3/4" to 24".

Seat 6-5/8" x 21". Each packaged in plastic bag. 4 lbs.

bath tub seat





MODEL 1677 . Convenient arm sling devised for customer comfort. A large pocket is sewn into sturdy grey cotton fabric. Above this pocket, a panel goes over the shoulder, passes over the back, and ends in a strap that buckles to the sling at the top of the hand. This places weight on the shoulder rather than the neck, and simplifies proper height adjustment. Fits either arm. Sizes: Extra Small (Children), Small (Teenagers and Adults), Medium and Large (Adults).






ORTHOPEDIC ARM SLING

This is an extremely comfortable sling that gives secure support to the arm. The cross strap permits the weight of the arm to be carried by the shoulders, thus eliminating pull on the neck. This neat sling is furnished in a grey material that is readily laundered. The sling can be used on either right or left arm.

C 467820—Adult Size, Each	\$ 2.50
Per Doz.	\$27.50
467830—Youth Size, Each	\$ 2.50
Per Doz.	\$27.50
467840—Child Size, Each	
Per Doz.	\$27.50



CUNNINGHAM INCONTINENCE CLAMP

A thoroughly effective device for control of enuresis of male patients of all ages, from infants to adults. The Cunningham Clamp is light in weight with a rubber covered malleable metal frame which may be easily shaped by hand, as shown at right. This permits proper adjustment for any size organ. The pads, which come in contact with the organ, are of soft sponge rubber. A metal catch guards against accidental opening of the Clamp. The infant and juvenile size clamps are provided with a snap button catch, while the regular and large sizes are equipped with a spring ratchet fastening device.

SIZES: (with length of sponge rubber cushion)

405-I -Infant, 11/8" 405-J-Juvenile, 11/2" 405-R-Regular, 23/8" 405-L-Large, 3"



No. 170-When worn as illustrated the pull is transferred to the shoulder; can be worn over both shoulders also.

STRAP ARM SLING

No. 170A—Adult No. 170B—Youth No. 170C-Child

BED PAN

Made of soft resilient red rubber. Inflatable, like invalid cushion; durable, reinforced rubber bottom. Opening 41/2" x 8" with outside diam. 14" x 16" with bulb for inflating.

Packed 1 in box

No. 841 Bed Pan 842


\$16.30



\$1.60

Same as above but with outlet drainage tube for the incontinent patient; the outlet drainage tube (with connector tubing) may be inserted through an opening in the mattress and drained into a

SPECIAL COMFORT CUSHIONS



"COCCYX-EASE" CUSHION

Lessens fatigue and back ache distress. Eliminates pressure on coccyx bone. The cushion is Vinyl upholstered and has a firm base insert of pressed wood with a foam filler for comfort. May be used on any chair, for home, office, wheelchair, or auto. \$8.50



Wedge shaped cushion with many achepreventing features. Furnished with removable, pre-shrunk washable, white twill cover. Wrapped in polyethylene.

7" High x 9" Wide x 5" Deep

#102 FOAM RUBBER WEDGE PILLOW

1001 uses for hospital, home and outdoors. Furnished with pre-shrunk, washable, white twill cover with zipper opening. Wrapped in polyethylene.

14" High x 17" Wide x 11" Deep

\$12.70

SACRO-SUPPORT "BACK EASE" CUSHION

- ☆ HELPS CORRECT POSTURE WHILE ADDING COMFORT
- AIDS IN RELIEVING BACK ACHE DISTRESS AND FATIGUE
- SUPPORTS LOWER BACK AND UPPER BACK.
- ☆ YIELDS TO BODY FOR COMFORT; DOES NOT ACT LIKE A BRACE.

☆ PORTABLE AND LIGHT WEIGHT

SPECIFICATIONS


Foam filled . . . richly and durably upholstered with air breathing Plastic and Jet Spun Rayon fabric, Semi rigid back and base inserts for added support. Contoured back cushion for greater comfort. Durable straps for permanent installation on rear of back cushion. Suitable colors to please. AVAILABLE IN: BLUE — GREY — GREEN — TAN — RED.

WHEEL CHAIR COMFORT SET

- ☆ Richly upholstered in air breathing Spun Plastic
- ☆ Semi rigid inserts for added support \$18.00
 No. 301 FOAM MEDIUM.


No. 302 FOAM RUBBER
CUSHION FIRM

\$21.00



No. 201 FOAM MEDIUM No. 202 FOAM RUBBER \$9.00 FIRM

COLORS AVAILABLE Green, Blue, Grey, Red.






\$16.00

Model 101 — Back Only Model 102 — Back and \$24.00 Seat Set

Specify color and model number when ordering.



Treatment Cabinet\$155.00 each

Dimensions	Wiatn	Height	Depth
Top Working Surface	27".	_	16"
Height to Working Surface	_	32"	
Overall Height		333/4"	
Drawer — Top	20"	21/4"	131/4"
Drawer - Bottom	20"	31/2"	131/3"
Cupboard	211/2"	153/4"	141/2"

Dimensions: 12" x 10" x 171/2" high.
Waste Receivers \$18.00 each

Dimensions Length Width Height Depths Overall 253/4" 321/2" Extended Examining Table... \$425.00 each

DUAL PURPOSE TABLE

H2000: Dual Purpose Tilt Table, which tilts manually to a 90° angle, and facilitates standard and treatment therapy with the patient in a horizontal or vertical position, or at any angle in between. The dial indicator records the degree of the tilt, while the brake wheel provides gradual, positive braking by the two-way brake mechanism. Two of the four ball bearing casters have step-on brakes. Two well padded safety straps protect the patient and hold him firmly to permit his easy transfer through doorways, halls and elevators. Firmly built of clear, kiln-dried hardwood, with sure grip rubber matted footboard. Natural finish. 35° high. Table top is 22°x 72°.

H2004: Urethane foam pad, specially designed for Tilt Top Table. Covered in maroon hospital sheeting which unzips for easy laundering.

H2006: Additional safety strap for H2000. 15.00



MODEL NO. 6200-LOW-BOY WALK-OFF TILT TABLE

Excellent for use in home or hospital. Telescopic legs enable front half of base to be closed in table is not in use, making overall base a compact 24" x 32". Has locking 3" swivel cas-Calibrated dial indicates degree of tilt from vertical to horizontal. Constructed of tubular land reinforced with angle iron. Silver Gray Metitone finish. Complete with foam top covin naugahyde, removable footboard, two (2) 6" restrainer straps and cervical hook. Operby hand crank. Table measures 26" H x 24" W x 72" L.

MODEL NO. 6200 Model 6201-N Same as No. 6200, without Telescopic Legs


285.00 275.00

30.00



SPECIFICATIONS:

- Platform height adjusts in 2" graduations from 22" to 32".
- Cutouts 7" x 10" unless otherwise speci-fied. Top is covered with grey linen high density plastic bonded to 34" plywood.
- · Cutouts are metal trimmed.
- . Shipping weight 150#.



289.50


FOUR PLACE STANDING TABLE

Multiple place Standing Tables are built to inspire the maximum affert is stead. The strending leatement of centers allows each child to see all other children. Since tables as large as these would be imprectical to adjust for height, a simple string lock pin method of adjusting the fact platform in pravided. Feet platform are rubber covered for seriety and or or may be covered for seriety and or out breeze.

SPECIFICATIONS:

- Platform height adjustable in 2" gradua-tions from 22" to 32".
- 15". Top is covered with grey linen high density plastic-bonded to 34" plywood.
- · Cutouts are metal trimmed.
- · Shipping weight 200#.





MODEL NO. 1910 ADJUSTABLE BACK TREATMENT TABLE

LaBerne Adjustable Back Treatment Table is built of 1½" tubular steel and angle foam top covered in naugahyde. Built-in linen shelf. Adjusted by hand crank. Table is 28" wide and 32" high. 165.00 MODEL NO. 1910

MODEL NO. 1910-SA-Same as Model No. 1910 except WITHOUT BACK ADJUSTMENT

95.00

MODEL NO. 1808 STRETCHER MODEL ADJUSTABLE

HEIGHT TREATMENT TABLE

The Adjustable Height Treatment Table is a tremendous time and labor saver to the physical

The table can be adjusted to the proper working height for any therapist. It offers a great saving in labor since the table can be raised to stretcher height and lowered to wheel chair height.

height.


The adjustable height treatment table has been used successfully in X-Ray Departments as well as in Physical Therapy Departments.

Table is built of 1¼" tubular steel and angle iron with foam top covered in naugahyde, with built in linen shelf, mounted on 5" rubber tire casters, two with brakes. Table is 78" long, 28" wide. Adjustable in height from 27" to 36" by hand cranks.

MODEL NO. 1808

MODEL NO. 1808-A-Same as above, but without casters.

250.00




N-K680 Manual Tilt Table

The N-K standard model manually operated tilt table was designed to convey the maximum quality at a minimal price. The worm gear device in this unit is larger than that used on any other unit manufactured. The top is upholstered in a tan Naugahyde with foam rubber padding, and the metal parts are finished in a baked copper-tone enamel. The unit has 4" locking casters. A large easy to read protractor is included. The table tilts from zero to 90 degrees. Two deluxe N-K #682 restraining straps are included.

MODEL NO. 3033 STANDARD HOSPITAL MODEL

ELECTRIC TABLE, built of 1½" x 2½" tubular steel and angle iron. Finished in silver gray. Equipped with control switch, safety switches for up and down position, double receptacle for auxiliary equipment, calibrated dial showing degree of tilt from horizontal to vertical. Table is 84" long, 28" wide, 33" high, mounted on four (4) 4" casters with brakes. Important features include: chrome plated adjustable removable footboard, adjustable restrainer straps, adjustable arm sling attachments, adjustable crutches—with width adjustment. All fixtures operate on stainless steel control bar. Foam top covered with naugahyde.

Price-\$995.00





MODEL NO. 2122-MAYO MODEL

Great advantage in mobility—can be used as stretcher in corridors. Constructed of tubular steel and reinforced with angle iron. Finished in Silver Gray Metltone. Has 24" diameter front spoked wheels and 10" diameter back casters w/brakes. Calibrated dial indicates degree of tilt from vertical to horizontal. Foam top is 24" wide, covered in naugahyde. Complete with removable footboard, two (2) 6" restrainer straps and cervical hook. Tilt-operated by hand crank.


Price-\$375.00

MODEL NO. 2130 ADJUSTABLE WORK TRAY

Adjustable Work Tray available to fit all tilt tables. Tray adjusts to any height by use of side rails and is easily removed. Has 25" x 22" formica top. Complete with cutout to fit around patient's waist.

When adjustable work tray is not ordered with the table, specify model number of table it is to be fitted on.

Price—\$35.00 each




MODEL NO. 7405 HEAVY DUTY HARDWOOD TREATMENT TABLE

Heavy duty constructions, hardwood throughout, 3" hardwood legs with "H" brace. Table has built-in linen shelf and exercise board which slides out on either side of table for arm support. Table top is \$4" hardwood with molding around top to keep pad from sliding. Finished in natural wood, 78" long, 30" wide and 32" high.

Price—\$130.00

MODEL NO. 7405-A—Same as Model No. 7405 except with 2" foam top covered in naugahyde.

Price—\$150.00



MODEL NO. 7406

Heavy duty construction, hardwood throughout, 3" hardwood legs and "H" brace with % hardwood top with moiding around top to eliminate pad from sliding. Finished in natural wood. 78" long, 30" wide and 32" high.


Price—\$98.50

MODEL NO. 7406-A.—Same as Model No. 7406 except with 2" foam top covered in naugahyde.

All tables are mortised, glued and boited and are shipped set up, ready for use. Other widths available.

Price.—\$118.50

MODEL NO. 900 LOOSE TABLE PAD 11/2" foam, 30" x 78", boxed corners, covered with naugahyde.



Multiple Place Cutout Tables for seated children are offered in the highly functional circular design. Four children can be accommodated, clase enough to inspire competition yet without overlapping work area. By arranging several of these tables in a circle one staff member can care for 12 children as easily as four.

Height 24", width 29", 96" long, with 1 - 6" x 9", 2 - 7" x 10" and 1 - 8" x 12" cutout.

Top is grey linen high density plastic — metal trim. Shipping weight 75#. Model 355 — Same as 354 but with-

riouts.

174.50



INDIVIDUAL STANDING
TABLE Model 310

74.50

SPECIFICATIONS:

MODEL 310

- Top 24" x 30" covered with grey linen high density plastic — hardwood raised rim — metal trim.
- Foot platform adjusts in height from 22" to 32" in 2" graduations.
- Standard cutout size 7" x 10" (other size cutouts available on request).
- Shipping weight 40#.

MODEL 311

- Adult size. Top 30" x 30".
- Top 40" from floor.
- Adjustable foot platform.

MODEL NO. 7400 CUSTOM BUILT HEAVY DUTY HARDWOOD TABLE


This table is equipped with double door enclosed cabinets and shelf, finished in natural wood, 8° long x 28° wide x 32° high with 2° foam top covered with naugahyde. Table has roll-out shelf for EKG, dathermy or shortwa

Price—\$270.00 Price—\$240.00 \$20.00 extra

MODEL NO. 7400-A—Same as above except without roll-out shelf.

MODEL NO. AR 7400-B—Arm Rest Pull-Out for either of the above tables.

Above tables also available in 26" and 30" widths at same price.



MODEL NO. 7402 HEAVY DUTY HARDWOOD TREATMENT TABLE


Heavy duty construction, hardwood throughout, 3" hardwood legs. Table has full length linen shelf and divider. Table top is ¼" plywood with 2" foam covered in naugahyde. Finished in natural wood, 78" long, 30" wide x 32" high.

MODEL NO. 7402-A-Same as above, without pad. Hardwood top, raised rim

Price-\$124.50








Folding Travel Massage Table

FOLDING TRAVEL MASSAGE TABLE. A sturdy, cushioned massage table, the type masseurs use. 22x68x36" high, folds in half to 8" thick-ideal for storing or to carry like a suitcase. Dark brown leatherette. \$59.50



With U. S. Naugahyde Upholstery


A quality couch built for long life and patient comfort. Tops are padded with 2" polyurethene foam. Height adjusts from 18" to 32". Covered with durable easy to clean U. S. Naugahyde vinyl upholstery. Choice of colors: green, brown, blue, grey, maroon, beige, tan, olive, black, white or ivory. Please specify walnut or natural finish for the legs.


(110780	24"	x	72"	size,	Each	\$114.00
U	110780 110790	26"	x	72"	size,	Each	\$129.00
	110800						\$159.00
	110810	30"	x	72"	size.	Each	\$179.00

PHYSICAL THERAPY AND EXAMINING TABLE

This new table is the perfect answer for your E.K.G., physical therapy or examining room. Because of its exclusive design features and quality workmanship, this table will out-perform any other in its field. The unit is extremely well constructed and upholstered in Naugahyde with rubberized hair padding. Legs are tubular steel, finished in baked enamel hammertone finish. Each corner is steel reinforced. Unconditionally guaranteed not to affect a Diathermy machine under normal use due to its steel content. A concealed paper roll and plastic cutter. Specify colors: grey, tan or ivory Naugahyde; copper or grey legs.

A 215200 Table, 25" x 74" x 30" high, Each \$79.50 215280 Table, 30" x 74" x 30" high, Each......\$89.50





WOOD EXAMINING AND TREATMENT TABLES


Designed for physical therapy, diathermy and X-ray treatments. Solidly built of kiln-dried seasoned hardwood with heavy legs. The top is padded with Polyurethane Foam and covered with U. S. Naugahyde upholstery, which is highly resistant to heat, alcohol, grease, perspiration and all acids. Colors: brown, maroon, beige, tan, olive, black, green, blue, grey, ivory and white. Easily cleaned with soap and water. A matching pillow is provided.

C	214880	Standard, 24" x 72", Each \$68.00
0	214960	Standard with H-Brace, 24" x 72",
	Each .	\$76.00

WOOD EXAMINING AND TREATMENT TABLE

Is the ideal solution for all examinations and treatments. Solidly built of kiln-dried seasoned hardwood with heavy rounded legs. Headrest and footrest are both adjustable in several positions. Metal stirrups are also adjustable and removable. Sliding arm rest extends from either side. Table top and both drop leaves are well padded with 2" Polyurethane foam and covered with U. S. Naugahyde upholstery. Available in brown, maroon, beige, tan, olive, black, green, blue, grey, ivory and white. Specifications: fully extended 72" flaps down 41", height 31", walnut finish.

D	215040 Each	Table with stirrups and sliding arm rest,
	215120	Table same as 215040 but with H-Brace,
	Each .	\$103.00




THORACIC (Counter-Traction) BELT

CT-81

PB-61


Small, Medium, Large and Extra Large. Thoracic counter-traction is particularly advisable when motorized intermittent traction is indicated in the treatment of low-back conditions. Much thought and consideration has been given to design a garment suitable to prevent slipping of the patient yet remain relatively comfortable to the wearer. Because of this no one belt has been designed suitable for all sizes.

The two most popular sizes are Medium and Large. Medium for average women and small men. Large for large women and medium size men.



TRU-EZE PELVIC TRACTION 'Y' BELT

Designed for effective Pelvic Traction. Available in sizes 26 to 44 (even sizes only). Adjustable up to four inches, fitting closely around the trochanter area. It does not bulge over the Sacrum nor cut into the buttocks. As the name implies, it is 'Y' shaped, with the traction applied from a straight pull from one strap attached to the center of the underside of the belt. The pull is directly on the Sacrum and lower lumbar region. This method is less affected by resistance. Specify sizes by trochanter measurement.



CAT NO. UNIT PRICE
SC-31 SPREADER BAR 12" (Cervical) 50
SP-32 SPREADER BAR 17" (Pelvic) 1.20
Not needed with TRU-EZE 'Y' Belt.



CAT. NO. **FS-98**


10.00

FS-98

UNIT PRICE 25.00

FLEXION STOOL

An aid to lumbar traction in that flattening of the lordotic curve takes place before traction is applied. Padding is 1½ inch polyester "stafoam" upholstered in beige leatherette, kaffir crush by Weymouth. 3½ inch rubber cups prevent slipping and damage to table upholstery. Tubular steel construction with chrome-satin finish



CAT. NO. CT-83

7.50

CT-83

UNIT PRICE per pair 15.00


THORACIC STABILIZATION ARM RESTS

Designed to fit the "TRU-TRAC" Traction and Therapy Table RT-99 and instantly prepare the patient for Pelvic or Lumbo-Sacral Traction as an alternate method in place of the Thoracic Counter-Traction Belt. The CT-83 Thoracic Stabilization Arm Rests are fully adjustable and softly padded to provide complete patient comfort while in traction. Chrome-Satin Finish.

CAT. NO. TS-95 UNIT PRICE 7.50

BED ADAPTER

The TS-95 Bed Adapter provides additional support to TS-93 Traction Stand for home use on hollywood style beds.




DH-28 CAT NO. UNIT PRICE

Useful in many ways for physical therapy

DH-28

'D' HANDLES

and rehabilitation.



CAT NO. HM-26 HAND MITT Interchangeable with either hand. Provides a secure grip for the patient in rehabilitation exercise. Strong bleached duck cloth, lined with soft blanket material.

TG-41 TG-50 25 lb. 50 lb.


CAT NO. UNIT PRICE TG-41 TENSION GAUGE (Measures 1-25 lbs.) 1.67 TENSION GAUGE (Measures 1-50 lbs.) TG-50 6.00

CAT NO. PT-110

PT-110

LINE-TITE CLAMP — With 4 ft. Dacron rope, diam. 1/4 in., 1035 lbs. tensile strength. For rapid extention (either traction machine).

Traction Accessory Specialties



UNIT PRICE

5.00


FB-27


1.67

UNIT PRICE

2.50


UNIT PRICE 2.00 CAT NO. FB-27 FOOT BOOT Interchangeable with either foot. An aid to rehabilitation exercise or traction. Has 5 'D' ring attachments. Traction or exercise may be given in any direction. Strong bleached duck cloth, lined with soft blanket material.






Designed to fit either end of the RT-99 Traction and Therapy Table as a utility shelf. Made of high quality stainless steel for lifetime service, the WR-91 provides ample storage for pelvic belts, thoracic belts, towels, etc. Requires no installation. Fits securely in place. 18½" W x 23" L.

(bed) Traction Supports for Pelvic Traction



Suitable for HOME, OFFICE, PROFESSIONAL or HOSPITAL use. Horizontal traction is possible on practically any type bed without damage. May be attached to a hospital bed, ambulance cot, operating table, physical therapy table, examining table and the so-called Hollywood style bed. Disassembled it may be




· Oftentimes it is advantageous to flex the hips and knees, flattening the lordotic curve, thereby enhancing traction.

CAT. NO.	UNIT	PRICE
BD-11	TRU-EZE (bed) Traction Support Adjustable Large Nylon Pulley (4 ft. rope)	8.67
BD-11a	TRU-EZE (bed) Traction Support Adjustable with Extensions Large Nylon Pulley, (4 ft. rope)	10.47
NO S	PREADER-BAR NEEDED FOR TRACTION WHEN USING THE TRU-EZE Y BELT	
PB-61	TRU-EZE Pelvic Traction Y Belt (sizes 26 to 44). Even sizes only. Belt is adjustable up to four inches. Measurement is taken around the trochanter area.	7.50
WB-71	WEIGHT BAG (10"x10") For use as a substitute for expensive weights. Made of sturdy canvas material, holding up to 15 lbs.	.75

(bed) Traction Supports

BD-21a



· Supporting neck on "CERVIPILLO" enhances occipital pull. See page 11

BD-13a

		P-0
CAT. NO.	UNI	T PRICE
BD-11	TRU-EZE (bed) Traction Support Adjustable Large Nylon Pulley (4 ft. rope)	8.67
*BD-13	TRU-EZE (bed) Traction Support Adjustable with 12" Spreader-Bar & Head Halter HH-51	14.17
• BD-13a	TRU-EZE (bed) Traction Support Adjustable with 12" Spreader-Bar & Head Halter HH-51	14.92

*When foam-rubber lined halters are desired, add an R to Cat. No. and add .83 to the list. Example BD-13aR.



 Supporting neck (not shoulders) on "CERVIPILLO" and a regular pillow puts neck at 45° angle traction, reducing friction and aiding occipital pull and flexion. See page 11

CAT NO.	UN	IT PRICE
EX-10	Extensions for BD-11 (12") per pair	1.80
BD-11a	TRU-EZE (bed) Traction Support Adjustable with Extensions Large Nylon Pulley (4 ft. rope)	10.47
* BD-21	TRU-EZE (bed) Traction Support Adjustable with Extensions, 12" Spreader-Bar & Head Halter HH-51 (S-M-L)	15.97
* BD-21a	TRU-EZE (bed) Traction Support Adjustable with Extensions, 12" Spreader-Bar, Head Halter	16.72

DW-16

An excellent set to rehabilitate the C.V.A. patient. Hands, arms, shoulders, legs and stomach muscles are exercised simultaneously.

TRU-EZE (Chapman Bilateral Exercise) Set. Contents: Door-way attachment DW-15, Chain with 2 Harness Snaps, Trapeze Bar with Chain, 2 Foot Boots and 1 Hand Mitt.

> CAT. NO. DW-16

UNIT PRICE 32.00



DW-17

Illustration shown is one of numerous exercises that can be accomplished. Set comes complete with patient instructions and physician to patient pro-gramming. Patient should return to the physician for progressive programming.

TRU-EZE (door-way) Rehabilitation Set. Contents: Door-way attachment DW-15, 2 "D" Handles, 1 Hand Mitt, 1 Foot Boot & 1 Weight Bag.

CAT. NO.

UNIT PRICE





DW-18


This set is ideal for the individual whose home has sliding doors or no doors at all but has framing.

TRU-EZE (door-way) Traction Set. Contents: Door-way attachment DW-15 without Hitch Bars and Harness Snaps but includes Head Halter (S-M-L), Spreader Bar and Weight Bag.

> CAT. NO. DW-18

UNIT PRICE 22.00







· Provides relaxed intermittent traction OD-7 with a large amount of pull.

* TRU-EZE (over-door) Traction Support with Block-and-Tackle, 12" Spreader Bar and Head Halter HH-51 (S-M-L)

12.17



"ECONOMY" TRACTION SETS

CAT. NO. **OD-2**

OD-3

TRU-EZE (over-door) Traction Support with pulleys and cord.

TRU-EZE (over-door) Traction Support with Spreader-Bar, "Economy" Head Halter (Med.)

and Weight Bag. See HH-52 Head Halter

UNIT PRICE 3.50

UNIT PRICE 7.00

(over door) and (bed) Rehabilitation Exercise Sets



SL-25MB

CAT NO. SL-25MB

UNIT PRICE TRU-EZE (over-door) Shoulder, Arm and Leg Exercise Set. Same as SL-25 with Mitt & Boot.

(Pictured above)




SSL-25

CAT NO. SSL-25

14.75

UNIT PRICE TRU-EZE (over-door) Shoulder, Arm, Leg and Stomach Exercise Set. Same as SL-2 with 15 ft. Nylon safety cord, 16" trapeze bar with 2 screw eyes, 2 Harness Snaps, 2 Boots & 1 Mitt. (Pictured above)

19.75



	HD-30A	
CAT. NO.	UNIT	PRICE
HM-26	HAND MITT Can be used on either hand, Prevents patient from losing grip.	2.50
HB-35	TRU-EZE (bed) Traction Support with Extensions, and 6 ft. safety cord. Also 2 "D" Handles, 2 Hitch Bars and 2 Harness Snaps.	13.04
HB-35A	TRU-EZE (bed) Traction Support with Extensions, and 6 ft. safety cord. Also 2 "D" Handles, 2 Harness Snaps and 1 Hand Mitt.	15.54

(Pictured above)



	SL-25B		
CAT NO.	UNIT PR	ICE	
FB-27	FOOT BOOT Has 5 "D" ring attachments. Traction or exercise may be given in any direction.	5.00	
SL-25B	TRU-EZE (over-door) Shoulder, Arm and Leg Exercise Set. Same as SL-25 with Foot Boot. (Pictured above)	.25	



0D-5a

· Scientifically controlled traction to the exact tension prescribed

CAT. NO.	DELUXE SETS	UNIT	PRICE
0D-1	TRU-EZE (over-door) Traction Support with Large Nylon Pulleys and Nylon Safety Cord.		5.00
* 0D-5	TRU-EZE (over-door) Traction Support with 12" Spreader-Bar & Head Halter HH-51 (S-M-L)		10.50
* OD-5a	TRU-EZE (over-door) Traction Support with 12" Spreader-Bar, Head Halter HH-51 (S-M-L) and Weight Bag (holds up to 15 lbs., pictured abo	ve)	11.25




- Heavy Traction with Patient-Ease Excellent for Intermittent Traction Exercises Arms and Shoulders



"LOW-BUDGET" TRACTION SETS

CAT. NO. OD-2	TRU-EZE (over-door) Traction Support with pulleys and cord.
0D-4	TRU-EZE (over-door) Traction Support with Spreader-Bar, "Diskard" Head Halter and Weight Bag. See HH-53 Head Halter



0D-6

Excellent for travelers and as a substitute for expensive weights.

CAT. NO. DELUXE SET (Nylon Pulleys) UNIT PRICE

* OD-6

TRU-EZE (over-door) Traction Support with
25 lb. Tension Gauge. 12" Spreader-Bar
and Head Halter HH-51 (S-M-L)

12.17

* When foam-rubber lined halters are desired, add an R to Cat. No. and add .83 to the list. Example OD-5 aR.

UNIT PRICE

UNIT PRICE

3.50

5.75




h) (Foam Lining) (Lea "TRU-TRAC" DELUXE HEAD HALTER


(Leather)


HH-51*

(Cloth)

CAT. NO.		UNIT PRICE
HH-51	"TRU-TRAC" HEAD HALTER (S-M-L) Adjustable. Heavy duck material with soft flannel lining. (Exclusive of Spreader-Bar).	5.00
	With Spreader-Bar (12")	5.50
HH-51R	"TRU-TRAC" HEAD HALTER with Foam Lining (S-M-L) Adjustable. (Exclusive of Spreader-Bar).	5.85
	With Spreader-Bar (12")	6.35
HH-55	"TRU-TRAC" HEAD HALTER Leather (S-M-L) Adjustable. Same advantages as HH-51 except made of high quality leather. (Exclusive of Spreader-Bar).	15.00







FLEXION Pull is well behind ears

EITHER POSITION OBTAINED BY ADJUSTMENT IN "TRU-TRAC" HEAD HALTER HH-51

- Cheek and Temporo-Mandibular Pressure relieved by wide spreaderbar.
- Shortened D-ring Straps (A) Assist wide spreader-bar (B) Prevents feet extending out-of-bed (horizontal traction).
- Cupped chin-strap obviates error in placement.—No cutting or choking.
- 4. Sliding buckles provide longer life and easy adjustment.
- EXTENSION . . . Easily obtained by shortening chin-strap and lengthening occipital-strap.
- FLEXION . . . Most commonly used. Lengthen chin-strap which automatically shortens occipital-strap.
- 7. FLEXION . . . Especially advantageous for horizontal traction.



TRILETE "FCONOMY" HEAD HALTER


	TRU-EZE "ECONOMY" HEAD HALTER	
CAT. NO.	U	NIT PRICE
HH-52	HEAD HALTER (Medium only) Heavy duck ma- terial with soft flannel lining.	3.33
	With Spreader-Bar (12")	3.83
HH-52R	HEAD HALTER with Foam Lining. (Medium only).	4.16
	With Spreader-Bar (12")	4.66




	"DISKARDS" DISPOSABLE HEAD HALTER	
CAT. NO.		UNIT PRICE
HH-53	"DISKARD" HEAD HALTER. Low cost makes it feasible to provide each patient with his individual halter and eliminates the problem of laundering.	1.00
HH-53	"DISKARD" HEAD HALTER (dozen)	11.40

versatility


- "TRU-TRAC" Table is ideal for Horizontal Cervical and Lumbar Traction.
 - Closed, the "TRU-TRAC" Table may be used for therapy or examining table.
 - "TRU-TRAC" Table permits Cervical Traction at any angle from 5° to 45°.
 - Traction of 10 lbs. or more lifts the head completely off traction table thereby eliminating friction, aiding occipital pull.
- The Jackson 'CERVIPILLO' assists flexion, positioning the neck at the proper angle, restores the cervical spine to normal contour and provides additional comfort to the patient. See III. 2, 3, & 4
 - Lumbar section rolls free on ball-bearing rollers.
 No heavy springs to pull it back to zero. Springs increase friction rather than reduce it. See III. 2 & 3
- Center pad removable to permit simultaneous use of moist heat packs. Cuts treatment time in half. See III. 2
- Flexion Stool (FS-98 an accessory) aids flattening of the lordotic curve, and also makes patient comfortable in Cervical Traction by decreasing back sway.
- TRU-EZE Pelvic Traction "Y" Belts, Thoracic Counter-Traction Belts and adjustable Harness-Hooks available as accessory items.
 - The development of traction in 1950 had the immediate effect of reducing my laminectomy rate for all lumbar disc lesions from 1:40 to 1:200.⁽²⁾
- Head-Traction therapy in the supine position is specific for neck injuries and in the large majority of cases results not only in symptomatic and permanent relief, but also in preventing the occurrence of delayed symptoms.⁽³⁾



Pelvic Traction with Thoracic Counter Traction Belt and Harness Hooks



Pelvic Traction with Thoracic Stabilization Arm Rests (See Inset)





"TRU-TRAC" Traction Machine complete with Head Halter, Spreader Bar **TTT-92** \$425.00 and Wall Mount 295.00 -99 "TRU-TRAC Traction and Therapy Table FS -98 Flexion Stool 25.00 TRU-EZE Pelvic Traction "Y" Belts (3 sizes, 1/32, 1/36, 1/40)
Thoracic Counter Traction Belts (2 sizes, 1/med, 1/lge) 22.50 PB -61 20.00 4.50 Adjustable Harness Hooks pair

If Thoracic Counter-Traction Belts, Harness Hooks and Thoracic Stabilization total. \$792.00

Arm Rests are wanted - add \$15.00 to \$792.00 = \$807.00




"TRU-TRAC" Traction Machine complete with Head Halter, Spreader Bar **TTT-92** \$425.00 and Wall Mount "TRU-TRAC" T Traction and Therapy Table 295.00 -99 25.00 22.50 FS -98 Flexion Stool TRU-EZE Pelvic Traction "Y" Belts (3 sizes, 1/32, 1/36, 1/40) Thoracic Stabilization Arm Rests (See Inset) PB -61 15.00 CT -83 pair total..... \$782.50 Adjustable spreader bar assures comfortable fit on the head halter. Straps can be spread so the face is not pinched while in traction.

\$2.50



No. 77G Adjustable Spreader Bar


This newly designed unit is ideal for applying traction in the home. Used primarily for cervical traction, it can also be used for applying pelvic traction, etc. The apparatus can be used on any bed in the home — including the Hollywood style beds — or it can be used over a door. Construction is of extremely sturdy ¾" steel rod with cadmium plate. Parts that touch the door are amply padded to prevent marring. This traction device can easily be disassembled for storage.



No. 708—Home Traction Assembly, only


No. 708A—Home Traction Cervical Set, includes No. 708 Assembly, No. 77X

Head Halter, Standard Spreader Bar, 9' Cord, and Weight Bag \$21.00



This simple anklet is indicated for many types of leg traction. Used as pairs, traction can be applied to the pelvic region. They are easier to apply than a pelvic belt if traction is used only for short periods several times each day. It is constructed of soft


leather with a felt liner and comes complete with a metal spreader bar. The anklet may be purchased complete with our No. 108 Buck's Extension Hook, traction cord, and weight bag, or it may be purchased separately.



No. 820 —Ankle Traction W/spreader bar. \$10.00

No. 820S—Ankle Traction Set, complete with Anklet, spreader bar, No. 108
Buck's Extension Hook, 9' Traction Cord, and Weight Bag \$25.00

CHAMPION TRAINING BAGS



CHAMPION LEATHER TRAINING BAG. Finest top-quality selected heavy Cowhide leather. All seams double sewn and reinforced. Extra-heavy electro-welded and plated chain. Doubled and reinforcd "D" ring holder with heavy steel "D" rings. Specially prepared and blended filler—hand-packed to plump fullness. * Nylon sewn throughout. Includes swivel.

4540	CHAMPION LEATH	ER TRAINING BAG	
	75 lbs 42"	\$109.	.50 each
4541	CHAMPION LEATH	\$109. ER TRAINING BAG	
	50 lbs 36"	\$89.	50 each

UNFILLED TRAINING BAGS. Various models may be obtained without filler. Use filler from old bag or stuff fully with cotton waste or old clean rags.

45404	UNFILLED BAG (4540)	\$85.00 each
45414	UNFILLED BAG (4541)	\$65.00 each
45434	UNFILLED BAG (4543)	\$29.00 each
45444	UNFILLED BAG (4544)	\$24.00 each
45464	UNFILLED BAG (4546)	\$24.00 each
45474	UNFILLED BAG (4547)	\$18.00 each

CHAMPION CANVAS TRAINING BAGS. ★ Heavy-duty 21-oz. canvas duck. ★ All seams double sewn and reinforced. \(\precedit \) Extra-heavy electro-welded and plated suspension chain. \(\precedit \) Doubled and reinforced "D" ring holder with heavy steel "D" rings. \(\precedit \) Specially prepared and blended filler — hand-packed to plump fullness. \(\precedit \) Nylon sewn throughout. Includes swivel. 4543 CHAMPION CANVAS TRAINING BAG

7070		42"	\$47.50	each
4544	CHAMPION	CANVAS TRAINING BAG		
	40 lbs	36"	\$34.50	each

EXTRA COVER. Preserve the life of your bag. EVERLAST training bags are built to take it. But only EVERLAST SUPER TRAINING BAGS have built-in double covers. No bag can be guaranteed against outer covers wearing out or being damaged. Order an EXTRA COVER with your new Training Bag. Can be easily and inexpensively re-paired or replaced. Not necessary with EVERLAST SUPER TRAINING BAGS.

4550	EXTRA	COVER-14"	X	42"	\$15.00	each
4551	EXTRA	COVER-14"	X	36"	\$14.00	each
4553	EXTRA	COVER-12"	X	42"	\$14.50	each
4554	EXTRA	COVER-12"	X	36"	\$13.50	each

EVERLAST REGULATION TRAINING BAGS. Made with excellent quality heavy white duck. Specially prepared blended filler. Sewn with nylon. Includes plated electro-welded suspension chain. (Junior Model has webbing hanger instead of chain.)

4546 REGULATION CANVAS TRAINING BAG 42"

\$39.50 each 70 lbs. REGULATION CANVAS TRAINING BAG 40 lbs. — 36" JUNIOR CANVAS TRAINING BAG — 25 lbs. — 24" 4547 \$29.50 each

4549 \$18.50 each TRAINING BAG SPRING. Heavy-duty spring. 4557 SPRING only \$6.50 each

SWIVEL & CHAIN ASSEMBLY. Heavy swivel with snap fastener. Includes 3' plated hanging chain. Simple assembly -no


4558 SWIVEL & CHAIN assembly \$4.50 each

WRIST

TRAINING WEIGHTS

WAIST 7016 (15 lbs.) \$20.00 ea. Sizes S-M-L

HAND $7017 - (1\frac{1}{2} \text{ lbs.}) \3.50 ea.





BODY (VEST) 7018 — (20 lbs.) \$26.50 ea.







ANKLE 7010 — (2 lbs.) \$5.50 ea. 7011 — (3 lbs.) \$6.50 ea.











- 1. CLAMP ADJUSTMENT KNOB
- 2. POUNDAGE REGULATOR DIALS
- 3. TIMER DIAL
- 4. HOLD TIMER
- 5. REST TIMER
- 6. CIRCUIT INDICATOR LIGHT
- 7. NYLON CORD
- 8. PATIENT CONTROL SWITCH
- 9. 3 WIRE CORD and CONNECTOR
- 10. CORD RELEASE
- 11. STATIC TRACTION HOLD SWITCH

Electronically Controlled Portable Intermittent Traction Machine

SPECIFICATIONS



\$425.00 (as illustrated)



TTT-92 TRU-TRAC complete with:

TRU-TRAC WALL MOUNT — Supplied with the TRU-TRAC on unspecified orders at no extra cost. Applicable for vertical traction.

HANGING HEIGHT — 6' from top of TRU-TRAC to floor (maximum).

PT-110 LINE-TITE ROPE CLAMP ASSEMBLY — 4' Dacron cord. An extension for rapid pelvic traction hook-up.

SC-31 SPREADER BAR — 12" nickle plated.

HH-51 HEAD HALTER — Adjustable for FLEXION OR EXTENSION.

TTT-92 TRU-TRAC IS OF SOLID STEEL CONSTRUCTION — Beige enamel finish.

SIZE - 12" Long, 10" Wide, 12" High.

WEIGHT - 21 lbs. Shipping weight 24 lbs.

PULLING CAPACITY - 100 lbs.

CURRENT — 115 volt 60 cycle.

2 MOTORS — One motor for pulling, one reversible motor with brake.



TRU-TRAC TTT-92, electronically controlled portable intermittent traction machine. Complete as pictured for Vertical or Horizontal mounting (with Head Halter, Spreader Bar and Mount). Beige colored finish.





Foot operated "Angle" Control Release. Patient can easily be tilted to any one of 5 angles for achieving desired FLEXION.



Flexion Traction Chair

SPECIFICATIONS

SOLID STEEL CONSTRUCTION—Satin chrome finish.

CASTERS-4 inch ball-bearing-BASSICK.

PADDING-1 inch polyester "STAYFOAM."

UPHOLSTERY—Beige leatherette, kaffir crush by Weymouth, 24.16 ounces per square yard.

STRENGTH-Over 500 lbs.


WIDTH-22 inches. See III. 3.

LENGTH—Foot rest to extreme back 36% inches. See III. 3.

Turned to 45°-481/2 inches. See III. 4.

HEIGHT-Floor to top of back rest-351/2 inches. See III. 3.

WEIGHT-39 lbs. Shipping weight 49 lbs.





Designed to provide the ultimate in versatility, the TS-93 Traction Stand makes possible Vertical Cervical Traction when used in conjunction with "TRU-TRAC" Flexion Traction Chair FTC-20, or by adding Accessory Unit TS-94 (see right), it is readily adaptable to X-ray tables or any other treatment table for providing Horizontal Cervical Traction. Chrome-Satin Finish.

TS-93

50.00



TTT-92

FTC-20 TS -93 "TRU-TRAC" Traction Machine complete with Head Halter,

Spreader Bar and Wall Mount "TRU-TRAC" Flexion Traction Chair Traction Stand (portable)

CORRECT -

Adjusted for proper

50.00 total \$625.00

\$425.00


150.00

INTERVAL TIMER, Gilbert, Non-Electric, 15 sec. to 2 hrs.

No. P364S

Measures any interval of time from 15 seconds to 2 hours, and does it dependably and accurately. When the pre-set period of time has elapsed, the alarm rings to let you know. The operation of this timer is simplicity itself. You wind it from the back, as you do any mechanical clock. You set it by turning the knob in the dial face counter-clockwise. You start it and wind the alarm by lowering the lever at the right.

The dial face is black with large white numerals of plastic. Trim is chromium. The sturdy metal and marking for easy reading. Crystal is made of plastic, housing is finished in moisture-proof enamel, black.



Precision built spring wound clock, combined with 1 to 120 minute interval timer. Housed in black Bakelite case. Portable or can be hung from wall. A 24 hour time piece with regular alarm clock bell signal at the end of predetermined interval.

Size: 51/2" x 6" x 21/2".

TIMER, Non-Electric, 60 Minutes

No. P364L

Plastic housing. Sounds chime at any specified period up to 60 minutes.

LONG RING TIMER, Non-Electric, up to 60 min.

No. P364T-Plastic housing

This Timer will time any period from 1 to 60 minutes. To set it turn knob to right till period to be timed is indicated. It may be set to any time period and then turned back without damage.

For longest possible ring, turn knob all the way to 60 minute mark, then turn back to desired setting.


TIMERS, "MARK TIMER" Electric

No. P364H-30 Min.

No. P364J-60 Min.

No. P364K-60 Sec.

Automatically turns off current at predetermined time. Has 6 ft. extension cord and plug. 10 Amps., 125 V., A.C.




\$12.95
PARAGON INTERVAL TIMER

No. P364R


Automatically cuts off Current and gives continuous, audible signal.

White, baked enamel metal case. Non-mar rubber feet, can be wall mounted. Audible signal can be silenced manually. 120 V., 60 C., 7 amps. 840 W., 1/4 H.P. Range: 0 to 60 minutes. UL approved.













6-660. INTERVAL TIMER, Spring-Wound. This spring wound timer can be set for any interval between ½ minute and 120 minutes. The outer dial is graduated to 10 minutes in ¼ min. divisions; inner dial indicates to 120 minutes.


In use, the hands are set to the desired time and when the timing operation is to start, the lever on the back is depressed. At the end of the selected time a bell signals clearly for several seconds. The plastic case is 4½ inches wide, 4½ inches high and 2 inches deep.

Each, \$12.50

Adult and Junior sizes

Seat and back fold away for easy entrance and exit. Seat is centered on frame so that occupant may face "out," seated comfortably and with proper back support, for easy gliding up to table or desk. Seat and handrails adjust to desired height.

Lifting this strap reduces walker width for narrow passages.





HOLLYWOOD OPEN-END WALKER

Quality features, moderately priced. The same 5" double-ball-bearing gray casters as on Premier model! Beautiful durable marine-process chrome plating. Mist green Naugahyde upholstery on back and on 2" foampadded seat.

MODEL NO. 5HW020 (adult) \$98.00 MODEL NO. 5JHW020 (junior) \$98.00

STARLINER CLOSED-END WALKER

Value at low cost. Triple-process chrome-plated tubular-steel frame. Gray leatherette upholstery. Foam-padded seat. Easy-rolling, ball-bearing 5" casters.

MODEL NO. 5SW20 (adult) \$98.00 MODEL NO. 5JSW20 (junior) \$98.00

	ALL CLOSED-END MODELS			
MEASUREMENTS	ADULT SIZE	JUNIOR SIZE		
Overall Length	34"	34"		
Overall Width	22"	20"		
Length Inside	25"	231/4"		
Width Inside	19"	17"		
Seat Depth	11"	8"		
Seat Height	16" - 24"	12" - 191/2"		
Top Rail Height	291/2" - 351/2"	241/2" - 301/2"		
Weight	28#	28#		
Weight with crutches	33#	33#		
Weight with balance rings	35#	35#		



ROLLING AID

Like walking aid, but with easy-rolling 3" casters and removable vinyl plastic utility tray.
Height adjustable from 3134" to 3534" in 1" increments.

MODEL 1893 \$33.00



ROLLATORS

Chrome-plated tubular steel frame, with 5" casters. Especially valuable in solving gait-training problems of cerebral palsy, multiple sclerosis, polio, and similar disabilities—4 models and sizes.

MODEL #	HEIGHT OF HANDLES FROM FLOOR		
6TTW-20	20"		
6KWL-20	25"		
6JWL-20	30"		
6WL-20	36"		



Adult, Junior, Child's sizes

HOLLYWOOD NON-FOLDING WALKER

A rigid, closed-end, non-folding walker at a modest price: Triple-process chrome plating; mist-green Naugahyde upholstery; 5" ball-bearing casters; gray, non-marking rubber tires; 2" foam-padded seat; adjustable-height hand rails and seat. Removable back and folding seat make for easy entrance and exit.

MEASUREMENTS	5HW20 SERIES ADULT	5JHW20 SERIES JUNIOR	5JHW20—1944 JUNIOR WITH SADDLE SEAT
Overall Length	37"	35"	35"
Overall Width	211/4"	20"	20"
Length Inside	25"	23"	23"
Width Inside	19"	17"	17"
Seat Depth	11"	8"	
Seat height from floor	13"-24"	12"-191/2"	8"-16"
Height of top rail from floor	291/4"-361/2"	241/2"-301/2"	241/2"-301/2"
Weight	29#	27#	
Weight with crutches	· 34#	32#	
Weight with balance rings	36#	34#	
Weight with saddle seat			37#

Walker Accessories

INFANT WALKER


Satin finish \$47.50

Brown Enamel \$40.00

No. 510 Satin Chrome Finish Brown Enamel Finish No. 511

19" WIDTH, overall 20" LENGTH, overall 18" HEIGHT, with ring, 24" HEIGHT, with ring, BALANCE RING, width 81/2" BALANCE RING, length-10" **CASTERS** 10 lbs WEIGHT 14 lbs WEIGHT, packed

UPHOLSTERY COLOR: Tan Leatherette





FOLDING WALKER

No. 1451 \$14.00


7/8" Aluminum - Anodized. Folds for easy storage and transportation.

RIGID WALKER

No. 1452 \$11.00

(not illustrated)

Same as No. 1451 but non-folding.



QUADRUPED WALKER No. 1405 \$13.50

Steel Tubing Copper-Nickel-Chrome Adjusts 29" to 36". Individually or in pairs.



OLD #	\$19.50 ea.	SHIPPING WEIGHT
608	Adult Model— Adjusts 32" to 36" (81cm to 91cm) High	10 lbs. 1 per ctn. (KD)
609	Child Model—Adjusts 27" to 31" (68cm to 78cm) High	10 lbs. 1 per ctn. (KD)
	608	608 Adult Model— Adjusts 32" to 36" (81cm to 91cm) High 609 Child Model— Adjusts 27" to 31"




NEW CAT. #	OLD #		& PACKING
6050	605	Folding Non-Adjustable— Height to Hand Rail—35" (89cm)	8 lbs. ea. 2 per ctn.
6060	606	Adult, Folding Adjustable— Adjusts 33" to 37" (84cm to 94cm) Hig	
6070	607	Child, Folding Adjustable Adjusts 27" to 31" (69cm to 79cm)	7 lbs. ea. 2 per ctn.



EDCO STAIR CLIMBING WALKER Catalog No. 1910 — Non-Adjustable Catalog No. 1911 — Adjustable


1910 \$18.50 1911 \$21.75



Walk Aid Anodized Alum. Standard - #1396

Standard	 12.95

Adjustable 15.95




lajastable	424.50	
MODEL	Description	Height
WC2WS	Standard	33"
WC2WSA	Adjustable	331/2" to 371/2"

Solid Base, Padded, Vinyl Upholstered Seat folds up out of way and secures easily.







WALKER HAND BRAKE
Accessory attaches to most
walkers, this Hand Brake provides complete control of the
motion of the walker at all
times for maximum safety.

The Balance Ring with Saddle Seat Attachment may be readily substituted for the Rib Belt Attachment on the Base Frame. The saddle seat may be removed from the ring if not needed.

The Rib Belt provides torso suspension — firm body support for the child with extensive muscular weakness. Security and stability



A unique seat arrangement provides adequate walking area inside this COMPACT FOLDING WALKER but the overall length is 7" shorter than standard size walkers; easily guided. Folds to 7" wide. Chrome plated tubular steel, 5" ball bearing swivel casters, tan upholstery, polyfoam padding.

No. 205 Junior \$87.00 No. 200 Adult \$89.50





CHAIR SCALE model 440 \$225.00

Designed to weigh the ill and infirm patient with maximum safety and comfort. Welded steel chair permanently bolted to base with extended chair legs acting as brace against tipping due to sudden motion. Foam cushioned seat, back and arms covered with heavy washable vinyl. Foot rest folds back when patient is moved or between usages. Comes equipped with rubber casters for easy moving but adapted model 402 physician's scale rests solidly on the floor when in weighing position.

specifications: Capacity 350 lbs. x 1/4 lb. Chair measures 17 x 19 inches. Overall size of chair and scale 24 x 24 inches. Height of scale 58 1/8 inches. Shipping weight 81 lbs. *Standard finish—Continental Pearl only, not available in special finish. *Scale and chair are packed separately.

Available in standard baked enamel finishes of white, beige, pink, blue, yellow or black. Clinical colors also available.

inlaid black rubber platform resists wear and cleans-

specifications: Capacity 300 lbs. x $\frac{1}{2}$ lb. Overall size $9\frac{1}{2}$ x 13" x $3\frac{1}{4}$ " high. Shipping weight 17 lbs.

ing compounds.



Famous speedometer dial registers up to 300 lbs.
The exclusive registering mechanism is sensitive to a degree where it will register a heart beat, yet rugged enough to stand years of service.
Dial shown is one-fourth actual size: note the huge, clear figures for easy reading.


60

70

80

30





Measuring

Graduated

Rod

from 30" to 78"

\$39.95 DOCTOR/CLINIC DIAL SCALE model 130

specifications: Capacity 300 lbs. x ½ lb. Platform 9½" x 13". Overall height 35". Shipping weight 25 lbs. Colors available same as Model 134.

model 130-CST, with casters.


model 132, with measuring rod.

Includes attached telescopic measuring rod of heavy steel tubing with embossed units and figures in white on black enamel for easy reading. Graduated from 30 to 78 inches in 1/4 inches. Shipping weight 26 lbs. model 132-CST, with casters and measuring rod.



SIMPLE...SAFE...TIME SAVING!

The In-Bed Scale eliminates transferring or moving recovery room, intensive care, or bed patients whose weight fluctuations must be controlled by frequent weighings. The patient is weighed within the confines of his bed . . . safely, conveniently and in less than three minutes.



FOLD-UP WALL DESK


Saves time, space, energy


Use in lab, examining rooms, etc. to save time, walking, eliminate unnecessary steps. Wall-mounted, takes no floor space.

Generous 16" x 20" writing surface flips up flat against wall when not in use.


Baked-on enamel in three colors.

A	110600	Fold-Up	Desk,	gray,	Each	\$19.95
(110600 Fold-Up	Desk,	Bayou	Green	, Each	\$21.95
	Fold-Up	Desk,	Coloni	al Blu	e, Each.	\$21.95









215 Chrome 14 Qt.\$10.98 814 Stainless 14 Qt. 15.98 820 Stainless 20 Qt. 19.98

TORPEDO WASTE RECEPTACLES

Finished in white, red, grey or mist green baked enamel. Stainless Steel trim. Self-closing push door of stainless steel, also stainless steel door ledge. Rubber door silencer. Wide stainless steel band at bottom, curled under, protects floor, keeps mop from staining its lustre. Galvanized nestable inner container with swing handles rust resistant. Shell bonderized for protection against rust. Shell 15 x 37"; Container 13 x 27".

B 905500-Torpedo Waste Receptacles, Each \$21.50

SAFETY PINS


Brass, rustproof, nickel plated.

A	634680—Size	1,	10	Gross	\$ 6.90
B	634760—Size	2,	10	Gross	 11.80
0	634840— Size	3,	10	Gross	 18.90

"T" PINS

Brass, Nickel Plated, rustproof, 1/2 lb. Per Box.

D 634920— Size 24, 11/2," Per Lb.\$6.80



PRENY L VERSATILE MATERIAL FOR SPLINTING

PRENYL will allow you to make contour fitting splints or braces in a matter of minutes with a minimum of equipment, expense, and time.

PREMYL SPLINTING MATERIAL

Soften in hot water, cut with scissors, mold directly to the patient
The easiest of all splinting materials to work with. Now available in thr
densities to match the material to the kind of splint. Flexible allows maxium molding and contouring. Semi-rigid for average splints. Rigid for heavy-duty splints. Can be laminated and glued together with Prenyl cement/adhesive. Reinforcing rib helps to make corrugations for extra

bk-7191 Prenyl,	Flexible, 13x27x 1/16 inch	each	9. 95	6ort	7.45
bk-7192 Prenyl,	Flexible, 13x27x 1/8 inch		9. 95		7.45
bk-7193 Prenyl,	Semi-rigid 13x27x 1/16		9.95		7.45
bk-7194 Prenyl,	Semi-rigid 13x27x 1/8		9.95		7.45
	Rigid, 13x27x 1/16		9.95		7.45
bk-7196 Prenyl,	Rigid, 13x27x 1/8		9.95		7.45
bk-7197 Prenyl l	Reinforcing Rib, 30" length		1.45		1.30
bk-7198 Prenyl	Cement/Solvent, 1/2 pt. can		. 50		. 45

7099

The heat gun shown has a sturdy base that lets you use both hands on the splint as you work with Bioplastics, Prenyl, Orthoplast or Royalite. Heats from 300° to 500. New switch lets you cool the coils before turning the air off. Plugs into ordinary outlet. each 44.30 bk-7099 Heat Gun

The material of choice for making heavy duty splints. Requires a higher forming temperature than other new materials. (275°), but has resistance to change from heat or force. Usual equipment includes an oven and heat gun. Pattern is sawed out on a jig or band saw, oven heated and then molded over a plaster of paris form. Suggested

patterns and instructions are included.

We have cut a big sheet of Roylite into small pieces that can be mailed to you. Each piece is easy to handle on the saw. Have several colors on hand for different types of splints.

The thin (1/16) Roylite is suggested for the arthritic pan splints which use Silastic silicone foam.

bk-7150 Royalite,	18x22x 1/	16 Beige	each	2.50 6or+	2. 25
bk-7156 Royalite,	18x22x 1/	8 Slate Grey		3.75	3.38
bk-7157 Royalite,	11 11 1	' Beige		4.00	3.60
bk-7158 Royalite,	11 11 1	' White		4.00	3.60

KYDEX PLASTIC SHEETS

Kydex is the trade name of a new plastic material. Kydex is an alloy of acrylic and polyvinyl chloride processed into a thermoforming sheet material. The properties of Kydex make it easier to form than ABS (Royalite) and more impact resistant than PVC (Orthoplast vinly).

Kydex stays soft longer than Royalite during the forming process.

Available in pewter grey and pearl white.
bk-7145 KYDEX plastic 16 x 18 x 1/8 grey each 3.50 6or+ 3.15 bk-7146 KYDEX plastic 16 x 18 x 1/8 white 3.50



WATER HEATER FOR SPLINTS

A water reservoir that has a triple thick cast aluminum body that will not warp and assures quick even distribution of heat. Large size (15 x 10 x 1 1/2) will accommodate all hand splints. Automatic heat control. Mounted on plastic feet. 1500 watts. Presto #XFPT15 bk-7264 Water Heater for Splints each 24.95




SOLID AND FOAM ELASTOMER

Silicone rubber-like materials from Dow-Corning Company. The solid elastomer is mixed and poured next to the skin to form intimate shapes that will hold the splinted part in place. The foam elastomer procedure was described in A. J. O. T. of Sep. /Oct. 1965. The foam is combined with the solid elastomer to increase the density of the foam.

bk-7202 Silastic Foam Elastomer #5370 (1 lb can) 10.85 bk-7209 Silastic RTV (solid) Elastomer #382(1 lb can) bk-7216 Silastic Thinner

SCALE FOR MEASURING PLASTICS


A 1,000 gram scale that can be recalibrated after each addition. Put on a container and set face to zero, add liquid A reset face to zero, add liquid B and reset to zero. Calibrated at 2 gram intervals. White. bk-7257 Plastics Measuring Scale, 1000 gram each 15.00



A ready made splint strap that is applied in an instant. Consists of a section of pressure sensitive hook and a 12" piece of pile. Trim to the correct length, peel off backing and install. 2" wide pile is recommended for a finger piece or where a wider support is needed. Available in white, beige or slate grey.

bk-7029-1 Instant Velstrap 1" bk-7029-2 Instant Velstrap 2"

each .55 doz 5.50 each .77 doz 7.70



FOAM PADDING

Grey foam padding backed with adhesived mylar film that will not come loose. 3/16" thickness by 5 inches wide. Cut to the right size, peel off the release paper and press onto the splint.

bk-7163 Foam Padding, 3/16" x 5" wide foot .30 6or+ .2 bk-7163-25 Foam Padding, 3/16" x 5'x 25 ft roll 6.25


6or+ .27 bk-7163-25 Foam Padding, 3/16'x 5'x 25 ft roll



POLY HINGE

Add continuous hinges to your projects by cutting to length and fastening with screws, nails or rivets. Polyproplyene plastic hinge material. Supplied in a four foot roll. Available in white, silver or

bk-5095 Poly Hinge roll 2.00 6or+ 1.80




LAP TRAY FASTENER KIT

This kit contains the parts needed to add Sure-Grip fasteners to your own lap trays. A NEW design simplifys assembly. 3 screws fasten the unit with the rubber belt. 2 screws fasten the side bracket. Peel the backing off the sponge rubber, press it into place and you are already half done. Complete instructions.

bk-6083 Lap Tray Fastener Kit

each 4.50 6or+ 4.05





ADULT LAP TRAY

Formica top on 1/2 inch plywood with plastic edging. Twenty three inches wide by nineteen inches deep. Fitted with B/K rubber belt fasteners that pass under the arm rests and hook as shown. Sponge rubber pads over the arm rests.

bk-6061 Adult Lap Tray

each 15.00 6or+ 13.50

The most versatile vise on the market. Fastens to any bench in the clinic at the spot which is the most convenient for your patient.

Double screw action keeps the base rigidly in place.

The vise itself will rotate 360° in the upright position as shown or 360° lying on its side. This means that you can position the project as desired for the exercise required then tighten the vise handle and the entire unit locks securely in that position.

The jaws are 3 1/2" smooth steel surface. They will open to 4 3/4" inches. A permanent base is included since you may wish to use the portable base and also have one permanent spot. bk-5102 Therapy Vise each 22.80


BASE FOR VISE

If you wish to have an extra base or already have the vise but need the portable base we will supply this item seperately. Made for the vise shown above.

bk-5103

Base for Therapy Vise

each 6.40




3044

The deluxe model is made of laminated maple to a chopping block thickness of one full inch. The wood has been saturated with vegetable coil to resist staining. 10" x 14" size. With cork feet and a new size asluminum holders. Stainless steel corner guard and the accessories

The standard model is also 10"x 14". Smooth maple with prounded edges. Has rubber suction feet and aluminum vegetable

bk-3044 Maple Paring Board bk-3046 Deluxe Maple Paring Board

each 3.00 4.50 6or+ 2.70 4.05



MICA TOP PARING BOARDS
Two spiral aluminum holders secure the vegetable for paring. 5"x 10" size with formica top, stainless steel rim and rubber suction feet. The DELUXE model has a stainless steel corner guard for spreading butter on bread and other tasks. Potato peeler and garnishing knife included bk-3023 Formica Paring Board

each 3.95 4.50 6or+ 3.56 bk-3037 Deluxe Formica Paring Board



ELECTRIC CAN OPENER

For use by persons with one funtioning hand or by arthritics who find other types difficult. Set includes a wall rack, a beater and a knife sharpener.

bk-3051 Electric Can Opener (Ronson #36006)

each 20.00







3086

JAR LID OPENER


Opens glasses, fruit jars, bottles---anything that wear a cap---screw, pry-up, friction, vacuum or crown top. Main features are the screw cap remover, the pry-up edges and the bottle hook. Must be wall mounted. Folds flat when not in use. White enamel finish. As described in Oct. '65 American Journal of Occupational Therapy. bk-3086 Zim Jar Lid Opener each 2,50 6or+ 2,25

ZIM TWIN CAN AND JAR OPENER

A dual unit as pictured on the lower right. Wall mounted jar opener folds down to let you use the can opener. Equipped with a magnet to hold the can lid.

bk-3087 ZIM Twin Can and Jar Opener

each 5.50 6or+ 4.95




LIGHTWEIGHT STEAM IRON

Suggested by an occupational therapist with a degree in home economics as the iron of preference for many handicapped persons because it is light and easy to handle with preformance equal to its big brothers.

Spray-steam bulb fills with tap water and shows water level.


Fabric selector dial. Good for dry ironing as well as steam ironing. bk-3058 Lightweight Steam Iron General Electric #F49 each 14.50



GIANT TONGS AND PASTRY ROLLER

Fifteen inch chrome plated tongs with a new handle shape. Serrated gripping surface at the lower edge. Lightwieght and easy to


A one-handed rolling pin that is easy to handle and compact to store. The five inch wooden roller will roll out cookies and pastry. The small roller on the other end is used to roll pizza dough thinner, bk-3072 Giant Tongs each 1.50 for+ 1.35 bk-3079 One-handed Rolling Pin 1.50 1.35 each 1.50 6ort 1.35



BILATERAL SANDER

A clinic treatment tool with features that are not found on homemade models. Five sets of interchangable handles from 3/4" diameter to 2" diameter. Handles are quickly changed by loosening a wing nut.
The box is nine inches square with a flat smooth plastic laminate bottom. Uses a standard sheet of sandpaper that is easily stapled in place. Painted finish.

bk-5083 Bilateral Sander with Changable Handles each 10.00




FINGER EXTENSION REMEDIAL GAME

This game was suggested by a Canadian Occupational Therapist for getting a variable amount of active finger extension.

Consists of a heavy weighted base with checkers on one side and a solitaire jumping game on the other side. Thirty two checkers are provided. Checkers have a soft plastic loop for engaging the finger in a position for active extension.

VELCRO hook on the game board and pile on the checkers provide the desired resistance.



LEG_BRACE_LOCKER

Helps to lasten the knee locks on a "beginners" leg brace by hooking into the side bar and providing extra leverage to extend the brace. Two position handle snaps apart for easy transporting and storage. Solid aluminum construction. Recommended as a training

bk-6012 Leg Brace Locker

each 15.00 6or+ 13.50



6005

B/K HEAD TRACTION HALTER

A new head traction halter with VELCRO closure adjustments. Get the correct angle of pull as prescribed without cumbersome buckles. Both temporal and occipital straps have a wide range of adjustments. Preferred by nurses since it is so easy to unVelcro strap, wash the face and return the strap to its original position. Continuous webbing from one ring to the other. Sturdy plastic material with a soft foam lining. Heavy duty Velcro hook used throughout. Two chin pieces included since this part must be replaced periodically due to wear on the pile portion. Green color with green and brown Velcro.

bk-6005 B/K Head Traction Halter

each 5.50 6or+ 4.95




ADJUSTABLE HEAD POINTER

Designed as a communications aid for non-verbal brain damaged children in consultation with the staff of a childrens hospital school.

The headpiece is soft plastic with foam lining attached to an aluminum frame. It will mold to any head size. The head piece is held on by a soft elastic head band. Three different length head bands are included. An elastic chin strap completes the assembly. All point of attachment of both the chin strap and the head band can be varied by Velcro placement.

The pointer mechanism consists of a locking device at the top of the head into which any of three different size and weight pointer rods can be inserted. The length and angle of the rod can be varied easily.

Steel weights can be added front or back to counterbalance the action of the rod. A five ounce and a ten ounce weight are supplied. bk-6001 Adjustable Head Pointer each 17.00 6or+ 15.30



VELCRO

ONE INCH WIDE

pick the COLOR: WHITE, BEIGE, SLATE GRAY, NAVY, BLACK, RED, GREEN, Medium BLUE, BROWN.

pick the AMOUNT: 1 yard length, 10 yard square pak, 25 yard spool.

pick the EXACT ITEM: Complete Closure (hook and pile), HOOK only,
PILE only or pressure-sensitive hook in white,
beige or black.

pick B/K for fast delivery of all your Velcro needs!


bk-7001	Velcro Closure	1"x 1 vd	1.90
bk-7001-10	Velcro Closure	1"x 10 yd square pak	15.00
bk-7001-25	Velcro Closure	1"x 25 yd spool	35.00
bk-7001-H10	Velcro HOOK only	1"x 10 yd square pak	7.50
bk-7001-P10	Velcro PILE only	1"x 10 yd square pak	7.50
bk-7001-P25	Velcro PILE only	1"x 25 yd spool	17.50

Select from the TEN colors above and tell us your choice.



PRESSURE SENSITIVE VELCRO The adhesive is already in place. All you do is peel off the backing paper and stick the Velcro to the splint or other smooth surface.

bk-7001-hps	pressure sensitive hook!"x 1 yd length	1.30
bk-7001-hps10		11.00
bk-7001-pps	pressure sensitive pile 1" x 1 yd length	1.30
	pressure sensitive pile 1" x 10 yd sq. pak	11.00
	(white, beige, slate grey or black)	11.00



NURSING HOME MODEL

A light weight lap tray which fastens at the back of the wheelchair. One fourth inch wood grain Marlite board with strong stainless steel corners. Rubber padding over arm rests. Velcro closure at the back. bk-6063 Nursing Home Lap Tray each 9.50 6or+ 8.55



VELCRO #40 ADHESIVE

Made and recommended by the Velcro Corporation for gluing hook and pile to plastics, metals and other surfaces. Needs an overnight period to gain full holding power. Two ounce tube.

bk-7031 Velcro V40 Adhesive, 2 oz tube tube .75 box of 10 6.75




"D" RING VELSTRAP

A ready made splint strap for use when extra holding force is needed. Threading through the "D" ring and pulling back makes it easy for the patient to get the correct tension. 14" length. Available in white, beige or slate grey.

bk-7027 D Ring Velstrap 14" each .55 doz 5.50

each .55 doz 5.50



IMO INCH MIDE

pick the COLOR: WHITE, BEIGE, SLATE GRAY or BLACK

pick the AMOUNT: 1 yard length, NEW 5yard square pak, 10 yard square pak.

pick the EXACT ITEM: Complete Closure(hook and pile), HOOK only, PILE only, 2" pile makes a good splint strap.

bk-7002	Velcro Closure	2"x 1 yd length	3, 80
bk-7002-5	Velcro Closure	2"x 5 vd square pak	15.00
bk-7002-10	Velcro Closure	2"x 10 yd square pak	30.00
bk-7002-H5	Velcro HOOK only	2"x 5 yd square pak	7,50
bk-7002-P5	Velcro PILE only	2"x 5 yd square pak	7.50

tropical splints

Can be formed and applied in several minutes and can be changed as quickly for progressive corrections.


The plastic holds its shape at body temperature and in normal environments.

Pleasant flesh tone color that will please your patients. Beige Velcro blends best with these splints.

Advantages of bioplastics splints:

Easily formed in hot water. Easily cut with scissors or jig saw.

Sets-up fast --- cools rapidly --- holds its shape.



Sunnyview Arthritic Positioning Splint

Used as a rest splint in arthrology and neurology as well as in rehabilitation of the burned hand.

bk-3000 Sunnyview Positioning Splint

each 3.25 doz 32.50

Cock-up Splint

Suited for applications requiring immobilization of the wrist in arthritic and neurological disorders and for sprains or cast replacement in Colle fractures.

bk- 3050 Cock-up Splint

each 3.40 doz 34.00

Bear Paw Splint

Used as a resting splint for treatment of a flail or spastic hand which needs wrist and forearm support as well.

bk-3100 Bear Paw Splint


each 3.90 doz 39.00

Sheet Splint Material 8"x 16" (not illustrated)

For general use in preparing specialized sizes and shapes. Economical for preparing several small splints. Easy to scissor, sand and shape in hot water or with a heat gun.

bk-3150 Bioplastics Splint Material 8x16 each 3.15 doz 3


each 3.15 doz 31.50





FUNCTIONAL POSITION SPLINT

A splint withour straps or padding for those who prefer to add their own accessories. Available only in grey Royalite.

bk-7090 Functional Position Splint SMALL RorL? bk-7091 " " MED RorL? 6.75 6or+6.07 " " LARGE RorL? bk-7092








DELUXE FUNCTIONAL POSITION SPLINT

A ready made resting splint that will save you hours of time. Wrist and forearm straps have been installed. The finger piece is an Instant Velstrap. Remove splint from package, make minor changes (heat gun) if necessary, add the foam padding, install the finger piece and you are finished. Available in grey, beige or


bk-7083R bk-7083L	Deluxe	Functional	Position	Splint,	SMALL SMALL		7.65 7.65
bk-7084R	11	11	"	11	MED	8, 50	7.65
bk-7084L	11	- 11	- 11	11	MED	8.50	7.65
bk-7085R	11	11	- 11	- 11	LARGE	8. 50	7.65
bk-7085L	11	"	11	11	LARGE		7.65
	Spec	ify grev. be	eige or w	hite			



DORSAL WRIST SPLINT

Designed primarily for feeding training with a "new" quad. The splint supports a flaccid wrist and hand without incumbering the volar surface. The utensil holder Velcros onto the palmar piece in many angles and positions as you experiment with plate to mouth patterns. Foam padding on Royalite with Velcro straps. One utensil holder supplied with splint.

bk-7080 Dorsal Wrist Splint each 4.50 6or+ 4.05 bk-7081 Extra Utensil Holder for 7080 1.00



CHILDS SWIVEL WYENSILS

Recommended for children. Rubber covered handle. Adjustable stops on swivel mechanism. Scoop nose spoon, small size fork, bk-1187 Childs Swivel Spoon each 2.95 60rt bk-1187 Childs Swivel Spoon bk-1188 Childs Swivel Fork 2.95 2.65



Sure-Grip glass holder fastens to your glass to provide a handle that is strong yet can be bent to fit your patients hand. Stainless steel welded construction with a plastic cover on the handle. Thumb nut adjusts to all glass sizes.


bk-1117 Sure-Grip Glass Holder

each 2.00 6or+ 1.80

Plastic drinking mug with a fine handle for persons with grasping problems. Therapists have found it useful with children and patients with weakness. Assorted colors. There are 2 mugs per package with the per mug cost of only 50¢.

bk-1120 Plastic Drinking Mug

pkg 1.00 6or+ .90



FOOD GWARDS

Select from the following:

#1090 Clamps on the back of the plate. Bends easily to fit flat on the plate.

#1105 Three clips hold the guard on by spring action. This is our most popular model. BEST for general use.


#1098 Same as above except for smaller plates.

#1107 Sure-grip model uses rubber bands for positive attachment and non-skid feature.

#1112 NEW lazy susan food guard. Plastic base allows the
plate to turn while the guard remains stationary.
Matching dinner plate is included.
All the guards are made of stainless steel with electronic welding


for maximum cleanliness and durability.

bk-1090	Piggy-back Food Guard	each	3.50	6ort	3.15
	B/K Food Guard, Small 6-8" plate		3.75		3.38
bk-1105	B/K Food Guars, Large 9-11" plate		3.95		3.56
	Sure-Grip Food Guard		3.50		3. 15
	Lazy Susan Food Guard		8.00		7. 20



No-tip Glass Keeper lets a glass go in and out easily yet keeps it safe from spilling when in the keeper. Plastic tumbler included. Excellent for use with long drinking straws. bk-1118 No-Tip Glass Keeper each 2.75 6or+ 2.47

Lazy Susan glass and straw holder is made to swivel the straw out of the way when eating. Ball bearing lazy susan has rubber feet and a tip proof base. Recommended for quads who are in the beginning stages of feeding training. Outfit includes the straw holder. bk-1119 Lazy Susan Glass and Straw Holder each 4.00 6or+ 3.60




DRESSING AID AND SHOR HORN

Sold as a set to help the person with limited reach "roll" the sock over the foot and pull it up into place. Also used for pulling on clothing. One end is curved around while the other end is shaped like a shoe horn. The plastic handle can be locked at any place along the shaft. Stainless steel construction. Length 27 inches. Set of two. bk-2057 Dressing Aid and Shoe Horn 6.00 6ort 5.40

The long shoe horn pictured above is 24 inches in length. Has the same pull-up feature of the set above without the handle. Stainless steel.

bk-2064 Long Shoe Horn

each 2.50 6or+ 2.25




"HELPING HAND" REACHER


Aluminum frame reacher with trigger action to close the jaw. Length 26 inches, Magnet at the tip. Weight 7 ounces. bk-6109 Helping Hand Reacher each 9.50 6or+ 8.55



THERAPLAST
A silicone material that is especially compounded for hand exercise activities. Pleasant to touch. Packed in two ounce containers. bk-5041 Theraplast each 2.50 6or+ 2.25




Sixteen ounces of silicone exercise compound for only \$9.88
Same density and color at less than half the cost. Packed in a plastic container with three extra little containers. bk-5056 B/K Hand Exercise Compound each 9.88 6or+ 8.90



HOLDING MITTS
Hold the affected hand to a printing press handle or a bilateral sander during funtional therapy. The soft leather mitt will fit either right or left hand. Velcro closures on the straps for easy application

na comio	rtable us	sage.				
bk-5011	Holding	Mitt,	Small (child size)	each	2.75	6or+ 2.48
bk-5018		11	Medium		3.00	2.70
bk-5025	11	11	Large		3 25	2 93



BOOK HOLDER AND WRITING FRAME

A wire frame book holder that unfolds to provide sturdy support for books and magazines. Folds flat when not in use. Nickel plated

with plastic tip protectors.


The bow shaped writing frame is designed to hold a pencil erect for writing. Finger motion is needed to grasp the pencil, but the tripod action of the frame provides a broad support during the training period. Used with either right or left by inserting the pencil from the other direction.

bk-6040 Wire Frame Book Holder .90 6or+ .80 bk-6054 Writing Frame



E-WINDER PENCIL 用OLDER
A pencil holder that slides into a utensil holder to provide writing function without grasp. A locking mechanism holds the pencil firmly in place. Stainless steel. For right hand.

bk-6055R Side-winder Pencil Holder each 1.50 6or+ 1.35



6057


SARONG PENCIL HOLDER

A pencil holder made of Velcro to first encapsulate the pencil, then wrap around the fingers and thumb to hold the pencil at the correct writing angle. Will not slip off yet is comfortable over sustained periods of time. Pleasant beige and brown combination. bk-6057 Sarong Pencil Holder each 2.45 6or+ 2.20



QUAD-LOOP TRAINING SCISSORS

A teacher or therapist can place his hand "over" the child's hand while the pattern of motion is being learned. Standard four inch scissors for the right hand. bk-6019 Quad-Loop Training Scissors pair 2.00 6or+ 1.80



EXTENSION TOOTHBEWSH

The long handled toothbrush has a new constant friction setting at the joint to permit angle changes while brushing. Aluminum construction with an EXpandle handle. Length overall is 16 inches. Weighs less than two ounces.

bk-6048 Extension Toothbrush


each 1.50 6or+ 1.35

EXTEMSION COMB

The long handled comb has a positive lock setting at the joint. A sturdy aluminum comb will not bend or break. Aluminum construction with an EXpandle handle. Photo above does not illustrate the new length which is now 20".

bk-6049 Extension Comb

each 2.95 6or+ 2.65




BUTTON AIDS

More than ten thousand button aids have been sold to date.

Seven handle shapes to meet almost every need. Training kit available.

bk-200	0 Compl	ete S	et of 7 Button Aids set	7.00	
bk-200	8 Button	Aid,	Regular Handle eac	ch 1.00	6or+ .90
bk-201	5 "	11	Knob Handle	1. 25	1.13
bk-202	2 "	11	Rubber Handle	1.50	1.35
bk-202	9 "	- 11	Amputee Handle	1.50	1.35
bk-203	6 "	11	Cuff Buttoner (Suction cup)	1.00	. 90
bk-204	3 "	11	Plastic Handle	1.50	1.35
bk-205	0 "	- 11	Square Handle	1.50	1.35



COLLET ALD

Designed to aid in cleansing after defecation when the individual lacks range of motion. Plastic coated tips grasp the toilet tissue to keep it in position yet easily release the tissue when finished. Easy to wash and keep clean.


Large wooden handles with extra metal additions provide for a wide variety of holding patterns. A light rubber band keeps the device closed. Can be taken apart for cleaning. Length is sixteen inches.

bk-6015 Toilet Aid

Large wooden handles with extra metal additions provide for a wide variety of holding patterns. A light rubber band keeps the device closed. Can be taken apart for cleaning. Length is sixteen inches.



Taton' Shu-lok



2. 25

TALON SHU-LOK

The world's quickest, easiest and simplest way to fasten your shoes. Just FLIP to open, SNAP to close. Made by the Talon zipper folks they are guaranteed for the life of your shoes. Recommended for handicapped children and adults. Have your shoe repairman add them to your shoes or use the kit and put them on in the therapy clinic. Photo above illustrates the kit which includes leather tabs and all the rivets necessary.


bk-6067 Shu-Lok, Standard pair 1.00 60 bk-6068 Shu-Lok Kit, Black Leather tabs 2.50 bk-6069 Shu-Lok Kit, Brown Leather tabs 2.50



Q/T SHOE FASTENER

QUICK and TEMPORARY describes this all Velcro shoe fastener. Two Velcro straps with adhesive go around the shoe and end at "D" rings at the top of the shoe. Installed in minutes without altering the shoe. Guaranteed easy one handed operation. Makes a firm comfortable closure every time. Opens the shoe wide for ease in getting the foot in. Intended especially for the one handed operant, the fastener can be installed for maximum convenience with either right or left hand. Unit includes four straps with "D" rings.

bk-6093 Q/T Shoe Fastener, Mens Black pair 2.95 6or+ 2.65



CIGARETTE HOLDER

bk-6034 Replacement mouthpiece for 6033

A cigarette holder with ejector mechanism mounted on a foam lined metal clip which slips over the side of the hand.

bk-6033 Cigarette Holder each 1.50 6or+ 1.35


. 50



WIENSIL HOLDER

An economy model with a strong elastic band, a Velcro pouch and a new Velcro adjustment at the back. Washable. Made in 3 sizes. Small- 2 1/2"to 3" palm, medium-3"to 3 1/2", large- 3 1/2"to 4".


			Economy,		each	1.00	6ort	. 90
bk-1054	"	"	11	Medium		1.00		. 90
bk-1055		"	"	Large		1.00		. 90



WIENSIL HOLDERS

These are basically bands which fasten around the palm of the hand to substitute for grasp. One model is all plastic with Velcro Closure for adjustability. The other has an elastic portion for better


it on some manas.				
bk-1050 Utensil Holder,	Plastic	each 1.5	0 6ort	1.35
bk-1052 Utensil Holder,	Elastic	1.5	0	1.35



SPORKS


A combination spoon and fork with some of the advantages of each. The tines help in gathering the food onto the bowl. The bowl holds

bk-1056 Spork, Large (7 inch) each 1.25 6or+ 1.13 bk-1058 " Medium (6 inch) 1.00 .90 bk-1059 " Small (5 inch) 1.00 .90	emi-liquids bett	er than a lork. Available	in three size	es. Staim	ess siee.
bk-1058 " Medium (6 inch) 1.00 .90	bk-1056 Spork,	Large (7 inch)	each 1	. 25 6or	+ 1.13
bk-1059 " Small (5 inch) 1.00 .90			1	.00	. 90
	bk-1059 "	Small (5 inch)	1	.00	. 90



A variety of eating utensils with light weight metal handles that can be bent to the desired hand shape and size. Supplied flat for custom bending to your patients' needs.


bk-1203	EXpandle	Youthspoon	each 1.25	6or+ 1.13
bk-1205	11	Youthfork	1.25	1.13
bk-1210	- 11	Teaspoon	1. 25	1.13
bk-1217		Long Teaspoon	1.25	1.13
bk-1224		Saup Spoon	1. 25	1.13
bk-1231	"	Long Soup Spoon	1. 25	1.13
bk-1238	11	Fork	1. 25	1.13
bk-1245	11	Long Fork	1. 25	1.13



ADJUSTABLE SWIVEL WTEMSILS

Eating utensils with a swivel mechanism which keeps them level when wrist or finger motion are absent. Two stops can be adjusted to regulate the amount of swivel in either direction. Flat handle fits into the utensils holders shown elsewhere. Stainless steel construction.

bk-1147	Adjustable	Swivel	Youthspoon	each	3.00	hort	2.70
bk-1154	"	"	Teaspoon		3.00		2.70
bk-1161		***	Soup Spoon		3.00		2.70
bk-1168	"	- 11	Fork		3.00		2.70
bk-1175	"	***	Small Spork		3.50		3.15
bk-1180		11	Medium Spork		3.50		3.15
bk-1182	"		Large Spork		4.00		3.60



BUILT-WP HANDLE WIENSILS

A steak knife with serrated edge is now available as part of a set of built-up handle utensils. New grey handle has better appearance and is easier to keep clean. Bonded with grey resin for a finished look. For right or left hand. Stainless Steel utensil. Sold as a set or individually.

bk-1028	Built-up	Handle	Teaspoon each 1.25 6or+1.	13
bk-1035	- 11			. 13
bk-1039	"			67
bk-1042	11			13
bk-1043	Complete			37


B/K SELF HELP AIDS



PLASTIC SWIVEL SPOONS


New grey plastic handles on these swivel spoons make them more attractive and improves the delicate swivel action. Easier to grasp with a three point pinch. The handles have built-in stops. Stainless steel pressils. Rugged and durable.


ensits. r												
bk-1007	Adult	Swivel	Teaspoo	on .			ea	ch	2.00	6or+	1.80	
bk-1014	11	11	Soup Sp	ooon					2.50		2. 25	
bk-1021	- 11	11	SPORK						2.95		2.66	
bk-1060	Baby	Swivel	Spoon .						1.95		1.76	
bk-1063	Junio	r Swive	l Youths	poon					1.95		1.76	
bk-1070	11	"	Teasp	oon					2.00		1.80	



SIDE CUTTER FORK


A special eating utensil which provides an edge along the side of the fork. The curved blade is only semi-sharp so there is no danger of cutting oneself. The edge will cut up average foods but not all meats. bk-1049R Side Cutter Fork, Right each 3.00 for+ 2.70 bk-1049L Side Cutter Fork, Left 3.00 2.70





FOLD-UP EXTENSION HOLDER


A fold-up extension holder that folds out to 12 inches when ready for use. Your own fork or spoon slides into the plastic utensil holder. Completely washable down to the strong nylon thread that sews it together. Overall length with fork in place is 15 inches. Stainless steel. bk-1190 Fold-up Extension Holder each 3.50 6or+ 3.15



SELF HANDLE WIENSIL

A stainless steel handle is permanently welded to the eating utensil. Therefore there is nothing to get lost or worn out. The handle is soft enough that it can be bent to fit the hand of the user. A soft plastic cover makes the handle comfortable and pleasant to use. Sold as a set or individually.


bk-1266	Self	Handle	Teaspoon	each	1.10	6ort	1.00
bk-1273	11	10	Long Teaspoon		1.10		1.00
bk-1280	11	- 11	Soup Spoon		1.10		1.00
bk-1287	11	11	Fork		1.10		1.00
bk-1290	Com	plete	Set of Four Utensils		4.00		3.60



EXTENSION UTENSILS

A long spoon or fork for persons with limited range of motion. Choice of handles includes; the plain stainless steel handle, the EXpandle handle and the plastic grip handle. Utensil can be tightened securely by slipping the wing nut between the tines of a fork and turning until tight.

bk-1194	Extension	Teaspoon, Smooth Handle each	2.00	6ort	1.80	
bk-1195	11	Fork, Smooth Handle	2.00		1.80	
bk-1196		Teaspoon, EXpandle handle	2.90		2.61	
bk-1197	11	Fork, EXpandle handle	2.90		2.61	
bk-1198	11	Teaspoon, Plastic handle	3.00		2.70	
bk-1199	"	Fork, Plastic handle	3.00		2.70	



MEAT CUTTER KNIFE

A knife with a long curved blade designed for cutting meat with only one hand. Sculptured wood handle. Stainless steel blade.

bk-1048 Meat Cutter Knife each 1.50 6or+ 1.35

Fairway King Inc., Okla. City, Okla.




DRIMKING SPECIAL CWPS

The Wonder-Flo Vacuum Cup is made for drinking while lying down. Tip the cup up and draw enough for one swallow. When you stop drawing the liquid will stop flowing. White nylon can be sterilized.

bk-1252 Wonder Flo Cup each 1.65 6or+ 1 each 1.65 6or+ 1.49

The modified cup shown has a 1/4 inch hole and two soft plastic handles. It is not intended for drinking while lying down but is made for patients with extreme weakness or for patients with tremors and related spillage problems. The soft plastic handles provide an easy grasp. One handle can be removed by cutting through and unthreading ELECTRIC RAZOR HOLDERS



DRINKING STRAWS


The long plastic drinking straws shown are 18 inches in length. They can be used over and over again.

#1130 Crystal clear plexiglas with a 1/8 inch hole. Can be

bent by heating over a burner. 10 straws per pack #1133 Flexible polyethylene with a 1/8 inch hole. Safest when there is a problem of incoordination. 10 to pkg.


#1136 Crystal clear plexiglas with a 1/4 inch hole. Useful

with soups and pureed foods. 5 straws per package.
bk-1130 Clear Plastic Straws (pkg. of 10) pkg 1.50 6or+ 1.3
bk-1133 Flexible Plastic Straws (pkg. of 10) 1.00 6or+ 1.35 bk-1136 Large Plastic Straws (pkg. of 5) 1.00 . 90



Designed to fit recent models of three brand name electric razors. Stainless steel construction with plastic covering and foam padding for comfortable usage. Will not fit the heavier battery powered models nor can we guarantee that it will fit all models. May be returned within ten days if it does not fit your razor.


bk-6027 SUNBEAM Razor Holder each 5.00 6or+ 4.50 bk-6028 REMINGTON Razor Holder 5.00 bk-6029 NORELCO Razor Holder 5.00 4.50



THREE FINGER RAZOR HOLDER

A Gillette safety razor is fastened to a stainless steel frame that slides onto three fingers to hold the razor for shaving. The soft stainless steel is easily bent to fit onto the fingers of the user. For standard double edge blades.

bk-6026 Three Finger Razor Holder each 3.00 6or+ 2.70



REMOTE CONTROL FINGERNAIL CLIPPER

Position the fingernail in the clipper and press down with the forearm to cut the nail. Rotate the clipper from side to side to clip around the nail. New dacron control cable and teflon bearings for better function. Stainless steel construction with rubber feet. Length is 20 inches.


bk-6035 Remote Control Fingernail Clipper each 4.50 6or+ 4.05



HAND BRUSH

Used by most amputees and stroke patients as standard equipment for scrubbing the good hand. Nylon bristles set in durable plastic with two suction

bk-6047 Hand Brush each 1.00 6or+ .90



PLASTIC ARTICULATED SKELETON

Hang-up Mounting

Each bone is cast individually in natural color with all the fine detail of surface anatomy well reproduced. Each skeleton is carefully mounted with non-corrosive metal parts and wires. The intervertebral discs and costal cartilage are made of a semi-flexible translucent plastic to simulate natural appearance. Wherever possible, there is natural movement in the joints. The arms are removable at the shoulders and the legs can be disarticulated at the hips, knees and ankles. The skull is detachable, the lower jaw hinged, the calvarium cut and mounted. The sutures as well as all of the fine anatomical detail at the base, the orbits, the cranial vault, the nasal septum and turbinated bones are realistically reproduced.

The skull has a full set of teeth in natural white color. Markings with crayon or ink to indicate fractures, nerves, arteries, etc., can be traced on the bone and washed off with soap and water. It is almost impossible to distinguish this model from natural bone. Can be used with Stand No. 3054/H or Cabinet No. 3051.

M-6005 each \$ 275.00

STEEL SKELETON CABINET, GREY

These Cabinets are supplied with lock and key. The lock securely fastens the door at top, bottom and middle points. Cabinets are equipped with slideout telescopic hangers so that the skeletons may be moved forward for demonstration and study. Inside dimensions are 18" x 18" x 72". Overall height is 78". Cabinets are shipped unassembled.

3051


each \$ 50.00

PROTECTIVE SKELETON COVERS

Translucent vinyl plastic fold-around cover for Skeleton, 70" x 18" \$2.50

3053 Same as above but with zipper \$ 3.00





HANG-UP TYPE SKELETON STAND

The improved tripod skeleton stand is made of aluminum tubing 1-1/16" in diameter. It is sturdily constructed, and its rubber tipped legs prevent sliding and scratching of floors. On this stand the rod which passes through the center of the aluminum tubing can be adjusted for height to accommodate different size skeletons.

3054/H.....

each \$ 30.00

PLASTIC FLEXIBLE VERTICAL COLUMN with Pelvis and Occipital Bone

Included are complete spinal cord with nerves, vertebral and basilar arteries, herniated disc between 4th and 5th lumbar vertebrae. The spinous process of the 4th cervical vertebra has been amputated and the dura mater dissected on the left side to illustrate the emergence of spinal nerves from cord. The intervertebral discs are made of semiflexible vinyl plastic.

M-6272

\$ 128.00

6265


with-out nerve

\$79.50


HUMAN BONE ARM with Hand, Scapula and Clavicle

Articulated to reproduce the important movements of the joints. The hand and also the shoulder blade with clavicle are removable.

S-6290 each \$ 35.00



POWER DRIVE CHAIR



— The only push-knob-controlled folding wheelchair with speed selectors.

Simply push the single control knob in the direction you want to turn or travel. Unique switches inside the control box do the rest. Whether it's a trip inside around the house or outside around the block, this amazing Everest & Jennings chair is your slave—with mere fingertip pressure on the control knob, you go almost anywhere you please—independently! Twin "Group 1," 6-volt batteries (not sup-

Twin "Group 1," 6-volt batteries (not supplied with chair) are available at Everest & Jennings dealers or automotive service stations. They provide from 6 to 8 hours of power driving between charges. It is a simple matter to recharge the batteries overnight with the battery charger furnished with each chair.

The Power Drive folds compactly for car travel.

Will climb 10% grade.

MODEL 8U20-76-06-840


\$617.00

Specify right or left hand control

The power aid for new or used wheel chairs makes any wheel chair self-propelled.

Hand Grip Pressure Control
Electric Motor & Wheel\$239.00
Battery Container Case & Frame
Charger


*Battery Not Included-Add \$36.00



Specifications of Wheelchairs

Over-all Width*	241/4"	25"		253/4"	241/2"	241/2"	251/2"
Width Folded	93/4"	11½"		11"	101/4"	93/4"	111/2"
Width of Seat*	171/4"	17"		18"	18"	171/2"	17"
Depth, Seat Uph.	16"	16"		16"	16"	16"	16"
Seat to Floor	201/2"	20"		191/4"	191/4"	20"	191/2"
Arm Height from Seat	101/4"	Adj. 9-10-11"	Adj.	91/2-101/2-111/2"	93/4"	81/2"	9"
Height of Back from Seat	171/2"	161/2"		22"	161/2"	16"	161/2"
Footrest Adj. from Seat	141/2-20"	13¾-19¼"		13¾-19¼"	13¾-19¼"	14-20"	133/4-191/4."

^{*} Junior Models 2" Narrower



MODEL 8ULW20-15 With Fixed Footrests






8-INCH CASTER ELEVATING-LEGREST CHAIR Adjustable legrests lock in any position up to horizontal. Both legrest panels and footrests fold up for ease of entrance and exit. Heavy duty, 3-position legrest panels are the same as those on the Hollywood models.



Five-inch casters have ball bearings on swivels for ease of maneuvering. Folds to nine inches for travel or storage. Truly a fine value in a low-price wheel-chair.



8U26-620-76-15 \$337.00



Especially designed for children up to 6 years, Tiny-Tot chairs can become "magic carpets" to normal, active life. Youngsters quickly learn to master a surprising number of activities in these chairs. Footrests adjust easily to accommodate growth. Low-seat model enables the child to get in and out unattended, lets him meet his playmates at eye level. High-seat model raises the



LIGHTWEIGHT WHEELCHAIR

Weighs only 29 pounds! Like all Starliner chairs: Value at low cost.
















Model 8U20-76-15 Adult model with 18" wide seat \$185.00


> Model 8U20-774-15 \$237.00


> > MODEL 8U20-16-76-15 Narrow Adult model with 16" wide seat.

> > > \$185.00



GENDRON WHEEL STRETCHER - detachable steel litter. Frame is strong angular steel, securely riveted and reinforced with corner plates, and gussets; $10^{\prime\prime}$ diameter bolted disc type, ball bearing wheels. Ball bearing swivel joints; 11/8" white rubber tires. Top: 72" long, 26" wide, 331/3" high. Tires are





Folding Wheel Stretcher. Each....\$145.00

GENDRON FOLDING WHEEL STRETCHER - by releasing lock and raising release handle, stretcher folds easily. Takes 1/4 the storage space usually required. All steel litter is 72" long, 26" wide, 331/2" from floor. Welded tubing frame with rigid wheel support. Disc type, 10" diameter, ball bearing wheels, 11/8" tires. Swivel fork lock on front wheels. Ball bearing swivel fork journals. Wt. 160 lbs.

Foam Pads


For Examining Tables and Treatment Tables. Also Wheelstretchers. Filled with one-piece white foam, covered with hospital sheeting, well tailored, box edge construction with zipper opening at one end. Comes standard with square corners; if diagonal or rounded corners are wanted—specify in order.

Sixes	11/2" Thick	2" Thick
20"×72"	25.00	30.00
24"x72"	27.50	31.50
24"x72"	33.50	37.50
30"x72"		37.50
30"x78"	35.00	38.50
36"x72"	40.00	42.00
36"x78"	46.00	48.00


If leatherette cover is desired, add \$2.00.

easy-to-clean Naugahyde upholstery, safety belts. Completely adjustable for correct support.





DETACHABLE BACK
UPHOLSTERY #4020 \$12,50
Unlocks and swings away to permit
patient transfer from the rear of chair.
Specify whether upholstery should detach at right or left. (Not recommended for reclining-back chairs.)



#4010 \$7.50
Enter or leave chair from the rear. The heavy-duty zipper holds the back upholstery secure, yet is easy to operate. Specify zipper on right or left side. (Not recommended for reclining-back chairs.)




EXTENSION #4006X


For added comfort and head or shoulder support. Easily removed when not in use, yet extends the back height 13" without frame modifications. Envelope opening at bottom allows insertion of a small pillow for extra comfort.



#4040 \$14.00
Padded with ½ foam rubber, this insert panel provides firm back support and is covered in matching Naugahyde.




SNAP-STRAPS & RINGS #4080 Prevent the tied-in look. Easily attached to the back of the chair, on each side, the snaps lock onto the 'D' rings which are attached to the patient's waist belt. Straps help stop slipping and aid in maintaining proper posture. \$4.00 pr.




#1751
Nylon belt with quick-release buckle Ideal for patient safety. Specify 1" or 2' width. Slip-thru type of buckle.

SAFETY BELT (AUTO TYPE)




COMPACT FOLDING
REACHER (MODEL 170)
Extends arm reach. Enables bed patients and wheelchair users to pick up articles otherwise out of reach.

"HELPING HAND"
(MODEL 1771)
Will pick up a book or a dime! 261/2"
long, weighs 6 ounces.



ANTI-TIPPING LEVER \$18.50 pr.
EXTENSIONS #3009ATAUsed generally on full-reclining-back chairs (-47), when severe spasticity indicates the need for added safety fee




NO. 2 FOOTREST ASSEMBLY

Adds 21/2 inches to the foot support area.

Standard equipment on Premier elevating-legrest chairs.

\$3.00 Pr.



HEEL LOOPS #5010

used to prevent feet from slipping off the step-plates. Desirable when patient has leg spasms or is extremely active.


\$5.50 Pr.



B"x2" SEMI-PNEUMATIC TIRES #0803

requently used with the large-wheel pneumatic tires. Valveless and punctureproof. Gray non-marking rubber.

\$2.00 pr.




'NO. 3 FOOTREST ASSEMBLY #7263

Extends the step-plate 2½ inches to the rear to support the entire foot. Special cut-out design prevents interference with caster swiveling. \$30.00 Pr.




BRAKE LEVER EXTENSION

#150X \$3.00 Pr. Increases height of standard brake lever and adds to leverage for brake operation. Those with arm-movement restrictions will especially appreciate this accessory, since it brings the brake within their reach. Can be removed without tools in order to allow unobstructed side transfer.




24"x11/4" PNEUMATIC TIRES #0924LW-36

Absorb shocks and materially add to the life of the chair. Riding comfort is improved when rough or bumpy surfaces are commonly encountered. \$18.00 pr.



TOE LOOPS #5002

Attached to step-plates to prevent feet of active spastics from slipping forward off the plate. May be installed at any time. \$5.50 Pr.




LEVER BRAKES #15

Available at no additional cost when ordered in place of the standard toggle brake on Premier chairs. \$8.00 Pr.



24"x134" PNEUMATIC TIRES

#0924-36 \$8.00 pr.
Recommended when chair is used frequently on soft, sandy or rough ground.
Absorbs road shocks and extends the life of the chair. Gray non-marking rubber.



PIN-TYPE ARM LOCK #2550 Arms are locked in place by inserting the stop pin through the socket and arm.






ADJUSTO TRAY WITH RIM #2044 Unique adjustment design lets this tray "fit" any Éverest & Jennings wheelchair. Rim prevents small objects like pencils, eating utensils and other elusive objects from rolling off. \$19.95



FOAM RUBBER CUSH Available in various sizes to fit the chair (seat or back). Lightweight virgin-latex toam rubber provides even support of weight. Gray cloth cover or matching Naugahyde leatherette cover.



BUTTON-TYPE ARM LOCK #254 Spring-lock button lets detachable arms "snap" into place, securely locking the arms on the chair. Finger pressure releases the lock as the arm is being removed. \$5.00 pr.



ADJUSTO TRAY #2041

This standard tray may be adjusted to fit most Everest & Jennings wheelchairs. Allows the patient to enjoy many activities, such as writing, eating and working at hobbies, completely within the area of the chair. Formica top is mar-proof, sanitary, easy to clean. \$15.00




COMMODE ATTACHMENT #9111 Converts most standard chairs into commode chairs without modifications. This assembly includes seat, seat cover, tray and pan. All leatherette parts in matching Naugahyde. \$47.50



CANE & CRUTCH HOLDER #4085

Convenient place to carry crutches or cane. Cup is attached to one of the bottom rails, and the matching Naugahyde strap with snap may be installed on either the right or left side. \$6.50



"RANCHO" ARMSLINGS #4493R Support either or both arms with these adjustable bilateral suspension assemblies. Capable of being adjusted for use on reclining-back chairs as well as standard chairs. \$85.00 Pr.



SOLID INSERT SEAT PANEL #941 Frequently prescribed for posture cor-rection, hip problems or when a rigid seat is preferred. Solid base with foam rubber pad for maximum comfo Covered with matching Naugahyde, \$16.00



MODEL HM 310D

ILLE TWO MOTOR MOBILE WHIRLPOOLS include a heavy gauge Stainless Steel Tank (seamless-completely and continuously electrically welded, leak proof) mounted on four large ball bearing casters, Electric Turbine Ejector and Aerator with 1/3 H. P., high speed 3450 R. P. M. motor, Turbine Ejector Raising and Lowering Device, Thermostatically Controlled Electric Heater, Foot Support and Heater Guard, Dial Thermometer mounted inside of tank, separate Electric Drainage Pump with vertical standpipe and swing arm, Auxiliary Floor Drain Valve, Control Panel and Filler Hose with rubber faucet adaptor. A supporting stand with casters is included with HM 400.

MOBILE WHIRLPOOLS
(Two Motor Type)

MODELS HM 300, 305

Catalog	Toma Unit	In	side Tank	Size	Classi-	Price	
Model No.	Type Unit	Length	Width	Depth	fication	Titee	
HM 200	Arm, Leg and Hip with Thermostatic Heater	36"	20"	28"	A	\$775.00	
HM 200D	Arm, Leg and Hip without Thermostatic Heater	36"	20"	28"	A	685.00	
HM 255	Arm, Leg and Hip with Thermostatic Heater	42"	20"	28"	A	825.00	
HM 255D	Arm, Leg and Hip without Thermostatic Heater	42"	20"	28"	A	735.00	
HM 275	Arm, Leg and Hip with Thermostatic Heater	48"	20"	28"	A	875.00	
HM 275D	Arm, Leg and Hip without Thermostatic Heater	48"	20"	28"	A	785.00	
HM 280	Arm, Leg and Hip with Thermostatic Heater	48"	24"	28"	A	915.00	
HM 280D	Arm, Leg and Hip without Thermostatic Heater	48"	24"	28"	A	825.00	
HM 285	Leg and Hip (Long and Low) with Thermostatic Heater	66"	22"	18"	A	940.00	
HM 285D	Leg and Hip (Long and Low) without Thermostatic Heater	66"	22"	18"	A	850.00	
HM 300	Arm, Foot and Low Leg with Thermostatic Heater	28"	15"	22"	A	605.00	
HM 300D	Arm, Foot and Low Leg without Thermostatic Heater	28"	15"	22"	A	515.00	
HM 305	Arm, Foot and Knee with Thermostatic Heater	28"	15"	25"	A	645.00	
HM 305D	Arm, Foot and Knee without Thermostatic Heater	28"	15"	25"	A	555.00	
HM 310D	Foot without Thermostatic Heater	24"	14"	16"	A	400.00	



MODELS HM 600, 655, 675, 680 DLX


ILLUSTRATIONS OF TYPICAL STATIONARY WHIRLPOOLS

You too can treat more patients per day in your Rehabilitation or Physical Therapy Center with the use of ILLE Stationary Whirlpools as they can be filled and emptied faster. Plumbing connections are required.

MODEL HM 500 STD or DLX

1010 STD or DLX

gauge Stainless Steel Tank (seamless-completely and continuously electrically welded, leak proof), Electric Turbine Ejector and Aerator with ½ H. P., high speed 3450 R. P. M. motor, Turbine Ejector Raising and Lowering Device, 3½" Dial Thermometer mounted inside of tank, over-the-rim sanitary Water Inlet, and Drain Valve and Overflow. A stainless steel supporting Pedestal is included with HM 500 STD or DLX.




STATIONARY WHIRLPOOLS

ILLE STATIONARY WHIRLPOOLS are available in Standard (STD) or Deluxe (DLX) Models—The only difference is the type of drain and overflow fittings.

MODELS HM 600, 655, 675, 680 STD

Catalog	Samuel Street Street	In	side Tank	Size	Classi-	Price	
Model No.	Type Unit		Width	Depth	fication	STD.	DLX.
HM 500	Arm	28"	15"	18"	A	\$520.00	\$550.00
HM 600	Arm, Leg and Hip	36"	20"	28"	A	650.00	685.00
HM 655	Arm, Leg and Hip	42"	20"	28"	A	700.00	735.00
HM 675	Arm, Leg and Hip	48"	20"	28"	A	750.00	785.00
HM 680	Arm, Leg and Hip	48"	24"	28"	A	790.00	825.00
HM 685	Leg and Hip (Long and Low)	66"	22"	18"	A	815.00	850.00
HM 1000	Arm, Foot and Low Leg	28"	15"	22"	A	480.00	515.00
HM 1005		28"	15"	25"	A	520.00	555.00
HM 1010	Arm, Foot and Knee Foot	24"	14"	16"	A	475.00	510.00




MOBILE UNIT


MOBILE TRAINERS-AID WHIRLPOOLS

Mobile TRAINERS-AID Whirlpool Bath (Two Motor Type) for Arm, Leg, Hip and Back Immersion—with LARGE Stainless Steel Tank (fully welded—leak proof) mounted on casters, Powerful Ille Electric Turbine Ejector and Aerator with ½ H. P., high speed 3450 R. P. M. motor, Raising and Lowering Device, 3½" Dial Thermometer, separate Electric Drainage Pump mounted underneath tank bottom and including drain hose with gooseneck.

Length	Wi	dth	Dep	th	STD	DLX
THM	100	42"	22"	26"	\$495.00	\$545.00
THM	100	48"	22"	26"	\$520.00	\$570.00
THM	100	54"	22"	26"	\$545.00	\$595.00
THM	105	54"	25"	28"	\$570.00	\$620.00



MODEL CB 50 and 51, including HM A20(T) and HM A17



STATIONARY UNIT

STATIONARY TRAINERS-AID WHIRLPOOLS

Stationary TRAINERS-AID Whirlpool Bath for Arm, Leg, Hip and Back Immersion—with LARGE Stainless Steel Tank (fully 'welded—leak proof), Powerful Ille Electric Turbine Ejector and Aerator with 1/3 H. P., high speed 3450 R. P. M. motor, Raising and Lowering Device, 31/2" Dial Thermometer and Floor Drain Valve.

Ille CONTRAST BATHS


Contrast Baths are employed for the alternate immersion of extremities in hot and cold water to produce an intense vascular reaction and are suggested for use in the treatment of various conditions, such as sluggish peripheral circulation, toughening amputation stumps, chilblains, and selected forms of arthritis.

SPECIFICATIONS:

MODEL CB 50 AND 51 STATIONARY ARM AND LEG CONTRAST BATHS:

The complete unit consists of 2 each stainless steel Arm and Leg Tanks with each tank including an over-the-rim water inlet, drain valve and over-flow with piping to floor. The Arm Tanks are mounted on a sturdy pedestal. Arm Tank Dimensions: 20" long, 12" wide, 16" deep, 34" overall height. Leg Tank Dimensions: 20" long, 15" wide, 16" deep, 20" overall height.

\$900.00



MODEL HM 801






SPECIFICATIONS:

Model HM 801 Complete consists of a Stainless Steel Tank with stainless steel channel reinforced bottom, supporting legs, 2 Electric Turbine Ejectors, 2 Turbine Ejector Carriages with Elevators, Dial Thermometer for tank, Tank Fittings, Head Rest, Body Hammock, Body Plinth, HM 801A Thermostatic Water Mixing Valve Assembly and HM 801B Overhead Carrier, All items detailed as follows:

TANK:

The tank is figure "8" shaped, of Hubbard-Currence design, with Snow modification. It is constructed of heavy gauge, satin finished, stainless steel of seamless welded construction, including a stainless steel channel reinforced bottom. Supporting legs are furnished. Water capacity—425 gallons.



ELECTRIC TURBINE EJECTOR and AERATOR, CARRIAGE and ELEVATOR:

Tank is equipped with two Turbine Ejectors and Carriages. The turbine ejectors include special ½ H. P., 3450 R. P. M. vertically mounted motors. The motors are covered with motor caps. The carriages with elevators mount on the tank rim and roll around the tank to position the turbine ejector at the desired location inside of tank. The carriages and elevators are equipped with a locking device.

TANK FITTINGS:

Tank is equipped with an over-the-rim sanitary Water Inlet at head end. Two Overflow fittings with strainers and a chain pull 3" Drain Valve are located at foot end of tank. A Dial Thermometer is mounted inside tank.

HEAD REST:

Tank is equipped with an adjustable Head Rest, furnished with 2 canvas.

BODY HAMMOCK:

Tank is equipped with an adjustable Body Hammock consisting of 2 mounting brackets, furnished with 2 canvas.

BODY PLINTH:

A Body Plinth stainless steel frame is furnished for supporting patient in tank, including 2 removable canvas with drain holes and lacing string. An adjustable Plinth Supporting Fixture is furnished to support head end of plinth frame.

INSIDE MEASUREMENTS OF TANK:

Length of tank to inset	7 feet 2	inches
		6 feet
Width of middle, narrow part of	tank, 35	inches
Width of foot of tank	. 4 feet 5	inches
Depth of tank	22	inches

OVERALL MEASUREMENTS OF TANK:

Overall length of tank	8 feet 10 inches
Overall width of tank	6 feet 6 inches
Overall height of tank	34 inches


ACCESSORIES furnished with MODEL HM 801 and HM 801B Full Body Immersion Tank Unit:

- Electric Hoist and Trolley.
- 2. Cross Bar and Suspensions With Snaphooks
- 3. Water Stretcher.
- 4. Body Sling Canvas.
- 5. Body Hammock.
- 6. Body Plinth.
- 7. Plinth Support Fixture.
- 8. Head Rest.


HM 801 Unit Complete \$4250.00 801-B \$480.00 Complete




Combination Treatment and Wading Tank \$4860.00 MODEL HM 1100



Therapeutic Tank and Pool
MODEL HM 1200 Prices available on request




Wading and Underwater Exercise Tank Prices available on request MODEL HM 1610



STAINLESS STEEL STRAINER
Cat. No. HM A55 \$14.00



ELECTRIC CORD REEL Cat. No. HM A56



Water Purification — Maintenance Unit MODELS FS 100 and FS 105

Prices available on request

TANKS FOR WADING, UNDERWATER EXERCISES, OR POOL THERAPY

SPECIFICATIONS:

MODEL HM 1100 COMBINATION TREATMENT AND WADING TANK:

The complete unit consists of a Stainless Steel Tank with Wading Trough, 2 Electric Turbine Ejectors, 2 Turbine Ejector Carriages with Elevators, Dial Thermometer for tank, Tank Fittings, Head Rest, Body Hammock, Body Plinth, Adjustable Hand Rails for wading trough, stainless steel Steps for trough, 2 stainless steel Trough Covers; HM 1100A Thermostatic Water Mixing Valve Assembly and HM 1100B Overhead Carrier consisting of Electric Hoist and Trolley, stainless steel Water Stretcher with 2 canvas, stainless steel Cross Bar with Suspensions and Snaphooks, 2 canvas Body Sling and a Body Suspension Wading Harness. Inside Tank Dimensions are 7 feet 2 inches long, 6 feet maximum width, 22 inches top tank depth, 32 inches trough depth. Water capacity-760 gallons.

MODEL HM 1200 THERAPEUTIC TANK AND POOL:

The complete unit consists of a Stainless Steel Double Wall Tank with stainless steel platform supporting posts, Stainless Steel Platform with 2 sets of Adjustable Handrails, Water Inlet, Overflow and Tank Drain Fittings including electrically operated 3 inch Drain Valve, 4 Electric Turbine Ejectors and Aerators with Turbine Carriages and Elevators, 2 Dial Thermometers in tank, 2 Adjustable Head Rest with 2 canvas each, Body Plinth with 2 canvas, Plinth Supporting Fixture; HM 1200A Thermostatic Water Mixing Valve Assembly, and HM 1200B Overhead Carrier consisting of 2 Electric Hoists and Trolleys, stainless steel Water Stretcher with 2 canvas, stainless steel Cross Bar with Suspensions and Snaphooks, 2 canvas Body Sling, and a Body Suspension Wading Harness. Inside Tank Dimensions are 14 feet long, 4 feet wide, 5 feet 6 inches deep. Water capacity—2125 gallons.

MODEL HM 1610 WADING AND UNDERWATER EXERCISE TANK:

The complete unit consists of a Stainless Steel Double Wall Tank, 2 sets Adjustable Handrails, Water Inlet, Overflow and Drain Fittings including hand operated 3 inch Drain Valve, stainless steel Steps, 2 Electric Turbine Ejectors and Aerators with Turbine Carriages and Elevators, Dial Thermometer in tank, Adjustable Head Rest with 2 canvas, Body Hammock with 2 canvas, Body Plinth with 2 canvas, Plinth Supporting Fixture; HM 1610A Thermostatic Water Mixing Valve Assembly, and HM 1610B Overhead Carrier consisting of Electric Hoist and Trolley, stainless steel Water Stretcher with 2 canvas, stainless steel Cross Bar with Suspensions and Snaphooks, 2 canvas Body Sling and a Body Suspension Wading Harness. Inside Tank Dimensions are 8 feet 6 inches long, 5 feet wide, 54 inches

adult depth one side and 32 inches child depth other side. Water Capacity—1000 gallons.

NOTE: For detailed description of especially designed Electric Hoist with safety features for lifting people as furnished with HM 1100B, 1200B and 1610B Overhead Carrier, see HM 801B Overhead Carrier description on page 13.

NOTE: Tank Size may be varied for Models HM 1200 and 1610 type units dependent upon Hospital Requirements and Room Size.

MODEL FS 100 OR FS 105 WATER PURIFICATION—MAINTENANCE UNIT:

The unit is used to recirculate the water in a treatment or wading type hydrotherapy tank, disinfect the water, remove suspended solids, maintain ph value and treatment temperature of the water. Designed to comply with Department of Health Regulations. The complete unit consists of a Chemical Neutralite Filter Tank, Hypo-Chlorinator, Alum Feeder, Thermostatic Electric or Steam Heater, Water Circulating Pump, Electric Control Panel, Valves and Interconnecting Piping and Water Test Kit. It is assembled and mounted on a rigid steel base. NOTE: Specify Model FS 100 for use with HM 1200 Tank Unit, and Model FS 105 for use with HM 801, 1100 or 1610 Tank Units.

OPTIONAL ITEMS for use with HM 1100, 1200 or 1610:

HM A50 WALL RECESS STEEL CABINET:

For use in recess mounting of HM 1100A, 1200A or 1610A thermostatic water mixing valve assembly.

HM A55 STAINLESS STEEL STRAINER:

Available for attaching to bottom of electric turbine ejector.

HM A56 ELECTRIC CORD REEL:

Available for use with electric hoist furnished with overhead carrier.

HM A61 TANK WASH-OUT HOSE:

Assembly, available for attaching to HM 1100A, 1200A or 1610A thermostatic water mixing valve assembly.

HM A62 and HM A63 STAINLESS STEEL WALL MOUNT-ING BRACKETS:


Available for storage of tank accessories. Specify HM A62 for use with HM 1100 or 1610 Tank Units, and HM A63 for use with HM 1200 Tank Unit.

HM A64 ELECTRIC DRAIN VALVE:

An Electrically Operated 3" Drain Valve with remote control panel is available for use with Models HM 1100 or 1610 in lieu of standard drain fittings.

SPECIFICATIONS:


Model TPH 110 Portable HYDRO-AID consists of an electric turbine ejector and aerator, powered with a 1/3 H. P., high speed 3450 R. P. M. motor with sealed-in bearings that DO NOT require additional lubrication, and includes independent air and water force regulators, on and off switch on top of motor, green baked enamel motor cover, 10 ft.-3 conductor rubber covered line cable with 3 prong plug, hand grips for carrying, and supported by a stainless steel stand with rubber bumpers on bottom to prevent tub scratching. Parts that come in contact with water are brass and bronze, polished chrome and polished stainless steel.



The new Ille Portable HYDRO-AID is a powerful electric turbine ejector and aerator which can be placed within any tub to provide underwater massage to affected muscle areas.



\$225.00



Absolutely safe

Unique water flow control

\$250.00 SPECIFICATIONS:

Model TP 100 Wall Mounted HYDRO-AID consists of an electric turbine ejector and aerator, and Cat. No. HM A33 stainless steel wall mounting bracket. The hydroaid is powered with a 1/3 H. P., high speed 3450 R. P. M. motor with sealed-in bearings that DO NOT require additional lubrication, and includes independent air and water force regulators, on and off switch on top of motor, green baked enamel motor cover, and 10 ft.-3 conductor rubber covered line cable with 3 prong plug. Parts that come in contact with water are brass and bronze, polished chrome. The wall mounting bracket is fabricated of polished stainless steel.



WP-10 WHIRLPOOL BATH UNIT.....

The complete Aqua/Whirl consists of a turbine ejector-aerator assembly mounted on and supported by a stainless steel "U" shaped stand (3). The turbine is powered by a 1/3 H. P. motor (1) with automatic overload protector and sealed, permanently lubricated, bearings for operation on 115 volts, 60 cycles, A.C. The pressure control lever (2) varies the rate of agitation by controlling the output of water and air produced by the pump (5) and aerator (6). Output of the pump, at maximum capacity, is 60 gallons per minute at a velocity of approximately 3000 linear feet per minute, mixed with approximately 20,500 cubic inches of preheated forced air from the motor. Whitehall underwater bearing (4) made of DuPont "Teflon" assures longer, trouble free, use of the unit. A carrying handle (7) is fitted at the front end of the turbine assembly — also serves as a grip for pivoting the turbine to either side when whirlpool action is desired. All turbine parts that

come in contact with the water are constructed of stainless steel, chrome plated brass and bronze. "U" shaped stand (3) of all stainless steel construction, designed for immersion into any tub, supports the turbine assembly in a firm position. Clear plastic sheathing (8) on the lower portion of the stand

protects tub surface from scratches. Total combined weight: 32 lbs.



Me PARAFFIN BATHS


for high heat treatment



OUTSTANDING FEATURES:

Thermostatically Controlled with Safety Cut-Out.

Stainless Steel Tanks of Leakproof Construction.



MODEL PB 112

Inside Tank Dimensions: 15" long, 7" wide, 10" deep. Overall Height: 27".

\$295.00

With ILLE "CONSTANTEMP" Control, the bath temperature is automatically maintained at 126 degrees F plus or minuus 2 degrees F.

For paraffin treatment, the affected part is usually dipped into the liquid paraffin and quickly withdrawn until the paraffin coating allows comfortable immersion. Following a 15-30 minute treatment the paraffin is normally stripped off and replaced in the bath.

MODEL PB 112(F)

Inside Tank Dimensions: 15" long, 7" wide, 10" deep. Overall Height: 15".

\$280.00



SPECIFICATIONS:

MODEL PB 112 MOBILE HAND AND WRIST, ELBOW, FOOT AND ANKLE PARAFFIN BATH:


The complete unit consists of a small double wall Stainless Steel Tank, stainless steel 1½" Dial Thermometer mounted inside tank, stainless steel Cover, removable Wood Grate, 20 pounds special 126°F melting point Paraffin and 2 quarts Paraffin Oil, 10 foot electrical cord and removable Stand with Casters. UL and CSA approved.

MODEL PB 112(F) MOBILE FOOT PARAFFIN BATH:

Similar to Model PB 112—except tank is mounted on 4 casters WITHOUT stand. UL and CSA approved.

MODEL PB 111 MOBILE COMBINATION ARM AND LEG PARAFFIN BATH:

The complete unit consists of a large double wall Stainless Steel Tank supported by four ball bearing casters, electrical control panel, stainless steel 1½" Dial Thermometer mounted inside tank, stainless steel Cover, removable Wood Grate, paraffin drain Gate Valve, 100 pounds special 126°F melting point Paraffin, and 3 gallons Paraffin Oil, and 10 foot electrical cord.




\$975.00

MODEL PB 111


Inside Tank Dimensions: 22" long, 14" wide, 22" deep.

Overall Height: 30".

\$795.00 MODEL HT 100 Therapeutic Tub




MODEL HT 100 \$300.00 Showing Model TP 100 Turbine Ejector with RL 100 Raising and Lowering Device.



MODEL HT 100 Showing Model PA 150 Pool Agitator fittings inside tub.



MODEL PA 150 Pool Agitator Unit



MODEL HT 100 \$26.00 Showing Model HT A12 Removable Reclining Backrest.

THERAPEUTIC TUB

Ideal for after care of burn patients, skin treatment, nursing homes and spa therapy

SPECIFICATIONS:

MODEL HT 100 THERAPEUTIC TUB:

The complete unit consists of a heavy gauge all Stainless Steel Tub (seamless—completely and continuously electrically welded — leakproof) with coved corners, stainless steel trim shield supporting base, handle operated type 2" Drain Valve and a 2" Full-Flow Overflow with a separate tank outlet, and 3½" Dial Thermometer mounted inside tub. Inside Tub Dimensions: 7' long, 2' wide, 20" deep. Rim width: 2½". Overall height: 28".

NOTE: Therapeutic Tub is available in other dimensions to meet individual installation requirements.

OPTIONAL ITEMS for use with HT 100 Therapeutic Tub:

MODEL TP 100 and RL 100:

Electric Turbine Ejector and Aerator and Raising and Lowering Device for attaching to end of tub. Fittings—polished chrome.

MODEL PA 150:

Pool Agitator Unit including tub intake fitting and outlet ejector fitting with aerator tube. Tub fittings—polished chrome.

MODEL HT A10:

Rubber Hand Grip including opening in tub rim (factory installation only).

MODEL HT A11:

Removable Stainless Steel Step with non slip tread on top surface.

MODEL HT A12:

Removable Reclining Backrest complete with 2 attachment brackets for tub rim, all stainless steel.

MODEL HT A13:

Headrest consisting of 2 stainless steel brackets for attaching to tub rim, and headrest canvas.

MODEL HT A20 (I):

Twenty gallon capacity exposed Thermostatic Water Mixing Valve Assembly with volume control valve, vacuum breaker, piping to tub and over-therim water inlet, all polished chrome.


Cat. No. HM A16 MOBILE ADJUSTABLE HIGH CHAIR With Back and Arm Rest, Attached Step and Safety Belt:

This indispensable chair is an accessory especially designed for use with leg tank units. The special construction of the chair permits the seat to protrude over edge of tank, affording maximum comfort to patient during foot and lower leg treatment. When required the patient can slide off chair seat and step down onto suspension seat inside of tank, then step onto tank bottom to sit on the suspension seat during full leg or hip treatment. A plastic foam pad is furnished for chair seat. Built for comfort and durability, this light weight chair can be used as a hospital utility chair, and provides a method of moving patient to location where hydrotherapy treatment is to be given.

Chair is constructed of a heavy tubular aluminum frame, strongly braced, rigidly brazed, and equipped with four 3-inch institutional ball bearing casters, two of which have foot locking brakes. Seat is adjustable from 33" to 38". Step height,

Cat. No. HM A16

\$125.00



Adjustable High Chair is similar to HM A16—except WITHOUT casters, but including rubber leg tips.

Cat. No. HM A18 ADJUSTABLE LOW CHAIR:

The Adjustable Low Chair is similar to Cat. No. HM A19—except the seat height is lower. It is especially designed for use with Models HM 285, 290, 295, 685, 690, 695 Long and Low Whirlpool to support the patient outside the tank during foot and low leg treatment. The low chair includes back and arm rests, and safety belt. Seat is adjustable from 23" to 29".

Cat. No. HM A29 HYDRO-CHAIR:

The Adjustable Hydro-Chair includes back and arm rest and attached step. This economy model high chair is recommended for use with leg and hip whirlpools.


Chair frame is constructed of polished chrome tubular steel. The back and seat are covered with black plastic duran and the step with ribbed rubber.

Seat is adjustable from 29" to 39". Step height 12".



Cat. No. HM A17 ADJUSTABLE LOW STOOL:


The Adjustable Low Stool with Backrest is an accessory for use in supporting the patient in a seated position alongside of tank for arm treatment. Seat is adjustable from 17" to 22".



\$90.00 Cat. No. HM A18




\$85.00 Cat. No. HM A29



Cat. No. HM A21 WATER FILLING FIXTURE: \$55.00


Water Filling Fixture with vacuum breaker, polished chrome, and including filler hose.



Cat. No. HM A32 RUBBER HAND GRIP:

\$1.75

A Rubber Hand Grip is available for top of tank, also used as arm pit support.



Cat. No. HM A27 ADJUSTABLE HEADREST: \$84.00

Adjustable Headrest with headrest canvas, and including tank mounting fixture, for use with Models HM285, 290, 295 and 685, 690, 695 Long and Low Whirlpools.






\$14.00

Cat. No. HM A55 STAINLESS STEEL STRAINER:

A Stainless Steel Strainer is available for attaching to bottom of electric turbine ejector, to prevent clogging of turbine bottom housing during treatment of burn patients.



Cat. No. HM A28 HEADREST:

\$14.00

Headrest consists of two stainless steel brackets and headrest canvas, for use with Models HM 285, 290, 295 and 685, 690, 695 Long and Low Whirlpools.



Qt. \$2.00

Gal. \$6.85

Cat. No. MF 10 MEDIFOME:

Medifome (Deodorant — Water Softener — Detergent); a concentrated medicated foam compound specially prepared for use with ILLE Hydromassage Subaqua Therapy Tanks. Available in 1 gallon or 1 quart plastic containers.

STAINLESS STEEL POOL EQUIPMENT

for use in tile pools

SPECIFICATIONS:

MODEL SS 100 POOL TREATMENT TABLE:

Table consists of a heavy gauge, fully welded ALL Stainless Steel Table with perforated top and 4 adjustable legs. Table is adjustable in height from 32" to 42". Three nylon restraining straps with buckles attach to the table top. Table top is 78" long by 30" wide.

MODEL SS 100(S) ADJUSTABLE HINGED SHELF:

An adjustable, hinged stainless steel shelf for use as a headrest, is available for attachment to one end of Model SS 100 table (factory installation only).

MODEL SS 101 POOL CHAIR:

Chair consists of a heavy gauge, fully welded ALL Stainless Steel Chair with back rest and 4 adjustable legs. The chair includes 2 nylon restraining straps with buckles—one for seat and one for back rest. Chair is adjustable from 20" to 30" in height.

MODEL SS 102 POOL PARALLEL BARS:

The Bars consist of a Stainless Steel Base with vinyl link mat and Parallel Bars adjustable vertically and horizontally. The Stainless Steel Hand Rails are 12' 8" long with a center to center width of 24" and they are adjustable from 16" to 32" in width, 25" to 36" in height. One "A" frame is furnished for use in lifting the stainless steel base by using the overhead electric hoist. The base and supporting columns is fabricated of all stainless steel with overall dimensions of 13' 6" long x 26" wide. Fixtures are brass or bronze — polished chrome.

NOTE: Hand rails and base length may be varied dependent upon pool size.

SPECIFICATIONS:

MODEL MA 105 MOISTAIRE UNIT:

The complete unit consists of a Stainless Steel Treatment Hood with Recirculator and control panel, Treatment Table with stainless steel top, Table Pad enclosed in a removable maroon rubber sheeting, 2 Nylon Moistproof Curtains, and a Water Filling Can.


Treatment Table Dimensions: 78" long (+ 24" extension), 26" wide, 28" high.

Treatment Hood Dimensions: 29" long, 24" wide, 24" high.




POOL TREATMENT TABLE MODEL SS 100

\$425.00



POOL PARALLEL BARS MODEL SS 102

\$1575.00



MODEL MA 105

\$1250.00

PARAFFIN BATH



STAINLESS STEEL DRESSING CARRIAGE


#1289



#1054 5 SHELF SUPPLY CART 49.50

Save 40% of your floor space with this 5 shelf cart. The two extra shelves make it a mobile storage unit. Low enough to go through doors and into elevators. Shelves are 15" x 26". Cart height is 70". Two 8" wheels, two 3" swivel casters can easily maneuver into tightest space. Hammertone gray finish.

40 lbs.





(INTERMITTENCE TRACTION DEVICE)

U.S. PATENT NO. 2910061

- SAFE POSITIVE TRACTION
- 124.00
- **INEXPENSIVE TO PURCHASE**
- COMPENSATES FOR PATIENT'S MOVEMENT
- REDUCE TRACTION PULL MALFUNCTION BY POSITIVE WEIGHT
- **ECONOMICAL TO USE TROUBLE FREE**
- **GUARANTEED FOR 6 MONTHS AGAINST** IMPERFECTION IN MATERIAL & WORKMANSHIP

Constructed of 1" S.S. tubing 35" high 20" wide 38" long. Raised edge formed all around both top and bottom shelf to prevent spillage and breakage even when carriage is moving. Comes complete with covered adhesive tape rack. 95 lbs..

201.00

DESK CAB #1086

69.50

COMBINATION, WRITING AND STORAGE DESK

Ideal for therapy departments, clinic or office. Size: 19" wide. 15" deep, 45" high.

Formica cabinet top and writing surface plastic edge molding. Drawer and shelf provided in lower section. Slanted writing surface for "stand up" writing . . . Hinged for "lift-up" with ample space for storage of forms, etc. Leveling glides are standard equipment. Continuous type cabinet door hinge. Submit sample for color matching — any color is available.

\$8.00 ea.


SPRING COCK-UP SPLINT

To dorsiftex the wrist. With outrigger to flex metacarpophalangeal joints.

No. 1151A-L. 1151B-M. 1151C-S.


SAME, less Outrigger

No. 1152A-L. 1152B-M. 1152C-S. \$7.00 ea.




MODIFIED OPPENHEIMER SPLINT \$7.50 ea.

For radial palsy No.1156A—Large No.1156B—Medium No. 1156C-Small




FINGER EXTENSION SPLINT \$5.25 WITH WRIST SUPPORT

No. 1159A—Large No. 1159B—Medium No. 1159C—Small No. 1159D—X-Small



PALMAR SPLINT

\$5.50 After Dupuytrens operation. No. 1162-Large size only




Bunnell Splints

KNUCKLE BENDER

To flex the metacarpophalangeal joints.

No.1153A-X-Lge. No. 1153B-Large No. 1153C-Med. No. 1153D-Small


\$7.00 ea.



THOMAS SUSPENSION SPLINT \$7.50 ea.


For radial palsy

No. 1157A—Large No. 1157B-Small



SPRING WIRE SAFETY-PIN SPLINT \$2.75 ea.

To extend a finger No. 1160A-Large No. 1160B-Medium No. 1160C-Small



DORSAL WRIST SPLINT No. 1163A—Large No. 1163B—Medium

\$6.50 ea. No. 1163C-Small



\$8.00 ea.

KNUCKLE BENDER WITH OUTRIGGER

To extend two interphalangeal joints. No.1154A—X-Lge. No.1154B—Large No.1154C—Med. No.1154D—Small No. 1154E-Extra Small.


No. 1155A, B, C, D, E, less outrigger but with segment to flex distal two finger joints.



FINGER EXTENSION SPLINT

WITH CLOCK SPRING \$3.75 ea.

No. 1158A—Large No. 1158B—Medium No. 1158C-Small



MODIFIED SAFETY-PIN SPLINT


To extend a finger \$2.75 ea.

No. 1161A-Large No. 1161B-Medium No. 1161C-Small



DORSAL WRIST SPLINT WITH OUTRIGGER To extend fingers. \$7.50 ea.

No. 1164A-L. 1164B-M. 1164C-S.



Bunnell Splints

\$7.25 ea.

REVERSE KNUCKLE BENDER

To extend metacarpophalangeal joints.

No. 1165A—X-Lge. No. 1165C—Med. No. 1165B—Large No. 1165D—Small



FINGER KNUCKLE BENDER

To flex a middle finger joint.

No. 1168A—X-Lge. No. 1168C—Med.

No. 1168B—Large No. 1168D—Small


No. 1168E—X-Small



COMBINATION OPPENHEIM-ER WITH KNUCKLE BENDER

To dorsiflex wrist and flex the metacarpophalangeal joints; outrigger attachment to extend the distal two finger joints. \$14.50 ea.


No. 1171A—Large No. 1171B—Medium
No. 1171C—Small



\$8.25 ea.

REVERSE KNUCKLE BENDER WITH OUTRIGGER


No. 1166A—X-Lge. No. 1166C—Med. No. 1166B—Large No. 1166D—Small



REVERSE FINGER KNUCKLE BENDER \$5.25 eq.

Extends middle finger joint.


No. 1169A—X-Lge. No. 1169C—Med. No. 1169B—Large No. 1169D—Small No. 1169E—X-Small



COMBINATION OPPENHEIMER WITH REVERSE KNUCKLE BENDER

To dorsiflex wrist and extend the metacarpophalangeal joints; outrigger attachment to extend the distal two finger joints.

No. 1172A—Large No. 1172B—Medium No. 1172C—Small \$14.50 ea.




\$7.50 ea.

COMPOSITE SPRING AND ELASTIC SPLINT

To extend fingers.


No. 1167A—Large No. 1167B—Small



TORSION BAR

To supinate or pronate the wrist. Unit is clamped to standard elbow splint.


No. 1170A—Large No. 1170B—Small \$15.50 ea.



SPREADING HAND SPLINT

Indicate right or left hand. The flexible wires have to be bent to contour of the fingers by means of pliers.

No. 1173A—Lge. Right No. 1173B—Lge. Left. No. 1173C—Medium, Right No. 1173D—Medium, Left.





INDEX

A	Brush, Hand	Page No.	D	
Page No.	Buck's Extension			Dana Na
AB Tension Pillow50	Button Aids		Dart Set	Page No.
Alternating Pressure Pads32			Decubitus Cushion	88
Anklet80			Deodorant	
Aquasonic10			Desks	
Arm Leg and Knee Rest50	Cabinets,		Cabinet Combination	148
Arm Rest Safety50, 96	Bedside		Fold-Up Wall	114
Arm Slings	Ні-Тор		Dia-Sonic Ultra Sound	
D	Safety		Diathermy	
8	Storage		Digitater	
Baby Crib42	Wardrobe		Dispenser, Soap	
Back Rest 33, 91	Caliper Canes,	04	Dressing Aids	
Badminton and Volley Ball Set76	Aluminum Adjustable	2	Dressing Cart Drinking Straws	
Bags,	Hardwood		Dumbbelis	
Immobilization 60	Ortho		Domobens	
Plastic89	Seat		E	
Sand	Tri-Pod			
Training21, 105	Can Opener, Electric	117	Elastoplast	85
Bakers55	Carts,		Examining Furniture	
Balkan Frame	Dressing		Exercise,	
Bandage, Elastic	Folding and Accessori		Exercise	
Baths,	Supply44,		Bicycles	16, 18, 29
Contrast 138	Cast Breaker		BK Adjustment	
Paraffin148	Cast Cutter	63	Dumbbells	
Sitz	Cast Padding		Exerow	
Steam	Cast Spreader		Flutter	27
139, 140, 142, 144	Cervical Brace Cervical Collars		Shoulder Rotator	
Bath Seat, All Purpose	Chairs,	54, 03, 04	Pulley Attachment Foot Placement Lado	2/
Bath Towels	Commode	6.8	Foot Stools	
Bath Tub Stool 43, 89	Kindergarten		Hand	
Bed Boards 39	Relax		Heel Stretcher	
Bedpan, Rubber90	Shower		Hip Circumductor	
Beds,	Table		Lower Extremity Rota	
Cradle Folding36	Chart Caddy and Carr	er34	Muscle Power	
Electric	Chart Holder	34	Peabody Splint	31
Rollaway42	Clavicle Brace		Platform	19
Standard Hospital37	Cloths, Wash		Powder Board	
Bedside Cabinet	Colpac Units		Pulley Attachment	26, 27,
Rails	Comb Extension			99, 100
Belts,	Commode, Bedside		Ramp	
Vibrator	Chairs		Rotary Wrist	
Walking Safety	Raised Seat		Shoulder Ladder	
Bench, Work 78	Contrast Baths		Shoulder Rotator	
Bending Irons 63	Costumer, Folding		Shoulder Wheel	
Bicycles	Crib, Baby Crutch Accessories		Skate	
Blood Pressure Instruments 13 Board, Sliding 43	Crutches,	***************************************	Stairs Table	
Body Protectors 50, 84	Aluminum Adjustabl	9	Table	24
Book, "Care of the Back"70	Canadian		C	
Book Holder	Wooden Adjustable		F	
Boots, Traction	Cunningham Clamps		Fan	12
Braces,	Cup, Drinking		Felt, Orthopedic	
Cervical	Curb Ramp		Finger and Toe Grips	63
Clavicle 80	Cushions,		Finger Cot Protector	
Dorsiflexion Foot	Coccyx-Ease	91	Finger Extension Gan	ne118
Hyperextension59	Decubitus	88, 91	Fingernail Clipper Re	
Locker	Wheel Chair		Foam Padding	81, 88, 116
Lumbar	Wheel Stretcher	132	Foot Boards	88

	Page No.		Page No.		Page No.
Foot Brace	30	Lifters,		Pressure Pads, Alternati	
Foot Guards		Accessories		Protractors	
Foot Placement Ladder	28	Bath		Pulley Weights	22
Frames,		Electric			
Balkan		Folding Travel		R	
Overhead		Kartop			
Side Arm		Mechanical Jack		Rails,	
Turning	69	Scale		Bathroom and Toilet	
		Limbo Cycle		Bed	
6		Loom, Rehabilitation		Ramp Curbs	
		Lotion, Body	58	Rehabilitation Loom	75
Goggles				Rehab Unit	26
Goniometers	64	M		Relax Chair	41
				Restorator	25
H		Massage Roller and Ha		Restraints	
		Mat, Truck		Rib Belts	80
Halters, Head		Mats, Therapeutic		Rotation Leg Control	30
Hamper, Folding	44	Mattress		Rowex Rowing	17
Hand,		Mattress Changer		Rowing Machine	23, 29
Brush		Medifome			
Exercise Compound		Mirrors, Posture and Tro		C	
Exerciser		Mitt, Restraint		9	
Massager	50	Moistair Unit		Safety Arm Rest	6
Head Halters	59, 118	Moto Shop Tool	78	Safety Pins and T-Pins	
Head Pointer	118	Moto Tool Kit	78	Safety Rails,	
Heat Gun Heater	115			Bed	32 35
Helping Hand		0		Toilet	
Holders,				Sanders,	, /
Cigarette	123	Opthalmoscope	11	Bilateral	110
Cup		Orth-O-Cell		Electric	
Glass		Orth-O-Trac			/8
Mitts		Orth-O-Vent		Scales,	110
Pencil		Orthopedic Felt		Chair	
Razor		Oscillograph		Clinic	
Writing Frame		Oscillometer	14	In-Bed	
Hydrocoliators		Otoscope		Portable	97, 113
Trydrocollators		Over Bed Table		Scissors,	
				Bandage	
		Overhead Frame, Balka	п38	Training	
Incontinence Clamp	00			Scoot-About	
				Screens, Panel	36, 82
Incontinent Pants				Seats, Bath	
Indian Clubs		Padding, Foam and Felt		Sheets	
Infrared Lamp		Pads, Pressure Point		Shoe Fastener	
Intermittent Compression		Pants, Incontinent		Shoe Horn and Dressing	Aid121
Invalid Lifter		Paper Roll	89	Shop, Vacuum	78
Iron, Steam	117	Paraffin Baths		Shoulder Wheel, Ladder.	24, 28, 31
		Parallel Bars26, 70		Shower Seat	5, 6
		Paring Boards	117	Shuffle Board	76
		Pastry Roller		Shu-Lok	123
Jar Opener	117	Patient Aid		Sitz Bath, Disposable	
		Patient Helper	39	Mobile	
		Pelvic Traction Belt		Skeletons	127
		Pen, Marking		Slings,	
Keystone Splints	61	Percussion Hammers	13	Arm	94 90
Kindergarden Chair, Table		Pillow AB Tension		Knee	
Kitchen Utensils		Pillow Prop		Pelvic	00
Knife and Fork Combination		Ping Pong Table			
Ame and fork combinant		Pins, Safety, T		Slippers, Paper	
		Plastic Liners		Soap Diagram	
		Polecat Cross Bar		Soap Dispenser	
Lamas Tolkinson				Sphygmomanometer	
Lamps,	50	Helping Hand		Sphygmo-Oscillometer .	
Infrared		Pick-Me-Up		Spirometer	11
Ultraviolet	54	Pool Table		Splints,	
Lap Tray32, 40, Leg Alignor		Prenyl Splinting Material		Abduction Bunnel	62

	Page No.	Page No.	Page No.
Cockup		Tape Measure69	Holder121
Colles	67	Ther-Plast 122	Utility Cart
Dorsal Wrist	120	Timers, Interval	
Finger Guard	41 49 40	Toilet Aids	V
Foam Rubber		Toilet Arm Rest	
Hand and Forearm	120	Toilet Seats, Raised	Vacuums
Jet Bandage		Tongs	Velcro116, 119
Keystone	61	Tool Kit, Moto	Vibrator Belt, Hand
	62	Tooth Brush Extension123	Vise116
Night	31	Towels, Bath	Vital Capacity11
Plastic Molding11	5 116 120	Towers, built	Vitalometer12
		Traction,	Volley Ball Set
Posterior Elbow and L	eg07, 00	Accessories 96, 97, 102, 104, 107	
Spreader Bars	96, 104	Boots86, 104	W
Spreader Block		Buck's Extension104	
Stainless Steel Cleaner	12	Cervical Units	Walkers,
Stairs	19, 26, 31	101, 102, 104	Adult, Jr., Child109, 110,
Stall Bars		Chair Flexion107	111 112
Stands, Mobile	48	Home59, 98, 99,	Cerebral Palsy 110, 112
Steam Bath	49, 147	100, 101, 104	Folding109, 111, 112
Stethoscopes	13	100, 101, 104 Kit81, 98, 99	Walking Belt29
Stockinette	. 69	Kuhlmann	Wash Cloths76
Stool, Adjustable	47	Machines Intermittent 106, 107,	Waste Receptacles92, 114
Stools	31, 47, 96	148	Water Heater for Splints
Striking Bag	21, 105	Pelvic96, 98	Weight Cart and Weights 29, 63
Striking Bag Platforms	21	Side Arm38	Weights.
Suction Dart Set	76	Stand107	Chest Pulley22
Socion Dan Ser		Tru-Trac Table	Disc 29
			Training
		Training Scissors	Welstrap 119
		Training Stools31	Wheel Chair Accessories 86, 91, 116,
~ 11		Trapeze Bars	133, 134, 135
Tables,	15	Trays, Lap32, 40, 116	Wheel Chairs128, 129, 130, 131
Chair		Treadmill	Wheel Stretcher Cushions132
Cut-Out-Work		Tricycle30	Wheel Stretchers
Folding Massage	94	Tube Gauze Kit85	Whirlpools,
Folding Utility	30	Turning Frame	Accessories140, 144, 146
Kindergarten	43		Baths
Multiple Place	94		140, 141, 142, 144
Overbed			High Chairs145
Pool		1111 6	Parallel Bars 147
Stand In		Ultra Sound	Table147
Tennis	77	Ultra Violet Lamp54	Wire Finger and Toe Grips63
Tilt	92, 93	Urinary Appliances	Work Bench 78
Treatment		Utensils,	Wristlet 80
Tru-Trac	103	Feeding121, 124, 125	yy ristier





RETURN TO
DESIGN DIV.
Group 290

FAIRWAY KING, INC.

4408 NORTH SEWELL OKLAHOMA CITY, OKLA. 73118